



SAFETY DATA SHEET GRAPHITE REVISION 3, DATE 01 MAR 19

1. IDENTIFICATION

Product Name	Graphite
Other Names	C.I. Pigment Black 10; Natural graphite (carbon)
Uses	Electrically and thermally conductive additive; lubricant; cathodes, paints and coatings; pencil lead; fillers; friction modifier; carbon carrier; fireproof additive.
Chemical Family	No Data Available
Chemical Formula	C
Chemical Name	Graphite
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Redox Ltd
Corporate Office Sydney
Locked Bag 15 Minto NSW 2566 Australia
2 Swettenham Road Minto NSW 2566 Australia
All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Phone +61 2 9733 3000
Fax +61 2 9733 3111
E-mail sydney@redox.com
Web www.redox.com
ABN 92 000 762 345

Australia
Adelaide
Brisbane
Melbourne
Perth
Sydney

New Zealand
Auckland
Christchurch
Hawke's Bay
UK
London

Malaysia
Kuala Lumpur
USA
Los Angeles
Oakland
Mexico
Saltillo



Globally Harmonised System

Hazard Classification	NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Signal Word	None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Graphite	C	7782-42-5	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Get medical advice/attention if you feel unwell.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.
Advice to Doctor	Decontamination, symptomatic treatment. In case of persistent adverse effects, consult a doctor.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	May be combustible at very high temperatures.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction - Do not use water jets.
Fire and Explosion Hazard	Under certain circumstances, fine dust clouds may form explosive mixtures with air.
Hazardous Products of Combustion	Fire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides. Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Special Fire Fighting Instructions

Personal Protective Equipment	Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	125 - 250 g/m ³
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material - High risk of slipping due to leakage/spillage of product. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Collect material (by sweeping up or vacuum cleaner) and place into suitable containers for recycling or disposal (see SECTION 13). Avoid dispersal of dust in the air (i.e. clearing dusty surfaces with compressed air). Non-sparking tools should be used.
Containment	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust clouds.
Decontamination	Wash with water and collect.
Environmental Precautionary Measures	Do not discharge into the drains/surface waters/groundwater.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Fine dust clouds can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Take precautionary measures against static discharge.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Protect containers against physical damage. Protect from moisture/humidity. Keep away from heat and sources of ignition - No smoking. Keep away from food/feedstuffs and incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	Graphite (all forms except fibres) (respirable dust) (natural & synthetic) [CAS No. 7782-42-5]: - Safe Work Australia Exposure Standard: TWA = 3 mg/m ³ ; Containing no asbestos and <1% crystalline silica (e). - New Zealand Workplace Exposure Standard: TWA = 3 mg/m ³ ; The value for respirable dust (r).
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Protection Equipment	<ul style="list-style-type: none"> - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust mask/particulate filter respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses with side protection shield. - Hand protection: Handle with gloves. Recommended: Rubber or PVC gloves. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Long sleeved cotton overalls.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Wash hands after use and before eating. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Powder
Odour	Odourless
Colour	Grey to black
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	>3,000 °C
Freezing Point	No Data Available
Solubility	Insoluble in water
Specific Gravity	No Data Available
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	2.26 g/cm ³
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	Nil
Additional Characteristics	No information available.
Potential for Dust Explosion	<p>In principle, graphite fine dust can be generated under certain conditions. The dust explosion parameters of natural graphites are dependent on the degree of purity as well as the particle size distribution of the graphite powder.</p> <ul style="list-style-type: none"> - Classification: dust explosion class ST 1.

Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	May be combustible at very high temperatures.
Reactions That Release Gases or Vapours	Fire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.
Release of Invisible Flammable Vapours and Gases	Possible formation of combustible gases or fumes with chlorine trifluoride or fluorine.

10. STABILITY AND REACTIVITY

General Information	Not reactive on compliance with indicated conditions of uses and storage. Highly reactive to oxidising agents.
Chemical Stability	Graphite is stable.
Conditions to Avoid	Avoid generating dust. Keep away from heat and sources of ignition.
Materials to Avoid	Incompatible/reactive with strong oxidising agents.
Hazardous Decomposition Products	No decomposition if used according to specifications. Fire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.
Hazardous Polymerisation	Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	<p>Information on possible routes of exposure:</p> <ul style="list-style-type: none"> - Ingestion: Non-toxic. - Eye contact: Mechanical eye irritation may occur. - Skin contact: Mechanical skin irritation may occur. - Inhalation: Breathing of dust may cause respiratory irritation. <p>Chronic effects: Natural graphite with quartz content can lead to pulmonary diseases when inhaled. Suspicion of carcinogenic effect on humans (natural graphite with quartz content) [NTP].</p> <p>*Mineral dust. Non toxic; no known irritating or allergic reactions.</p>
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	<p>Aquatic toxicity:</p> <ul style="list-style-type: none"> - LC50, Fish (Dan.): >100 mg/l (96 h) static [OECD 203]. - EC50, Crustacea (Dap.): >100 mg/l (48 h) static [OECD 202]. - IC50, Algae (Pse.): >100 mg/l (72 h) static [OECD 201].
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Macro-crystalline natural graphite is a chemically inert and non-polluting material.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Residues and wastes may be recycled, contaminated wastes can be disposed of in accordance with local/regional/national regulations.
Special Precautions for Land Fill	No information available.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	Graphite
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	Graphite
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	Graphite
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Comments

NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	Graphite
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	Graphite
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	Graphite
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
--------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	Not Hazardous
---------------	---------------

National/Regional Inventories

Australia (AIIIC)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	310-127-6
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Listed

16. OTHER INFORMATION

Related Product Codes	GRAPHI1000, GRAPHI1001, GRAPHI1002, GRAPHI1003, GRAPHI1004, GRAPHI1005, GRAPHI1006, GRAPHI1007, GRAPHI1800, GRAPHI2000, GRAPHI2040, GRAPHI2041, GRAPHI2060, GRAPHI2080, GRAPHI2100, GRAPHI2110, GRAPHI2120, GRAPHI3000, GRAPHI3100, GRAPHI3500, GRAPHI3501, GRAPHI3502, GRAPHI3600, GRAPHI3700, GRAPHI3701, GRAPHI4000, GRAPHI4001, GRAPHI4200, GRAPHI4201, GRAPHI4202, GRAPHI4203, GRAPHI4204, GRAPHI4205, GRAPHI4206, GRAPHI4207, GRAPHI4208, GRAPHI4209, GRAPHI4500, GRAPHI5000, GRAPHI6000, GRAPHI6500, GRAPHI6501, GRAPHI6502, GRAPHI7000, GRAPHI7001, GRAPHI7002, GRAPHI7500, GRAPHI7501, GRAPHI7502, GRAPHI9100, GRAPHI9200, GRAPHI9700
Revision	3
Revision Date	01 Mar 2019
Reason for Issue	Updated SDS
Key/Legend	< Less Than > Greater Than

AICS Australian Inventory of Chemical Substances
atm Atmosphere
CAS Chemical Abstracts Service (Registry Number)
cm² Square Centimetres
CO₂ Carbon Dioxide
COD Chemical Oxygen Demand
deg C (°C) Degrees Celcius
EPA (New Zealand) Environmental Protection Authority of New Zealand
deg F (°F) Degrees Farenheit
g Grams
g/cm³ Grams per Cubic Centimetre
g/l Grams per Litre
HSNO Hazardous Substance and New Organism
IDLH Immediately Dangerous to Life and Health
immiscible Liquids are insoluable in each other.
inHg Inch of Mercury
inH₂O Inch of Water
K Kelvin
kg Kilogram
kg/m³ Kilograms per Cubic Metre
lb Pound
LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
ltr or L Litre
m³ Cubic Metre
mbar Millibar
mg Milligram
mg/24H Milligrams per 24 Hours
mg/kg Milligrams per Kilogram
mg/m³ Milligrams per Cubic Metre
Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.
mm Millimetre
mmH₂O Millimetres of Water
mPa.s Millipascals per Second
N/A Not Applicable
NIOSH National Institute for Occupational Safety and Health
NOHSC National Occupational Heath and Safety Commission
OECD Organisation for Economic Co-operation and Development
Oz Ounce
PEL Permissible Exposure Limit
Pa Pascal
ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight