



SAFETY DATA SHEET MANGANESE SULPHATE REVISION 4, DATE 01 MAR 19

1. IDENTIFICATION

Product Name	Manganese Sulphate
Other Names	Manganese sulfate, monohydrate; Manganese sulphate [CAS#7785-87-7]; Sulfuric acid, manganese(2+) salt (1:1), monohydrate
Uses	Feed additive, fertiliser, manufacturing other chemicals, textile dyeing, ceramics, mineral flotation.
Chemical Family	No Data Available
Chemical Formula	MnSO ₄ .H ₂ O
Chemical Name	Manganese sulphate, monohydrate
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Redox Ltd
Corporate Office Sydney
Locked Bag 15 Minto NSW 2566 Australia
2 Swettenham Road Minto NSW 2566 Australia
All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Phone +61 2 9733 3000
Fax +61 2 9733 3111
E-mail sydney@redox.com
Web www.redox.com
ABN 92 000 762 345

Australia
Adelaide
Brisbane
Melbourne
Perth
Sydney

New Zealand
Auckland
Christchurch
Hawke's Bay
UK
London

Malaysia
Kuala Lumpur
USA
Los Angeles
Oakland
Mexico
Saltillo



Globally Harmonised System

Hazard Classification	Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Hazard Categories	Acute Toxicity (Oral) - Category 5 Specific Target Organ Toxicity (Repeated Exposure) - Category 2 Acute Hazard To The Aquatic Environment - Category 2 Long-term Hazard To The Aquatic Environment - Category 2

Pictograms



Signal Word	Warning
--------------------	---------

Hazard Statements	H303	May be harmful if swallowed.
	H373	May cause damage to organs through prolonged or repeated exposure.
	H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements	Prevention	P260	Do not breathe dusts or mists.
		P273	Avoid release to the environment.
	Response	P391	Collect spillage.
		P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
		P314	Get medical advice if you feel unwell.
	Disposal	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Manganese sulphate, monohydrate	MnSO ₄ .H ₂ O	10034-96-5	>=98 - 100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting

the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.

Skin	IF ON SKIN: Remove and isolate contaminated clothing and shoes. Immediately wash skin with plenty of soap and running water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if respiratory symptoms persist or if you feel unwell. Apply resuscitation if victim is not breathing. Administer oxygen if breathing is difficult.
Advice to Doctor	Get medical advice/attention if you feel unwell. Treat symptomatically. Ensure that attending medical personnel are aware of the identity and nature of the product(s) involved, and take precautions to protect themselves.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	Non-combustible; Material does not burn.
Extinguishing Media	If material is involved in a fire, use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction. Use fire fighting measures that suit the surrounding fire.
Fire and Explosion Hazard	Decomposes on heating, emitting toxic fumes.
Hazardous Products of Combustion	Fire or heat may produce irritating, toxic and/or corrosive fumes, including Manganese oxides, Sulphur oxides.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may pollute waterways.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters protective clothing will provide thermal protection but provides only limited chemical protection.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. Do not touch or walk through spilled material - Slippery when spilt. Avoid accidents, clean up immediately! Avoid dust formation. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Sweep up and shovel into suitable containers for disposal, reuse or recycling (see SECTION 13).
Containment	Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas.
Decontamination	No information available.
Environmental Precautionary Measures	Spillages and decontamination runoff should be prevented from entering drains and watercourses. If contamination of sewers or waterways has occurred advise local emergency services.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher ground.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure
-----------------	---

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid prolonged or repeated exposure. Avoid dust formation. Do not breathe dust and avoid contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Keep away from heat and sources of ignition - No smoking. Take precautionary measures against static discharges. Avoid release to the environment - Collect spillage (see SECTION 6).

Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed when not in use - check regularly for spills. Protect from moisture. Keep away from heat and sources of ignition - No smoking. Keep away from food/feedstuffs and incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	<p>No specific exposure standards are available for this product. For Manganese, dust & compounds:</p> <ul style="list-style-type: none"> - Safe Work Australia Exposure Standard: TWA = 1 mg/m³ (as Mn). - New Zealand WES (2018) for Manganese fume, dust and compounds (as Mn): TWA = 0.2 mg/m³; TWA = 0.02 mg/m³ (respirable dust). - NIOSH REL for Manganese compounds and fume (as Mn): TWA = 1 mg/m³; STEL = 3 mg/m³. - OSHA PEL for Manganese compounds and fume (as Mn): 5 mg/m³ Ceiling. - Immediately dangerous to life or health (IDLH) concentration: 500 mg/m³ (as Mn). <p>*Emergency limits (Manganese sulphate): TEEL-1: 9.2 mg/m³; TEEL-2: 15 mg/m³; TEEL-3: 90 mg/m³.</p>
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	<ul style="list-style-type: none"> - Respiratory protection: Wear respiratory protection in case of inadequate ventilation or an inhalation risk exists. Recommended: Type P1 dust respirator. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Face shield, chemical goggles or safety glasses with side shield protection, as appropriate. - Hand protection: Handle with gloves. Recommended: Wear gloves of impervious material. Final choice of appropriate glove type will vary according to individual circumstances. This can include methods of handling, and engineering controls as determined by appropriate risk assessments. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Clean clothing or protective clothing should be worn, preferably with an apron. Safety boots in industrial situations is advisory.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using. Store protective clothing separately.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Powder or granules
Odour	Odourless
Colour	Pink
pH	3 - 3.5 50 g/L (20°C)
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	850 °C
Melting Point	700 °C (anhydrous)
Freezing Point	No Data Available

Solubility	Soluble in water
Specific Gravity	No Data Available
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	2.95 g/cm ³
Specific Heat	No Data Available
Molecular Weight	169.02 g/mol
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	Hygroscopic.
Potential for Dust Explosion	No information available.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Non-combustible; Material does not burn.
Reactions That Release Gases or Vapours	Decomposes on heating, emitting toxic fumes, including Manganese oxides, Sulphur oxides.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	No information available.
Chemical Stability	Material is stable under normal conditions.
Conditions to Avoid	Avoid dust formation. Protect from moisture. Avoid high temperatures.
Materials to Avoid	Incompatible/reactive with strong oxidising agents, strong acids; Aluminium, magnesium, powdered metals.
Hazardous Decomposition Products	No decomposition when used as directed. Decomposes on heating, emitting toxic fumes, including Manganese oxides, Sulphur oxides.
Hazardous Polymerisation	Will not occur.

11. TOXICOLOGICAL INFORMATION**General Information**

- Acute toxicity: May be harmful if swallowed. Ingestion may irritate the gastric tract causing nausea, abdominal pain, diarrhoea, lethargy, vomiting and possible coma. Inorganic manganese salts are poorly absorbed through the intestines, but may produce hypoglycemia and decreased calcium blood levels should absorption occur.
- Skin corrosion/irritation: May cause skin irritation.
- Eye damage/irritation: May cause eye irritation. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.
- Respiratory/skin sensitisation: No information available.
- Germ cell mutagenicity: Not considered to be genotoxic.
- Carcinogenicity: Not considered to be carcinogenic.
- Reproductive toxicity: Not considered likely to have reproductive or developmental toxicity.
- STOT (single exposure): Inhalation of dust may cause acute irritation to the mucous membrane and upper airways. Symptoms of exposure can include coughing, sneezing with possible nose bleeds, breathing difficulties, and increase the incidence of upper respiratory tract infections (i.e. pneumonia). Absorptions of inorganic manganese salts through the lungs is poor but may occur in chronic poisoning. May cause 24- to 28-hour flu-like illness (metal fume fever) characterised by chills, fever, aching muscles, dryness in the mouth and throat and headache.
- STOT (repeated exposure): May cause damage to organs through prolonged or repeated exposure. Chronic manganese poisoning (excessive inhalation and ingestion exposure) can result in symptoms including inflammation of the respiratory tract, frequent nose bleeds, headaches, sluggishness, sleepiness, dermatitis, irritability and liver enlargement followed by progressive deterioration of the central nervous system. In severe cases, the illness closely resembles Parkinson's Disease with symptoms including weakness of the legs, increased muscle tension, hand tremor, slurred speech, muscle cramps, spastic gait, mental deterioration, emotional/sexual disturbances, uncontrollable laughter, various blood changes, and manganese psychosis (loss of contact with reality). High incidence of pneumonia has been found in workers exposed to the dust or fume of some manganese compounds. Individuals exposed to dusts and fumes of manganese have been reported to suffer from a much higher incidence of upper respiratory infections and pneumonia than does the general population.
- Aspiration toxicity: No information available.

Acute**Ingestion**

Acute toxicity (Oral):
 - LD50, Rat: 2,150 mg/kg bw. (anhydrous substance).

Carcinogen Category

None

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Aquatic toxicity:
 - LC50, Fish (Fathead minnow): 30.6 mg/L (96 h) [anhydrous].
 - EC50, Invertebrates (Daphnia magna): 8.3 mg/L (48 h) [anhydrous].

Persistence/Degradability

No information available.

Mobility

The product is soluble in water.

Environmental Fate

Toxic to aquatic life with long lasting effects - Avoid release to the environment.

Bioaccumulation Potential

No information available.

Environmental Impact

No Data Available

13. DISPOSAL CONSIDERATIONS**General Information**

Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill

Contaminated packaging: Since emptied containers may retain product residues, follow label warnings even after container is emptied.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	Manganese sulphate, monohydrate
Class	No Data Available
Subsidiary Risk(s)	No Data Available
EPG	47 Low To Moderate Hazard Substances
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	AU01
Comments	Not regulated as DG when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese sulphate, monohydrate)
Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
EPG	47 Low To Moderate Hazard Substances
UN Number	3077
Hazchem	2Z
Pack Group	III
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese sulphate, monohydrate)
Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
EPG	47 Low To Moderate Hazard Substances
UN Number	3077
Hazchem	2Z
Pack Group	III
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese sulphate, monohydrate)
Class	9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s)	No Data Available
ERG	171 Substances (Low to Moderate Hazard)
UN Number	3077
Hazchem	2Z
Pack Group	III

Special Provision No Data Available

Sea Transport

IMDG Code

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese sulphate, monohydrate)
Class 9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s) No Data Available
UN Number 3077
Hazchem 2Z
Pack Group III
Special Provision No Data Available
EMS F-A, S-F
Marine Pollutant Yes

Air Transport

IATA DGR

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Manganese sulphate, monohydrate)
Class 9 Miscellaneous Dangerous Goods and Articles
Subsidiary Risk(s) No Data Available
UN Number 3077
Hazchem 2Z
Pack Group III
Special Provision No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available

Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Additives Process Chemicals and Raw Materials Subsidiary Hazard Group Standard 2020 HSR002503
*HSR004019 (Revoked)

National/Regional Inventories

Australia (AIC) Listed

Canada (DSL) Not Determined

Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	232-089-9
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	MANSUL0100, MANSUL0400, MANSUL0500, MANSUL0800, MANSUL1000, MANSUL1001, MANSUL1002, MANSUL1003, MANSUL1004, MANSUL1005, MANSUL1006, MANSUL1007, MANSUL1008, MANSUL1009, MANSUL1010, MANSUL1011, MANSUL1012, MANSUL1013, MANSUL1014, MANSUL1015, MANSUL1016, MANSUL1017, MANSUL1018, MANSUL1019, MANSUL1020, MANSUL1021, MANSUL1022, MANSUL1023, MANSUL1024, MANSUL1025, MANSUL1026, MANSUL1027, MANSUL1028, MANSUL1100, MANSUL1200, MANSUL1201, MANSUL1300, MANSUL1301, MANSUL1400, MANSUL1500, MANSUL1600, MANSUL1605, MANSUL1610, MANSUL1615, MANSUL1620, MANSUL1700, MANSUL1800, MANSUL1801, MANSUL1802, MANSUL1803, MANSUL1804, MANSUL1805, MANSUL1806, MANSUL1807, MANSUL1808, MANSUL1809, MANSUL1810, MANSUL1811, MANSUL1812, MANSUL1813, MANSUL1814, MANSUL1815, MANSUL1816, MANSUL1817, MANSUL1818, MANSUL1819, MANSUL1820, MANSUL1821, MANSUL1822, MANSUL1823, MANSUL1824, MANSUL1825, MANSUL1826, MANSUL1850, MANSUL1855, MANSUL1900, MANSUL1950, MANSUL2000, MANSUL2001, MANSUL2100, MANSUL2200, MANSUL2300, MANSUL2301, MANSUL2400, MANSUL2500, MANSUL2501, MANSUL2502, MANSUL2600, MANSUL2601, MANSUL2602, MANSUL2603, MANSUL2604, MANSUL2605, MANSUL2606, MANSUL2607, MANSUL2608, MANSUL2609, MANSUL2610, MANSUL2611, MANSUL2612, MANSUL2613, MANSUL2614, MANSUL2700, MANSUL2800, MANSUL3000, MANSUL3001, MANSUL3002, MANSUL3003, MANSUL3004, MANSUL3100, MANSUL3101, MANSUL3102, MANSUL3103, MANSUL3104, MANSUL3105, MANSUL3106, MANSUL3107, MANSUL3108, MANSUL3109, MANSUL3110, MANSUL3111, MANSUL3112, MANSUL3113, MANSUL3114, MANSUL3115, MANSUL3116, MANSUL3117, MANSUL3118, MANSUL3119, MANSUL3120, MANSUL3121, MANSUL3122, MANSUL3123, MANSUL3124, MANSUL3125, MANSUL3126, MANSUL3127, MANSUL3128, MANSUL3129, MANSUL3130, MANSUL3131, MANSUL3132, MANSUL3133, MANSUL3134, MANSUL3135, MANSUL3136, MANSUL3137, MANSUL3138, MANSUL3139, MANSUL3140, MANSUL3141, MANSUL3142, MANSUL3200, MANSUL3201, MANSUL3202, MANSUL3300, MANSUL3301, MANSUL3400, MANSUL3500, MANSUL3501, MANSUL3502, MANSUL3503, MANSUL3600, MANSUL3700, MANSUL3800, MANSUL4000, MANSUL4001, MANSUL4002, MANSUL4003, MANSUL4100, MANSUL4200, MANSUL4300, MANSUL4400, MANSUL4500, MANSUL4501, MANSUL4600, MANSUL4650, MANSUL4660, MANSUL4661, MANSUL4700, MANSUL4750, MANSUL4751, MANSUL4752, MANSUL4800, MANSUL4900, MANSUL5000, MANSUL5001, MANSUL5002, MANSUL5003, MANSUL5010, MANSUL5100, MANSUL5300, MANSUL5301, MANSUL5302, MANSUL5305, MANSUL5500, MANSUL5501, MANSUL5502, MANSUL5503, MANSUL5600, MANSUL5700, MANSUL5800, MANSUL5900, MANSUL6000, MANSUL6001, MANSUL6100, MANSUL6300, MANSUL6400, MANSUL6500, MANSUL6501, MANSUL6502, MANSUL6550, MANSUL6551, MANSUL6570, MANSUL6571, MANSUL6600, MANSUL6601, MANSUL6605, MANSUL6700, MANSUL6800, MANSUL7000, MANSUL7001, MANSUL7500, MANSUL7900, MANSUL8000, MANSUL8001, MANSUL8002, MANSUL8003, MANSUL8004, MANSUL8005, MANSUL8006, MANSUL8007, MANSUL8008, MANSUL8009, MANSUL8010, MANSUL8011, MANSUL8012, MANSUL8013, MANSUL8050, MANSUL8051, MANSUL8055, MANSUL8060, MANSUL8061, MANSUL8070, MANSUL8071, MANSUL8072, MANSUL8075, MANSUL8076, MANSUL8080, MANSUL8081, MANSUL8082, MANSUL8083, MANSUL8084, MANSUL8086, MANSUL8087, MANSUL8088,
-----------------------	---

SAFETY DATA SHEET MANGANESE SULPHATE REVISION 4, DATE 01 MAR 19

MANSUL8089, MANSUL8090, MANSUL8091, MANSUL8092, MANSUL8093, MANSUL8095, MANSUL8096, MANSUL8098, MANSUL8100, MANSUL8105, MANSUL8800, MANSUL8850, MANSUL8851, MANSUL8860, MANSUL9000, MANSUL9001, MANSUL9002, MANSUL9003, MANSUL9004, MANSUL9010, MANSUL9011, MANSUL9012, MANSUL9013, MANSUL9100, MANSUL9300, MANSUL9400, MANSUL9500, MANSUL9501, MANSUL9502, MANSUL9600, MANSUL9601, MANSUL9602, MANSUL9700, MANSUL9701, MANSUL9702, MANSUL9800, MANSUL9900, MANSUP1000, MANSUP4100, MANSUP5000, MANSUP6200, MANSUP6201, MANSUP6202, MANSUP9000

Revision

4

Revision Date

01 Mar 2019

Key/Legend

< Less Than

> Greater Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square Centimetres

CO₂ Carbon Dioxide

COD Chemical Oxygen Demand

deg C (°C) Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/l Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluable in each other.

inHg Inch of Mercury

inH₂O Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

lb Pound

LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

ltr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

SAFETY DATA SHEET MANGANESE SULPHATE REVISION 4, DATE 01 MAR 19

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight