

Safety Data Sheet Hydrofluoric acid (>50% - <=60%) Revision 4, Date 05 Sep 18

1. IDENTIFICATION

Product Name Hydrofluoric acid (>50% - <=60%)

Other Names HYDROFLUORIC ACID, with not more than 60% hydrogen fluoride; Hydrogen fluoride, aqueous solution

Uses Chemical intermediate, etching and polishing of glass and pottery, cleaning of metals, mineral extraction.

Chemical Family No Data Available

Chemical Formula HF.H2O

Chemical Name Hydrofluoric acid, aqueous solution

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Schedule 7

Globally Harmonised System



Safety Data Sheet Hydrofluoric acid (>50% - <=60%) Revision 4, Date 05 Sep 18

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Acute Toxicity (Oral) - Category 2

Acute Toxicity (Dermal) - Category 1
Acute Toxicity (Inhalation) - Category 2
Skin Corrosion/Irritation - Category 1A
Serious Eye Damage/Irritation - Category 1

Pictograms





Signal Word Danger

Hazard Statements H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary Statements Prevention **P262** Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe mist/vapours.P284 Wear respiratory protection.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

Response P310 Immediately call a POISON CENTER or doctor.

P304 + P340 IF INHALED: Remove victim to fresh air and keep comfortable for breathing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal P501 Dispose of contents/container in accordance with local / regional / national /

international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications	Health Hazards	6.1B	Substances that are acutely toxic - Fatal	
		6.9A	Substances that are toxic to human target organs or systems	
		8.1A	Substances that are corrosive to metals	
		8.2B	Substances that are corrosive to dermal tissue UN PGII	
		8.3A	Substances that are corrosive to ocular tissue	
	Environmental Hazards	9.1D	Substances that are slightly harmful to the aquatic environment or are otherwise designed for biocidal action	

Substances that are very ecotoxic to terrestrial vertebrates

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Hydrofluoric Acid	No Data Available	7664-39-3	>50 - <=60 %
Water	No Data Available	7732-18-5	Balance %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed

IF SWALLOWED: Immediately call a Poison Centre or doctor/physician. Do NOT induce vomiting. Give copious quantities of milk, water drinks, milk of magnesia, antacid (e.g. Mylanta) or effervescent calcium gluconate tablets dissolved in water (in spite of vomiting). If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth of victim thoroughly with water and spit out rinse water. Never give anything by mouth if victim is losing consciousness, is unconscious or convulsing. Keep victim calm and warm - Obtain immediate medical care. Transport to hospital by ambulance.

Eye

IF IN EYES: Immediately call a Poison Centre or doctor/physician. Flush eye(s) continuously with running water or copious isotonic saline for several minutes, holding the eyelids open and occasionally lifting the upper and lower lids. Take care not to rinse contaminated water into a non-affected eye. Carefully remove contact lenses if present and easy to do. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital by ambulance; Continue eye irrigation during transport to hospital. An ophthalmologist should always be consulted, as severe corneal damage is possible. Contact with eyes, even for short periods, can cause blindness.

- If available, use Hexafluorine eyewash within the first minute of exposure and continue washing until arrival at hospital.

Skin

IF ON SKIN: Immediately call a Poison Centre or doctor/physician. Flush contaminated skin gently with running water for several minutes. In case of gross contamination, drench contaminated clothing and skin with plenty of water before removing clothes and footwear. For minor skin contact, avoid spreading material on unaffected skin. Isolate contaminated clothing by sealing in a bag or other container. Wearing clean protective gloves, gently massage Calcium gluconate gel into and around the affected area. If gel is not readily available, continue flushing with water. Transport to hospital by ambulance; Continue application of gel during transport to hospital and for at least 15 minutes after the pain has subsided (this treatment may be required for several hours). Wear clean gloves when applying gel.

- If available, use Hexafluorine body wash within the first minute of exposure and continue washing until arrival at hospital.

Inhaled

IF INHALED: Immediately call a Poison Centre or doctor/physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Apply resuscitation if victim is not breathing - Do not use direct mouth-to-mouth method if victim ingested or inhaled the substance; use alternative respiratory method or proper respiratory device; Administer oxygen if breathing is difficult. Keep victim calm and warm - Obtain immediate medical care. Transport to hospital by ambulance; Continue observation for at least 48 hours due to the danger of pulmonary odema.

Advice to Doctor

This SDS should accompany the affected person to hospital. Hydrofluoric acid penetrates rapidly and deeply below fat layers binding and depleting tissue calcium. Failure to commence the correct medical treatment promptly may be fatal. Intensive care unit facilities are likely to be needed. Delayed pulmonary oedema is likely with burns to the face or neck. A skin burn involving more than 1 % of body area with 50 % or more concentration of Hydrofluoric acid, or more than 5 % of body area with any lesser concentrations, may be associated with systemic effects. Skin burns may become necrotic and gangrenous and damaged area may spread. Treatment with intravenous Calcium gluconate should commence immediately. Inhalation may lead to chemical pneumonitis, haemorrhagic pulmonary oedema or laryngeal oedema and may be fatal. Be prepared to intubate or perform tracheotomy.

Medical Conditions Aggravated No information available. by Exposure

5. FIRE FIGHTING MEASURES

General Measures

If safe to do so, move undamaged containers from fire area. Cool containers with flooding quantities of water until

Safety Data Sheet Hydrofluoric acid (>50% - <=60%) Revision 4, Date 05 Sep 18

well after fire is out. Avoid getting water inside containers.

Flammability Conditions

Non-combustible; Does not burn.

Extinguishing Media

Use dry chemical, Carbon dioxide (CO2), dry sand or flooding quantities of water for extinction. Large fire: Flood fire area with large quantities of water while knocking down vapours with water fog - If insufficient water supply, knock

down vapours only.

Fire and Explosion Hazard

Contact with metals may evolve flammable hydrogen gas. Reaction with water may generate heat which will increase the concentration of fumes in the air and present risk of splashing. Containers may explode when heated or contaminated with water. Vapours may accumulate in confined areas. Inhalation, ingestion or contact with substance may cause severe injury or death.

Hazardous Products of

Combustion

Fire will produce toxic and corrosive gases, including Hydrogen fluoride.

Special Fire Fighting

Instructions

Contain runoff from fire control or dilution water - Runoff may be toxic and/or corrosive and pollute waterways.

Personal Protective Equipment

Liquid-tight chemical protective clothing (splash suit) in combination with self-contained breathing apparatus (SCBA)

should be used. Structural firefighter's uniform is NOT effective for this material.

Flash Point
No Data Available
Lower Explosion Limit
No Data Available
Upper Explosion Limit
No Data Available
Auto Ignition Temperature
No Data Available

Hazchem Code 2X

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation - Ventilate enclosed spaces before entering. ELIMINATE all ignition sources. Do not

touch or walk through spilled material. Inhalation, ingestion or contact with substance may cause severe injury or death - Do not breathe vapours and prevent contact with eyes, skin and clothing. Large spill: Immediately contact

Police or Fire Brigade.

Clean Up Procedures

Take up with liquid-absorbent and neutralising material and transfer to a suitable container for disposal (see SECTION

13).

Containment Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Vapour-suppressing foam may be

used to control vapours; Water spray may

be used to knock down or divert vapour clouds.

DecontaminationNeutralise HF with calcium hydroxide or lime or HF absorbent (e.g. Chemizorb HF). Contaminated clothing should be

washed with bicarbonate of soda solution. Contaminated equipment or surfaces can be neutralised with calcium

hydroxide or slaked lime, before being washed with water.

Environmental Precautionary

Measures

Spillages and decontamination runoff should be prevented from entering drains and watercourses.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher

ground. Large spill: Consider downwind evacuation of areas.

Personal Precautionary

Measures

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (see SECTION 8). Wear self-contained breathing apparatus (SCBA) and chemical splash suit. Structural firefighter's uniform is NOT

effective for this material.

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation - Use only outdoors or in a well-ventilated area. HIGHLY CORROSIVE: Handle with extreme care and in accordance with good industrial hygiene and safety practice. Avoid generation of mist/vapours/aerosols. Do not breathe mist/vapours/aerosols. Do not get in eyes, on skin or on clothing. Do not ingest. Do not handle unless wearing appropriate protective clothing (see SECTION 8). Keep away from heat and all sources of ignition - No

smoking. Use explosion-proof electrical/ventilating/lighting equipment.

Storage Storage Store in a a cool, dry and well-ventilated place. Keep container tightly closed. Keep away from heat and all sources of

ignition - No smoking. Keep away from foodstuffs and incompatible materials (see SECTION 10). Store locked up.

Container Store HF in the original or plastic (polyethylene, polypropylene or PVC) containers only. Do not store in metal (steel,

copper, aluminium) or glass containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General COMPONENT: Hydrogen fluoride (CAS No. 7664-39-3):

- Safe Work Australia Exposure Standard (as F): TWA = 3 ppm (2.6 mg/m3) Peak limitation.

- New Zealand WES (as F): TWA = 3 ppm (2.6 mg/m3) Ceiling.

- NIOSH REL: TWA = 3 ppm (2.5 mg/m3); 6 ppm (5 mg/m3) 15-minute Ceiling.

- OSHA PEL: TWA = 3 ppm.

- Immediately dangerous to life or health (IDLH) concentration: 30 ppm.

Exposure LimitsNo Data AvailableBiological LimitsNo information available.

Engineering Measures All HF work involving the release of HF should be conducted in a scrubbed fume cupboard. The occupational

exposure limit value should not be exceeded during any part of the working exposure.

Personal Protection Equipment - Respiratory protection: Wear respiratory protection. Recommended: Filter type E-P3 or HF when

mist/vapours/aerosols are generated.

- Eye/face protection: Wear appropriate eye protection to prevent eye contact when mixing or using. Recommended:

Tightly fitting safety goggles; Face shield.

- Hand protection: Wear protective gloves when mixing or using. Recommended: For splash contact only,

polychloroprene gloves (0.65 mm), Break through time: 240 min. For full contact, butyl rubber gloves (0.7 mm), Break

through time: 480 min. Wash gloves thoroughly, immediately after use.

- Skin/body protection: Wear appropriate personal protective clothing to prevent skin contact. Recommended: Acid-

resistant protective clothing; rubber or plastic boots.

Special Hazards PrecaustionsHF should only be handled by workers who have been adequately trained and assessed as competent in its use. Do not work alone with HF. Specific treatment is necessary in case of poisoning with this substance; the appropriate

means with instructions must be available. Ensure that a first aid kit has the necessary content, is kept up to date and is complete to adequately respond to potential HF exposure. Obtain a supply of calcium gluconate gel.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Do not get in eyes, on skin or on clothing. Wash hands and face

the soughly of the bandling. Permanental electrical products and product of the soughly o

thoroughly after handling. Remove/take off immediately all contaminated clothing. Isolate contaminated clothing by sealing in a bag or other container. Decontaminate and wash contaminated clothing and protective equipment before

storage or reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid
Appearance Liquid

OdourSharp, pungentColourColourlesspH<3.4 50-60%</th>

Vapour Pressure >35 - 100 mmHg (@ 26.7 °C)

Relative Vapour DensityNo Data AvailableBoiling Point>87.8 - 104 °CMelting PointNo Data AvailableFreezing Point-35 - -40 °C

Solubility Miscible with water **Specific Gravity** >1.16 - < 1.2 Flash Point No Data Available **Auto Ignition Temp** No Data Available **Evaporation Rate** No Data Available **Bulk Density** No Data Available **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available No Data Available **Density** Specific Heat No Data Available Molecular Weight No Data Available **Net Propellant Weight** No Data Available

No Data Available **Octanol Water Coefficient** Particle Size No Data Available **Partition Coefficient** No Data Available **Saturated Vapour Concentration** No Data Available **Vapour Temperature** No Data Available Viscosity >0.7 - 0.8 cP (@ 25 °C) **Volatile Percent** No Data Available **VOC Volume** No Data Available **Additional Characteristics** No information available.

Potential for Dust Explosion Not applicable.

Fast or Intensely Burning

Characteristics

No information available.

Flame Propagation or Burning

Rate of Solid Materials

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a

Reaction with water may generate heat which will increase the concentration of fumes in the air and present risk of splashing.

Properties That May Initiate or Contribute to Fire Intensity

Reactions That Release Gases

Non-combustible; Does not burn; However, many reactions may cause fire or explosion.

or Vapours

Release of Invisible Flammable

Vapours and Gases

Reacts violently with bases and is corrosive to most common metals forming flammable/explosive Hydrogen gas.

Reacts violently with many compounds, producing toxic and corrosive gases, including Hydrogen fluoride.

10. STABILITY AND REACTIVITY

General Information The substance is a weak acid. Reacts violently with many compounds, generating fire and explosion hazard. It reacts

violently with bases and is corrosive to most common metals. Attacks glass, some forms of plastic, rubber and

coatings.

Chemical Stability Material is stable under normal conditions of temperature and pressure.

Conditions to Avoid Avoid generation of mist/vapours/aerosols. Keep away from heat and all sources of ignition.

Materials to Avoid Incompatible/reactive with alkali metals, fluorine, organic substances, vinyl acetate; potassium permanganate, alkali

hydroxides, strong alkalis, fluorides, potassium, metals, sodium, methanesulfonic acid; nitric acid, with, glycerol; acetic anhydride, ammonia, ammonium hydroxide, sodium hydroxide, fuming sulfuric acid, oxides of phosphorus,

silicon compounds, sulphuric acid, bismuth acid, ethanolamine.

Hazardous Decomposition

Products

Reacts violently with many compounds. producing toxic and corrosive gases, including Hydrogen gas, Hydrogen

fluoride.

Hazardous Polymerisation No information available.

11. TOXICOLOGICAL INFORMATION

General Information

- Acute toxicity: Fatal if swallowed, in contact with skin and if inhaled. Ingestion or inhalation may cause burns in mouth and throat, burning sensation, cough, laboured breathing, shortness of breath, abdominal pain, vomiting, shock or collapse. Symptoms may be delayed.
- Skin corrosion/irritation: Causes severe skin burns, redness, pain, blisters. Hydrofluoric acid penetrates rapidly and deeply below fat layers binding and depleting tissue calcium.
- Eye damage/irritation: Causes serious eye damage, redness, pain, severe burns.
- Respiratory/skin sensitisation: No information available.
- Germ cell mutagenicity: No information available.
- Carcinogenicity: No information available.
- Reproductive toxicity: No information available. - STOT (single exposure): Mist/vapours are corrosive to the respiratory tract.
- STOT (repeated exposure): May cause bone and teeth damage, skin ulcers, irritation of the nose, throat and
- Aspiration toxicity: No information available.

None

Carcinogen Category

12. ECOLOGICAL INFORMATION

EcotoxicityNo information available.Persistence/DegradabilityNo information available.MobilityNo information available.

Environmental Fate Avoid release to the environment. Endangers drinking-water supplies if allowed to enter soil or water. Harmful effect

due to pH shift.

Bioaccumulation Potential No information available.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill Leave chemicals in original containers; No mixing with other waste. Handle uncleaned containers like the product

itself.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name HYDROFLUORIC ACID, with not more than 60% hydrogen fluoride

Class 8 Corrosive Substances

Subsidiary Risk(s) 6.1 Toxic and Infectious Substances - Toxic Substances

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

 UN Number
 1790

 Hazchem
 2X

 Pack Group
 II

Special Provision No Data Available

Land Transport (Malaysia)

ADR Code

Proper Shipping Name
HYDROFLUORIC ACID, with not more than 60% hydrogen fluoride

Class 8 Corrosive Substances

Subsidiary Risk(s) 6.1 Toxic and Infectious Substances - Toxic Substances

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

 UN Number
 1790

 Hazchem
 2X

 Pack Group
 II

Special Provision No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name
HYDROFLUORIC ACID, with not more than 60% hydrogen fluoride

Class 8 Corrosive Substances

Subsidiary Risk(s) 6.1 Toxic and Infectious Substances - Toxic Substances

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

 UN Number
 1790

 Hazchem
 2X

 Pack Group
 II

Special Provision No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name
HYDROFLUORIC ACID, with not more than 60% hydrogen fluoride

Class 8 Corrosive Substances

Subsidiary Risk(s) 6.1 Toxic and Infectious Substances - Toxic Substances

ERG 157 Substances - Toxic and/or Corrosive (Non-Combustible / Water-Sensitive)

 UN Number
 1790

 Hazchem
 2X

 Pack Group
 II

Special Provision No Data Available

Sea Transport

IMDG Code

Proper Shipping Name HYDROFLUORIC ACID, with not more than 60% hydrogen fluoride

Class 8 Corrosive Substances

Subsidiary Risk(s) 6.1 Toxic and Infectious Substances - Toxic Substances

 UN Number
 1790

 Hazchem
 2X

 Pack Group
 II

Special Provision No Data Available

EMS F-A, S-B **Marine Pollutant** No

Air Transport

IATA DGR

Proper Shipping Name Hydrofluoric acid 60% or less hydrogen fluoride

Class 8 Corrosive Substances

Subsidiary Risk(s) 6.1 Toxic and Infectious Substances - Toxic Substances

 UN Number
 1790

 Hazchem
 2X

 Pack Group
 II

Special Provision No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General InformationNo Data AvailablePoisons Schedule (Aust)Schedule 7

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR001568

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh)Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes HYFLAC1049, HYFLAC1059, HYFLAC1500, HYFLAC1600, HYFLAC2220, HYFLAC2221, HYFLAC4100,

HYFLAC4110, HYFLAC4310, HYFLAC5100, HYFLAC5500, HYFLAC5501, HYFLAC5502, HYFLAC5503, HYFLAC5503, HYFLAC5501, HYFLAC5502, HYFLAC5503, HYFL

HYFLAC5504, HYFLAC5505, HYFLAC5506, HYFLAC5600, HYFLAC9200

Revision 4

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square Centimetres

CO2 Carbon Dioxide

COD Chemical Oxygen Demand

deg C (°C) Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health

immiscible Liquids are insoluable in each other.

inHg Inch of Mercury

inH2O Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. **LD50** LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50%

(one half) of a group of test animals. **Itr** or **L** Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight