



# SAFETY DATA SHEET CHELATED COPPER REVISION 5, DATE 15 JUL 22

## 1. IDENTIFICATION

<b>Product Name</b>	<b>Chelated Copper</b>
<b>Other Names</b>	Copper versenate; EDTA-Cu-15; Ethylenediaminetetraacetic acid copper disodium complex
<b>Uses</b>	Industrial and agriculture use.
<b>Chemical Family</b>	No Data Available
<b>Chemical Formula</b>	C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>8</sub> CuNa <sub>2</sub>
<b>Chemical Name</b>	Ethylenediaminetetraacetic acid, copper disodium salt
<b>Product Description</b>	No Data Available

### Contact Details of the Supplier of this Safety Data Sheet

<b>Organisation</b>	<b>Location</b>	<b>Telephone</b>
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

### Emergency Contact Details

*For emergencies only; DO NOT contact these companies for general product advice.*

<b>Organisation</b>	<b>Location</b>	<b>Telephone</b>
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

## 2. HAZARD IDENTIFICATION

**Poisons Schedule (Aust)**

Not Scheduled



## Globally Harmonised System

**Hazard Classification** Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

**Hazard Categories** Acute Toxicity (Oral) - Category 4  
Serious Eye Damage/Irritation - Category 2A

**Pictograms**

**Signal Word** Warning

**Hazard Statements** **H302** Harmful if swallowed.  
**H319** Causes serious eye irritation.

<b>Precautionary Statements</b>	Prevention	<b>P264</b>	Wash contacted areas thoroughly after handling.
		<b>P270</b>	Do not eat, drink or smoke when using this product.
		<b>P280</b>	Wear protective gloves/protective clothing/eye protection/face protection.
	Response	<b>P301 + P312</b>	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
		<b>P305 + P351 + P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		<b>P330</b>	Rinse mouth.
Disposal	<b>P337 + P313</b>	If eye irritation persists: Get medical advice.	
	<b>P501</b>	Dispose of contents/container in accordance with local / regional / national / international regulations.	

**National Transport Commission (Australia)**

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

**Dangerous Goods Classification** NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

**Safe Work Australia**

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

**Hazard Classification** Hazardous according to the criteria of Safe Work Australia under Model WHS Regulations

**3. COMPOSITION/INFORMATION ON INGREDIENTS***Ingredients*

Chemical Entity	Formula	CAS Number	Proportion
Copper Disodium EDTA	Unspecified	14025-15-1	92.8 - 100 %

**4. FIRST AID MEASURES**

**Description of necessary measures according to routes of exposure**

<b>Swallowed</b>	IF SWALLOWED: Rinse mouth, then give water to drink. Call a Poison Centre or doctor/physician for advice.
<b>Eye</b>	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
<b>Skin</b>	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
<b>Inhaled</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.
<b>Advice to Doctor</b>	Treat symptomatically. *Most important symptoms and effects, both acute and delayed: Harmful if swallowed. Causes serious eye irritation. Dust may be irritating to the respiratory tract and cause symptoms of bronchitis.
<b>Medical Conditions Aggravated by Exposure</b>	No information available.

**5. FIRE FIGHTING MEASURES**

<b>General Measures</b>	Do not attempt to take action without suitable protective equipment. If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
<b>Flammability Conditions</b>	Not flammable.
<b>Extinguishing Media</b>	If material is involved in a fire, use dry chemical, Carbon dioxide (CO <sub>2</sub> ), foam or water spray for extinction.
<b>Fire and Explosion Hazard</b>	Toxic fumes may be released!
<b>Hazardous Products of Combustion</b>	Fire or heat may produce irritating and/or toxic gases. Nitrous gases may be produced.
<b>Special Fire Fighting Instructions</b>	Contain runoff from fire control or dilution water - Runoff may cause pollution.
<b>Personal Protective Equipment</b>	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
<b>Flash Point</b>	No Data Available
<b>Lower Explosion Limit</b>	No Data Available
<b>Upper Explosion Limit</b>	No Data Available
<b>Auto Ignition Temperature</b>	280 °C
<b>Hazchem Code</b>	No Data Available

**6. ACCIDENTAL RELEASE MEASURES**

<b>General Response Procedure</b>	Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid dust formation. Avoid breathing dust and contact with eyes and skin.
<b>Clean Up Procedures</b>	Take up mechanically (sweeping, shovelling) and collect in suitable clean container for (preferable) reuse or disposal (see SECTION 13).
<b>Containment</b>	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas.
<b>Decontamination</b>	Ventilate spillage area.
<b>Environmental Precautionary Measures</b>	Prevent entry into drains and waterways.
<b>Evacuation Criteria</b>	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
<b>Personal Precautionary Measures</b>	Do not attempt to take action without suitable protective equipment (see SECTION 8).

**7. HANDLING AND STORAGE**

<b>Handling</b>	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure good ventilation of the work station. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dusts or mists and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8).
<b>Storage</b>	Store in a cool, dry and well-ventilated place, out of direct sunlight. Protect product from moisture and humidity. Keep container tightly closed. Keep away from incompatible materials (see SECTION 10).
<b>Container</b>	Keep in the original container.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>General</b>	No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards: - Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m <sup>3</sup> (measured as inhalable dust). - New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m <sup>3</sup> ; TWA = 3 mg/m <sup>3</sup> (respirable dust).
<b>Exposure Limits</b>	No Data Available
<b>Biological Limits</b>	No information available.
<b>Engineering Measures</b>	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
<b>Personal Protection Equipment</b>	- Respiratory protection: In case of inadequate ventilation, wear suitable respiratory protection. Recommended: Dust mask/particulate respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses. - Hand protection: Handle with gloves. Recommended: For permanent (>480 minutes), full contact use, 100% nitrile gloves. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Wear suitable protective clothing.
<b>Special Hazards Precautions</b>	Avoid release to the environment.
<b>Work Hygienic Practices</b>	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Take off contaminated clothing and wash it before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State</b>	Solid
<b>Appearance</b>	Powder or microgranular
<b>Odour</b>	Odourless
<b>Colour</b>	Blue
<b>pH</b>	6.0 - 7.0
<b>Vapour Pressure</b>	0 Pa (@ No Data Available)
<b>Relative Vapour Density</b>	No Data Available
<b>Boiling Point</b>	The substance decomposes before boiling
<b>Melting Point</b>	Does not melt under the decomposition temp.
<b>Freezing Point</b>	No Data Available
<b>Solubility</b>	Soluble in water (680 g/l) 20°C
<b>Specific Gravity</b>	1.727
<b>Flash Point</b>	No Data Available
<b>Auto Ignition Temp</b>	280 °C

Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	>219 °C
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	397.74
Net Propellant Weight	No Data Available
Octanol Water Coefficient	Log Pow: -10.416
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	No information available.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Not flammable.
Reactions That Release Gases or Vapours	Fire or heat may produce irritating and/or toxic gases. Nitrous gases may be produced.
Release of Invisible Flammable Vapours and Gases	No information available.

## 10. STABILITY AND REACTIVITY

General Information	The product is non-reactive under normal conditions of use, storage and transport.
Chemical Stability	Stable under normal conditions.
Conditions to Avoid	Minimise generation of dust. Protect from moisture and humidity.
Materials to Avoid	Incompatible/reactive with Aluminium, water/humidity.
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Fire or heat may produce irritating and/or toxic gases. Nitrous gases may be produced.
Hazardous Polymerisation	No information available.

## 11. TOXICOLOGICAL INFORMATION

General Information	Information on toxicological effects: <ul style="list-style-type: none"><li>- Acute toxicity: Harmful if swallowed.</li><li>- Skin corrosion/irritation: Not classified. No adverse effect observed (not irritating).</li></ul>
---------------------	---

- Eye damage/irritation: Causes serious eye irritation. Adverse effect observed (irritating).
- Respiratory/skin sensitisation: Not classified. No adverse effect observed (not sensitising).
- Germ cell mutagenicity: Not classified. No adverse effect observed (negative).
- Carcinogenicity: Not classified.
- Reproductive toxicity: Not classified.
- STOT (single exposure): Not classified. Dust may be irritating to the respiratory tract and cause symptoms of bronchitis.
- STOT (repeated exposure): Not classified.
- Aspiration toxicity: Not classified.

**Acute**

<b>Ingestion</b>	Acute toxicity (Oral): - LD50, Rat: 890 mg/kg [Ethylenediaminetetraacetic acid copper disodium complex].
<b>Carcinogen Category</b>	None

**12. ECOLOGICAL INFORMATION**

<b>Ecotoxicity</b>	Aquatic toxicity: - LC50, Fish: 555 mg/L (96 h) [OECD 203]. - EC50, Aquatic invertebrates (Daphnia): 109.2 mg/L (48 h) [OECD 202]. - EC50, Algae: 662.6 mg/L (72 h) [OECD 201].
<b>Persistence/Degradability</b>	Inherently biodegradable. EDTA-CuNa2 is not readily biodegradable.
<b>Mobility</b>	No information available.
<b>Environmental Fate</b>	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
<b>Bioaccumulation Potential</b>	No bioaccumulation potential (Log Pow -10.416). - Absorption rate (oral): 5 % - Absorption rate (dermal): 0.001 %
<b>Environmental Impact</b>	No Data Available

**13. DISPOSAL CONSIDERATIONS**

<b>General Information</b>	Dispose of contents/container in accordance with local/regional/national regulations and with licensed collector's sorting instructions.
<b>Special Precautions for Land Fill</b>	This material and its container must be disposed of in a safe manner. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is empty.

**14. TRANSPORT INFORMATION****Land Transport (Australia)**

ADG Code

<b>Proper Shipping Name</b>	Chelated Copper
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available

**SAFETY DATA SHEET CHELATED COPPER REVISION 5, DATE 15 JUL 22**

<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for LAND transport.

**Land Transport (Malaysia)**

ADR Code

<b>Proper Shipping Name</b>	Chelated Copper
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for LAND transport.

**Land Transport (New Zealand)**

NZS5433

<b>Proper Shipping Name</b>	Chelated Copper
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for LAND transport.

**Land Transport (United States of America)**

US DOT

<b>Proper Shipping Name</b>	Chelated Copper
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for LAND transport.

**Sea Transport**

IMDG Code

<b>Proper Shipping Name</b>	Chelated Copper
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available

Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

**Air Transport**

IATA DGR

Proper Shipping Name	Chelated Copper
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

**National Transport Commission (Australia)**

Australian Code for the Transport of Dangerous Goods by Road &amp; Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
--------------------------------	---

**15. REGULATORY INFORMATION**

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

**Environmental Protection Authority (New Zealand)**

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	HSR002503 - Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020
---------------	--

**National/Regional Inventories**

Australia (AIC)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	Not Determined
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined



Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Listed

## 16. OTHER INFORMATION

Related Product Codes	CHELCU4000, CHELCU4001, CHELCU4100, CHELCU4200, CHELCU4300, CHELCU4400, CHELCU4500, CHELCU4505, CHELCU4520, CHELZN4105
Revision	5
Revision Date	15 Jul 2022
Reason for Issue	SDS updated
Key/Legend	<p>&lt; Less Than</p> <p>&gt; Greater Than</p> <p><b>AICS</b> Australian Inventory of Chemical Substances</p> <p><b>atm</b> Atmosphere</p> <p><b>CAS</b> Chemical Abstracts Service (Registry Number)</p> <p><b>cm<sup>2</sup></b> Square Centimetres</p> <p><b>CO<sub>2</sub></b> Carbon Dioxide</p> <p><b>COD</b> Chemical Oxygen Demand</p> <p><b>deg C (°C)</b> Degrees Celcius</p> <p><b>EPA (New Zealand)</b> Environmental Protection Authority of New Zealand</p> <p><b>deg F (°F)</b> Degrees Farenheit</p> <p><b>g</b> Grams</p> <p><b>g/cm<sup>3</sup></b> Grams per Cubic Centimetre</p> <p><b>g/l</b> Grams per Litre</p> <p><b>HSNO</b> Hazardous Substance and New Organism</p> <p><b>IDLH</b> Immediately Dangerous to Life and Health</p> <p><b>immiscible</b> Liquids are insoluable in each other.</p> <p><b>inHg</b> Inch of Mercury</p> <p><b>inH<sub>2</sub>O</b> Inch of Water</p> <p><b>K</b> Kelvin</p> <p><b>kg</b> Kilogram</p> <p><b>kg/m<sup>3</sup></b> Kilograms per Cubic Metre</p> <p><b>lb</b> Pound</p> <p><b>LC<sub>50</sub></b> LC stands for lethal concentration. LC<sub>50</sub> is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.</p> <p><b>LD<sub>50</sub></b> LD stands for Lethal Dose. LD<sub>50</sub> is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.</p> <p><b>ltr or L</b> Litre</p> <p><b>m<sup>3</sup></b> Cubic Metre</p> <p><b>mbar</b> Millibar</p> <p><b>mg</b> Milligram</p> <p><b>mg/24H</b> Milligrams per 24 Hours</p> <p><b>mg/kg</b> Milligrams per Kilogram</p> <p><b>mg/m<sup>3</sup></b> Milligrams per Cubic Metre</p> <p><b>Misc or Miscible</b> Liquids form one homogeneous liquid phase regardless of the amount of either component present.</p> <p><b>mm</b> Millimetre</p> <p><b>mmH<sub>2</sub>O</b> Millimetres of Water</p>

**mPa.s** Millipascals per Second

**N/A** Not Applicable

**NIOSH** National Institute for Occupational Safety and Health

**NOHSC** National Occupational Health and Safety Commission

**OECD** Organisation for Economic Co-operation and Development

**Oz** Ounce

**PEL** Permissible Exposure Limit

**Pa** Pascal

**ppb** Parts per Billion

**ppm** Parts per Million

**ppm/2h** Parts per Million per 2 Hours

**ppm/6h** Parts per Million per 6 Hours

**psi** Pounds per Square Inch

**R** Rankine

**RCP** Reciprocal Calculation Procedure

**STEL** Short Term Exposure Limit

**TLV** Threshold Limit Value

**tne** Tonne

**TWA** Time Weighted Average

**ug/24H** Micrograms per 24 Hours

**UN** United Nations

**wt** Weight