

1. IDENTIFICATION

Product Name	Chelates Copper
Other Names	Cuprate(2-), [[N,N'-1,2-ethanediybis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON']-, disodium, (OC-6-21)-; Ethylenediaminetetraacetic Acid Dicopper Salt Tetrahydrate; Sodium Copper Ethylenediaminetetraacetate
Uses	Industrial and agriculture use.
Chemical Family	No Data Available
Chemical Formula	C10H12N2O8CuNa2
Chemical Name	Ethylenediaminetetraacetic acid, copper disodium salt
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Pty Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Pty Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details


For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not scheduled

Globally Harmonised System

Hazard Classification	Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)		
Hazard Categories	Acute Toxicity (Oral) - Category 4 Serious Eye Damage/Irritation - Category 2A		
Pictograms			
Signal Word	Warning		
Hazard Statements	H302	Harmful if swallowed.	
	H319	Causes serious eye irritation.	
Precautionary Statements	Prevention	P264	Wash contacted areas thoroughly after handling.
		P270	Do not eat, drink or smoke when using this product.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
	Response	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P330	Rinse mouth.
		P337 + P313	If eye irritation persists: Get medical advice/attention.
	Disposal	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications	Health Hazards	6.1E	Substances that are acutely toxic –May be harmful, Aspiration hazard
		6.3A	Substances that are irritating to the skin
		6.4A	Substances that are irritating to the eye
		6.5B	Substances that are contact sensitisers
		6.9B	Substances that are harmful to human target organs or systems
	Environmental Hazards	9.1D	Substances that are slightly harmful to the aquatic environment or are otherwise designed for biocidal action

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Copper Disodium EDTA	No Data Available	14025-15-1	>=96.0 %
Water	No Data Available	7732-18-5	<=4.0 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	Rinse mouth with water. Give water to drink provided person is conscious. Do NOT induce vomiting. Seek medical attention.
Eye	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids. Seek medical attention.
Skin	Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention.
Inhaled	Remove victim from exposure to fresh air immediately. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of patient.
Medical Conditions Aggravated by Exposure	No information available on medical conditions which are aggravated from exposure to this product.

5. FIRE FIGHTING MEASURES

General Measures	Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.
Flammability Conditions	Product is a non-flammable solid.
Extinguishing Media	In case of fire, appropriate extinguishing media include water spray, dry chemical, carbon dioxide or chemical foam.
Hazardous Products of Combustion	When involved in a fire, this product may generate Nitrous gases
Special Fire Fighting Instructions	Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Personal Protective Equipment	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves).
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	280 °C
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Avoid accidents, clean up immediately. Slippery when spilt. Eliminate all sources of ignition. Increase ventilation. Avoid generating dust. Stop leak if safe to do so. Isolate the danger area. Use clean, non-sparking tools and equipment.
Clean Up Procedures	Contain and sweep/shovel up spills with dust binding material or use an industrial vacuum cleaner. Transfer to a suitable, labelled container and dispose of promptly as hazardous waste.
Containment	Stop leak if safe to do so. Isolate the danger area.
Environmental Precautionary Measures	Do NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management.
Evacuation Criteria	Evacuate all unnecessary personnel.
Personal Precautionary Measures	Personnel involved in the clean up should wear full protective clothing as listed in section 8.

7. HANDLING AND STORAGE

Handling	Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes. Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling. Avoid contact with eyes, skin and clothing. Do not inhale product dust/fumes.
Storage	Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. This product is not classified dangerous for transport according to The Australian Code for the Transport of Dangerous Goods By Road and Rail.
Container	Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). However, the exposure standard for dust not otherwise specified is 10mg/m ³ (for inspirable dust) and 3mg/m ³ (for respirable dust).
Exposure Limits	No Data Available
Biological Limits	No information available on biological limit values for this product.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	RESPIRATOR: Wear an approved respirator where dusts are generated and engineering controls are inadequate (AS1715/1716). EYES: Wear appropriate protective eyeglasses or chemical safety goggles (AS1336/1337). HANDS: Wear protective gloves (AS2161). CLOTHING: Clean, body-covering clothing and safety footwear (AS3765/2210).
Work Hygienic Practices	No Data Available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Powder or microgranular
Odour	Odourless
Colour	Blue
pH	6.0 - 7.5 (1% solution)
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	80 (crystal water loss) °C
Freezing Point	No Data Available
Solubility	Soluble in water
Specific Gravity	No Data Available
Flash Point	No Data Available
Auto Ignition Temp	280 °C
Evaporation Rate	No Data Available
Bulk Density	625 - 725 Kg/m ³
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	1.727
Specific Heat	No Data Available
Molecular Weight	397.7 g/mol
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available

Particle Size	No Data Available
Partition Coefficient	<0
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No Data Available
Potential for Dust Explosion	No Data Available
Fast or Intensely Burning Characteristics	No Data Available
Flame Propagation or Burning Rate of Solid Materials	No Data Available
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No Data Available
Properties That May Initiate or Contribute to Fire Intensity	No Data Available
Reactions That Release Gases or Vapours	No Data Available
Release of Invisible Flammable Vapours and Gases	No Data Available

10. STABILITY AND REACTIVITY

Chemical Stability	Product is stable under normal conditions of use, storage and temperature.
Conditions to Avoid	Keep away from humidity and water.
Materials to Avoid	Aluminium
Hazardous Decomposition Products	When involved in a fire, this product may generate Nitrous gases
Hazardous Polymerisation	Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	Oral LD50 Rat: 890 mg/Kg bw Inhalation LC50 Rat : > 5.32mg/L air, 4 hours
Eyelrritant	Causes serious eye irritation.
Ingestion	Harmful if swallowed. May cause irritation of the digestive tract.
Inhalation	Causes respiratory tract irritation. The acute LC50 FOR THIS PRODUCT IS NOT AVAILABLE. Inhalation of dust may cause discomfort or irritation of the respiratory system.
SkinIrritant	Causes skin irritation. Dermal toxicity for this product is not available. But it is not considered to be irritating to skin based on tests with chemically similar products.
Carcinogen Category	No Data Available

12. ECOLOGICAL INFORMATION

Ecotoxicity	No ecological information available for this mixture.
Persistence/Degradability	This product is not expected to be readily biodegradable based on tests with structurally related products.
Mobility	Chemical distribution: this product is not expected to enter the atmosphere significantly due to its high water

solubility.

Environmental Fate	Do NOT let product reach waterways, drains and sewers.
Bioaccumulation Potential	No information available on bioaccumulation for this product.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.
Special Precautions for Land Fill	Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	CHELATES COPPER
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR

Proper Shipping Name	CHELATES COPPER
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	CHELATES COPPER
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available

Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	CHELATES COPPER
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	CHELATES COPPER
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	CHELATES COPPER
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not scheduled

Environmental Protection Authority (New Zealand)
Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR003697

National/Regional Inventories

Australia (AICS)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	Not Determined
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Listed

16. OTHER INFORMATION

Related Product Codes	CHEL CU4000, CHELCU4001, CHELCU4100, CHELCU4200, CHELCU4300, CHELCU4400, CHELCU4500, CHELCU4105
Revision	3
Revision Date	10 Sep 2016
Reason for Issue	SDS updated
Key/Legend	<p>< Less Than > Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit</p>

g Grams
g/cm³ Grams per Cubic Centimetre
g/l Grams per Litre
HSNO Hazardous Substance and New Organism
IDLH Immediately Dangerous to Life and Health
immiscible Liquids are insoluble in each other.
inHg Inch of Mercury
inH₂O Inch of Water
K Kelvin
kg Kilogram
kg/m³ Kilograms per Cubic Metre
lb Pound
LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
ltr or **L** Litre
m³ Cubic Metre
mbar Millibar
mg Milligram
mg/24H Milligrams per 24 Hours
mg/kg Milligrams per Kilogram
mg/m³ Milligrams per Cubic Metre
Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.
mm Millimetre
mmH₂O Millimetres of Water
mPa.s Millipascals per Second
N/A Not Applicable
NIOSH National Institute for Occupational Safety and Health
NOHSC National Occupational Health and Safety Commission
OECD Organisation for Economic Co-operation and Development
Oz Ounce
PEL Permissible Exposure Limit
Pa Pascal
ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight