



SAFETY DATA SHEET CHELATED MAGNESIUM REVISION 5, DATE 25 AUG 23

1. IDENTIFICATION

Product Name	Chelated Magnesium
Other Names	Disodium magnesium ethylenediaminetetraacetate; EDTA - Mg 6% Powder; EDTA, disodium magnesium salt; Ethylenediaminetetraacetic acid, magnesium disodium complex
Uses	Plant nutrient, chelating agent.
Chemical Family	No Data Available
Chemical Formula	C ₁₀ H ₁₂ MgN ₂ O ₈ .2Na
Chemical Name	N,N'-1,2-Ethanediybis(N-carboxymethyl)glycine, magnesium disodium salt
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Redox Ltd
Corporate Office Sydney
Locked Bag 15 Minto NSW 2566 Australia
2 Swettenham Road Minto NSW 2566 Australia
All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Phone +61 2 9733 3000
Fax +61 2 9733 3111
E-mail sydney@redox.com
Web www.redox.com
ABN 92 000 762 345

Australia	New Zealand	Malaysia
Adelaide	Auckland	Kuala Lumpur
Brisbane	Christchurch	USA
Melbourne	Hawke's Bay	Los Angeles
Perth	UK	Oakland
Sydney	London	Mexico
		Saltillo



Globally Harmonised System

Hazard Classification	NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Signal Word	None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification	NOT hazardous according to the criteria of Safe Work Australia under Model WHS Regulations
------------------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
EDTA, disodium magnesium salt	C10H12MgN2O8.2Na	14402-88-1	>=99 - 100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth. Get medical advice/attention if you feel unwell.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.
Advice to Doctor	In all cases of doubt, or when symptoms persist, seek medical attention. Treat symptomatically. *Most important symptoms and effects, both acute and delayed: None known.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out. Dike fire-control water for later disposal.
-------------------------	--

Flammability Conditions	Non-flammable; May burn but does not ignite readily.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction. Do not scatter spilled material with high-pressure water streams.
Fire and Explosion Hazard	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous Products of Combustion	Fire may produce irritating and/or toxic gases.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may cause pollution.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	311 °C
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources (if dust clouds can occur). Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Mechanically recover the product. Dispose of materials or solid residues at an authorised site (see SECTION 13).
Containment	Stop leak if you can do it without risk. Prevent dust cloud. Prevent entry into waterways, sewers, basements or confined areas.
Decontamination	Ventilate spillage area.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dusts or mists and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8).
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Containers which are opened should be properly resealed and kept upright to prevent leakage. Protect from moisture/humidity. Keep away from heat and sources of ignition - No smoking. Keep away from food/feedstuffs and incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards: <ul style="list-style-type: none">- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m³ (measured as inhalable dust).- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m³; TWA = 3 mg/m³ (respirable dust).
----------------	---

Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	<ul style="list-style-type: none"> - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust mask/particulate respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Chemical goggles or face shield with safety glasses. - Hand protection: Handle with gloves. Recommended: Chemically resistant protective gloves. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Always wash hands after handling the product and before smoking, eating, drinking or using the toilet. Take off contaminated clothing and wash it before reuse. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Crystal powder
Odour	Odourless
Colour	White
pH	6.0 - 7.5 (1% soln.)
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	>240 °C
Freezing Point	No Data Available
Solubility	370 g/l in water 20°C
Specific Gravity	1.587
Flash Point	No Data Available
Auto Ignition Temp	311 °C
Evaporation Rate	No Data Available
Bulk Density	approx. 525 kg/m ³
Corrosion Rate	No Data Available
Decomposition Temperature	Decompose before boiling
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	358.496 g/mol
Net Propellant Weight	No Data Available
Octanol Water Coefficient	Log Kow: -10.42 (20°C)
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available

VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Non-flammable; May burn but does not ignite readily.
Reactions That Release Gases or Vapours	Fire/decomposition may produce irritating and/or toxic gases.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	The product is non-reactive under normal conditions of use, storage and transport.
Chemical Stability	Stable under normal conditions.
Conditions to Avoid	Avoid generating dust. Keep away from heat and sources of ignition.
Materials to Avoid	Incompatible/reactive with oxidising agents.
Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Fire/decomposition may produce irritating and/or toxic gases.
Hazardous Polymerisation	No dangerous reactions known under normal conditions of use.

11. TOXICOLOGICAL INFORMATION

General Information	<p>Information on toxicological effects:</p> <ul style="list-style-type: none"> - Acute toxicity: Not classified. - Skin corrosion/irritation: Not irritating. - Serious eye damage/irritation: Not irritating. - Respiratory/skin sensitisation: Not sensitising - Germ cell mutagenicity: Not classified. - Carcinogenicity: Not classified. - Reproductive toxicity: Not classified. - STOT (single exposure): Not classified. - STOT (repeated exposure): Not classified. - Aspiration toxicity: Not classified. <p>Information on possible routes of exposure:</p> <ul style="list-style-type: none"> - Ingestion: Expected to be a low ingestion hazard. - Eye contact: Direct contact with eyes may cause temporary irritation. - Skin contact: No adverse effects due to skin contact are expected. Prolonged skin contact may cause temporary irritation. - Inhalation: No adverse effects due to inhalation are expected. Inhalation of dust may cause mild irritation. <p>Chronic effects: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Not classifiable as to carcinogenicity to humans. This product is not expected to cause reproductive or developmental effects.</p>
----------------------------	---

Acute

Ingestion	Acute toxicity (Oral): - LD50, Rat: >2,000 mg/kg bw. [ECHA].
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Persistence/Degradability	EDTA-MgNa2 is inherently biodegradable. Biodegradation is enhanced at higher pH (>8) in water [ECHA].
Mobility	No information available.
Environmental Fate	The product is not classified as environmentally hazardous; However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Bioaccumulation Potential	Low potential for bioaccumulation [ECHA].
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site and in accordance with all applicable regulations.
Special Precautions for Land Fill	This material and its container must be disposed of in a safe manner. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	Chelated Magnesium
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	Chelated Magnesium
Class	No Data Available
Subsidiary Risk(s)	No Data Available

	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	Chelated Magnesium
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	Chelated Magnesium
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	Chelated Magnesium
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	Chelated Magnesium
Class	No Data Available

Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
--------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	Not Hazardous
---------------	---------------

National/Regional Inventories

Australia (AIC)	Listed
Canada (DSL)	Listed
Canada (NDSL)	Not Determined
China (IECSC)	Listed
Europe (EINECS)	238-372-3
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Listed
Korea (KECI)	Not Listed
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Listed
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined

Taiwan (NCSR)

Listed

USA (TSCA)

Listed

16. OTHER INFORMATION

Related Product Codes	CHELMG1000, CHELMG1001, CHELMG2000, CHELMG4000, CHELMG4300, CHELMG4500, CHELMG4505, CHELMG4510, CHELMG6000
Revision	5
Revision Date	25 Aug 2023
Reason for Issue	SDS updated
Key/Legend	<p>< Less Than > Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH₂O Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre lb Pound LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. ltr or L Litre m³ Cubic Metre mbar Millibar mg Milligram mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. mm Millimetre mmH₂O Millimetres of Water mPa.s Millipascals per Second N/A Not Applicable NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development Oz Ounce PEL Permissible Exposure Limit Pa Pascal ppb Parts per Billion ppm Parts per Million ppm/2h Parts per Million per 2 Hours</p>

ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight