

1. IDENTIFICATION

Product Name	Hydrous China Clay
Other Names	Hydrated aluminum silicate; Porcelain clay, hydrous
Uses	Ceramics; Paints & coatings; Paper; Plastics, Rubber; Construction.
Chemical Family	No Data Available
Chemical Formula	Unspecified
Chemical Name	Kaolin, hydrous
Product Description	Containing <1% crystalline silica.

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Pty Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Pty Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled

Globally Harmonised System

Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Kaolin, hydrous	Unspecified	1332-58-7	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Get medical advice/attention if a large amount is swallowed or if you feel unwell.
Eye	IF IN EYES: Flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for 5 - 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing until recovered. If respiratory symptoms persist, get medical advice/attention.
Advice to Doctor	Treat symptomatically.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool container with water spray until well after fire is out.
Flammability Conditions	Non-combustible; Material does not burn.
Extinguishing Media	If material is involved in a fire, use extinguishing media appropriate to surrounding conditions.
Fire and Explosion Hazard	No information available.
Hazardous Products of Combustion	Fire or heat may produce irritating and/or toxic fumes.
Special Fire Fighting Instructions	Contain runoff from fire control water - Runoff may pollute waterways.
Personal Protective Equipment	Wear self-contained breathing apparatus (SCBA) in combination with normal firefighting clothing (full fire kit).
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available

Hazchem Code

No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. Do not touch or walk through spilled material - Slippery when wet. Avoid dust formation. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Collect material (sweep or vacuum up) and place it into suitable, properly labelled containers for later disposal (see SECTION 13); if appropriate, moisten first (or cover with damp absorbent) to prevent dusting.
Containment	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust cloud.
Decontamination	Do not flush to drains.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid handling which leads to dust formation. Avoid breathing dust and contact with eyes, skin and clothing. Use personal protective equipment as required; Wear respiratory protection in case of inadequate ventilation or excessive dust (see SECTION 8).
Storage	Store in a dry and well-ventilated place. Keep containers tightly closed.
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	COMPONENT: Kaolin (CAS No. 1332-58-7); - Safe Work Australia Exposure Standard: TWA = 10 mg/m ³ *This value is for inhalable dust containing no asbestos and <1% crystalline silica.
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	- Respiratory protection: Wear respiratory protection in case of inadequate ventilation or excessive dust. Recommended: P1 dust mask/respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses or goggles. - Hand protection: Handle with gloves. Recommended: Impervious gloves. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Powder
Odour	Soil-like
Colour	Off-white
pH	4.0 - 6.0
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Insoluble in water
Specific Gravity	No Data Available
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	No information available.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Non-combustible; Material does not burn.
Reactions That Release Gases or Vapours	No information available.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	No information available.
Chemical Stability	This product is stable under normal storage, handling and environmental conditions.
Conditions to Avoid	Avoid dust formation.

Materials to Avoid	No substances known that should be avoided.
Hazardous Decomposition Products	No information available.
Hazardous Polymerisation	Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	<p>Information on possible routes of exposure:</p> <ul style="list-style-type: none"> - Ingestion: No adverse health effects expected; Large amounts may cause nausea and vomiting. - Eye contact: May cause physical eye irritation/discomfort. - Skin contact: May cause skin irritation due to particulate nature. - Inhalation: May cause irritation/discomfort to the upper respiratory tract. Prolonged and repeated exposure can affect the respiratory system. <p>Chronic effects: Lungs may be affected by repeated or prolonged exposure to dust particles. The substance may have effects on the lungs, resulting in fibrosis (kaolinosi) and impaired functions.</p>
----------------------------	--

Carcinogen Category	None
----------------------------	------

12. ECOLOGICAL INFORMATION

Ecotoxicity	No information available.
Persistence/Degradability	Non-degradable (naturally occurring mineral).
Mobility	This product is practically insoluble.
Environmental Fate	Prevent entry into drains and waterways.
Bioaccumulation Potential	This product is not expected to accumulate in biota.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations.
Special Precautions for Land Fill	Normally suitable for general landfill. Do not flush to drains or into waterways.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	Hydrous China Clay
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	Hydrous China Clay
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	Hydrous China Clay
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	Hydrous China Clay
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Sea Transport

IMDG Code

Proper Shipping Name	Hydrous China Clay
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No

Air Transport

IATA DGR

Proper Shipping Name	Hydrous China Clay
Class	No Data Available

Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	Not Hazardous
----------------------	---------------

National/Regional Inventories

Australia (AICS)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	310-194-1
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	CLAYCH1000, CLAYCH1001, CLAYCH2000, CLAYCH2100, CLAYCH2200, CLAYCH2300, CLAYCH2400, CLAYCH2600, CLAYCH2800, CLAYCH3000, CLAYCH4000, CLAYCH4001, CLAYCH4500, CLAYCH5000, CLAYCH5500, CLAYCH8100
Revision	3
Revision Date	01 Jan 2018
Key/Legend	<p>< Less Than > Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH₂O Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre lb Pound LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. ltr or L Litre m³ Cubic Metre mbar Millibar mg Milligram mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. mm Millimetre mmH₂O Millimetres of Water mPa.s Millipascals per Second N/A Not Applicable NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Health and Safety Commission OECD Organisation for Economic Co-operation and Development Oz Ounce PEL Permissible Exposure Limit Pa Pascal ppb Parts per Billion ppm Parts per Million ppm/2h Parts per Million per 2 Hours ppm/6h Parts per Million per 6 Hours psi Pounds per Square Inch R Rankine RCP Reciprocal Calculation Procedure STEL Short Term Exposure Limit TLV Threshold Limit Value tne Tonne TWA Time Weighted Average ug/24H Micrograms per 24 Hours UN United Nations wt Weight</p>