

1. IDENTIFICATION

Product Name	Aqueous Colloidal Silica
Other Names	Amorphous Silica, Aqueous Colloidal Solution; SILICA
Uses	Amorphous silica, aqueous colloidal solution used in the chemicals industry.
Chemical Family	No Data Available
Chemical Formula	O ₂ Si
Chemical Name	Aqueous Colloidal Silica
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Pty Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Pty Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) No Data Available

Globally Harmonised System

Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Water	No Data Available	7732-18-5	60 %
Silica Dioxide, Amorphous	No Data Available	7631-86-9	40 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	Rinse mouth with water. Give water to drink. Do NOT induce vomiting. If vomiting occurs, give further water. Seek medical advice.
Eye	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Skin	Remove contaminated clothing. Wash affected area with plenty of water. If irritation develops, seek medical attention. Wash clothing before reuse.
Inhaled	Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of patient.
Medical Conditions Aggravated by Exposure	No information available on medical conditions which are aggravated from exposure to this product.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, remove containers from the path of fire.
Flammability Conditions	Product is a non-flammable liquid.
Extinguishing Media	In case of fire, use appropriate extinguishing media most suitable for surrounding fire conditions use water spray (fog), foam, dry chemical or carbon dioxide.
Fire and Explosion Hazard	Non-combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous Products of Combustion	No Data Available
Special Fire Fighting Instructions	Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk. Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Personal Protective Equipment	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves) or chemical splash suit.
Flash Point	No Data Available

Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Eliminate all sources of ignition. Increase ventilation. Avoid walking through spilled product as it may be slippery. Use clean, non-sparking tools and equipment.
Clean Up Procedures	Soak up spilled product using absorbent non-combustible material such as sand or soil. Avoid using sawdust or cellulose. When saturated, collect the material and transfer to a suitable, labelled chemical waste container and dispose of promptly.
Containment	Stop leak if safe to do so.
Environmental Precautionary Measures	Do not allow product to reach drains, sewers or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Authority.
Evacuation Criteria	Evacuate all unnecessary personnel.
Personal Precautionary Measures	Personnel involved in the clean up should wear full protective clothing as listed in section 8.

7. HANDLING AND STORAGE

Handling	Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing. Do not inhale product fumes.
Storage	Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. Store at temperatures between 5 Deg C to 35 Deg C. Store in dark containers made of anti corrosive materials. Does not stand freezing. This product is not classified dangerous for transport according to The Australian Code for the Transport of Dangerous Goods By Road and Rail.
Container	Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). However, the following applies to Fumed Silica (respirable dust): CAS 7631-86-9: TWA = 2mg/m ³ NOTE: The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. These exposure standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.
Exposure Limits	No Data Available
Biological Limits	No information available on biological limit values for this product.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	RESPIRATOR: A properly fitted air-purifying or air-fed respirator complying with An approved standard if a risk assessment indicates this is necessary (AS1715/1716). EYES: Safety glasses with side shield (AS1336/1337). HANDS: Chemical resistant, impervious gloves complying with an approved Standard should be worn at all times when handling chemical Products if a risk assessment indicates this is necessary. Recommended: Nitrile rubber – NBR Polychloroprene – CR Polyvinyl Chloride – PVC (AS2161). CLOTHING: Chemical-resistant coveralls and safety footwear (AS3765/2210).

Work Hygienic Practices

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Liquid
Odour	Odourless
Colour	White
pH	9 - 11
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Miscible in water
Specific Gravity	No Data Available
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	1.2 kg/l - 1.4 kg/l
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No Data Available
Potential for Dust Explosion	Product is a liquid.
Fast or Intensely Burning Characteristics	No Data Available
Flame Propagation or Burning Rate of Solid Materials	No Data Available
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No Data Available
Properties That May Initiate or Contribute to Fire Intensity	No Data Available
Reactions That Release Gases or Vapours	No Data Available
Release of Invisible Flammable Vapours and Gases	No Data Available

10. STABILITY AND REACTIVITY

Chemical Stability	Product is stable under normal conditions of use, storage and temperature.
Conditions to Avoid	Do NOT allow to freeze. Avoid drying out of the solution as this can lead to a build up of dust.
Materials to Avoid	Incompatible with acids. Contact with acids causes the product to gel.
Hazardous Decomposition Products	Hazardous decomposition products are unknown.
Hazardous Polymerisation	No hazardous reactions known.

11. TOXICOLOGICAL INFORMATION

General Information	Oral LD50 Rat : >2000 mg/Kg
Carcinogen Category	No Data Available

12. ECOLOGICAL INFORMATION

Ecotoxicity	Fish LC50/96hr : 5000 mg/L Activated Sludge EC50 : >10000 mg/L
Persistence/Degradability	No information available on persistence/degradability for this product.
Mobility	No information available on mobility for this product.
Environmental Fate	Avoid contaminating waterways, drains and sewers.
Bioaccumulation Potential	No information available on bioaccumulation for this product.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	If utilisation or recycling of the product is not possible, it should be disposed of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.
Special Precautions for Land Fill	Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	COLLOIDAL SILICA SOLUTION
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available

Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	COLLOIDAL SILICA SOLUTION
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	COLLOIDAL SILICA SOLUTION
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Sea Transport

IMDG Code

Proper Shipping Name	COLLOIDAL SILICA SOLUTION
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No

Air Transport

IATA DGR

Proper Shipping Name	COLLOIDAL SILICA SOLUTION
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION**General Information** No Data Available**Poisons Schedule (Aust)** No Data Available**Environmental Protection Authority (New Zealand)**

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Assessed**National/Regional Inventories****Australia (AICS)** Listed**Canada (DSL)** Not Determined**Canada (NDSL)** Not Determined**China (IECSC)** Not Determined**Europe (EINECS)** Not Determined**Europe (REACH)** Not Determined**Japan (ENCS/METI)** Not Determined**Korea (KECI)** Not Determined**Malaysia (EHS Register)** Not Determined**New Zealand (NZIoC)** Not Determined**Philippines (PICCS)** Not Determined**Switzerland (Giftliste 1)** Not Determined**Switzerland (Inventory of Notified Substances)** Not Determined**Taiwan (NCSR)** Not Determined**USA (TSCA)** Not Determined**16. OTHER INFORMATION****Related Product Codes** COSILI2400, COSILI2401, COSILI2410, COSILI2500**Revision** 2**Revision Date** 26 May 2014**Key/Legend**
< Less Than
> Greater Than
AICS Australian Inventory of Chemical Substances

atm Atmosphere
CAS Chemical Abstracts Service (Registry Number)
cm² Square Centimetres
CO₂ Carbon Dioxide
COD Chemical Oxygen Demand
deg C (°C) Degrees Celcius
EPA (New Zealand) Environmental Protection Authority of New Zealand
deg F (°F) Degrees Farenheit
g Grams
g/cm³ Grams per Cubic Centimetre
g/l Grams per Litre
HSNO Hazardous Substance and New Organism
IDLH Immediately Dangerous to Life and Health
immiscible Liquids are insoluable in each other.
inHg Inch of Mercury
inH₂O Inch of Water
K Kelvin
kg Kilogram
kg/m³ Kilograms per Cubic Metre
lb Pound
LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
ltr or **L** Litre
m³ Cubic Metre
mbar Millibar
mg Milligram
mg/24H Milligrams per 24 Hours
mg/kg Milligrams per Kilogram
mg/m³ Milligrams per Cubic Metre
Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.
mm Millimetre
mmH₂O Millimetres of Water
mPa.s Millipascals per Second
N/A Not Applicable
NIOSH National Institute for Occupational Safety and Health
NOHSC National Occupational Health and Safety Commission
OECD Organisation for Economic Co-operation and Development
Oz Ounce
PEL Permissible Exposure Limit
Pa Pascal
ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight