

1. IDENTIFICATION

Product Name Polyethylene terephthalate (PET)

PET Chips, Bottle Grade; PET Recycled rPET CF80; PET Resin; Poly(ethylene terephthalate) Other Names

Uses Plastics.

No Data Available **Chemical Family Chemical Formula** (C10H8O4)n

Chemical Name Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)

Product Description Ethylene, terephthalate oligomer.

Contact Details of the Supplier of this Safety Data Sheet

Organisation Location Telephone Redox Ltd 2 Swettenham Road +61-2-97333000 Minto NSW 2566 Australia Redox Ltd 11 Mayo Road +64-9-2506222 Wiri Auckland 2104 New Zealand 3960 Paramount Boulevard Redox Inc. +1-424-675-3200 Suite 107 Lakewood CA 90712 USA

Redox Chemicals Sdn Bhd Level 2, No. 8, Jalan Sapir 33/7

Seksyen 33, Shah Alam Premier Industrial Park

40400 Shah Alam Sengalor, Malaysia

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled

Auckland

London

+60-3-5614-2111



Globally Harmonised System

Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Polyethylene terephthalate	(C10H8O4)n	25038-59-9	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth with water. Do not induce vomiting. Get medical advice/attention. Never give anything by

mouth to an unconscious person.

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting

the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for 10 - 15 minutes. If eye

irritation persists, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation

occurs, get medical advice/attention. In case of contact with molten material, immerse or flood affected area with cold water for 10 - 15 minutes. Do not forcibly remove solidified material or clothing if adhering to skin. Obtain immediate

medical care.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms

persist, get medical advice/attention. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is

difficult.

Advice to Doctor Treat symptomatically.

Medical Conditions Aggravated by No information available.

Exposure

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.

Flammability Conditions May burn but does not ignite readily.

Extinguishing Media Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

Fire and Explosion Hazard Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Hazardous Products of

Combustion

Fire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Special Fire Fighting Instructions Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Special File Fighting instructions — Contain runon from the control of unution water - kullon may pointe waterways.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may

provide limited protection.

Flash Point
No Data Available
Lower Explosion Limit
No Data Available
Upper Explosion Limit
No Data Available
Auto Ignition Temperature
No Data Available
Hazchem Code
No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material. Avoid

generating dust. Avoid breathing dust and contact with eyes, skin and clothing.

Clean Up Procedures Collect material (sweep up and shovel) in suitable, closed containers for disposal (see SECTION 13).

Containment Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust cloud.

Decontamination No information available.

Environmental Precautionary

Measures

Prevent entry into drains and waterways.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert

atmospheres.

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Keep away from heat

and sources of ignition - No smoking. Keep away from foodstuffs and incompatible materials (see SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product. For dusts from solid substances without specific

occupational exposure standards:

- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3 (measured as inhalable dust).

- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3; TWA = 3 mg/m3 (respirable dust).

Exposure Limits No Data Available

Biological Limits No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust

ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area.

Personal Protection Equipment

- Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust mask/particulate filter respirator (refer to AS/NZS 1715 & 1716).
- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Wear a face shield when working with molten material.
- Hand protection: Handle with gloves. When material is heated, wear gloves to protect against thermal burns.
- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Choose body protection in relation to its type, to the concentration and amount of hazardous substance(s), and to the specific work-place.

Special Hazards Precaustions

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Granules, pellets or powder

OdourNo specific odourColourCream or whitepHNo Data AvailableVapour PressureNo Data AvailableRelative Vapour DensityNo Data AvailableBoiling PointNo Data Available

Melting Point 249 °C

Freezing Point No Data Available
Solubility No Data Available

Specific Gravity 1.4

Flash Point

Auto Ignition Temp

No Data Available

Evaporation Rate

No Data Available

Bulk Density

No Data Available

Corrosion Rate

No Data Available

Decomposition Temperature 415 °C **Density** 1.4 g/cm3

Specific Heat No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available **Saturated Vapour Concentration** No Data Available **Vapour Temperature** No Data Available Viscosity No Data Available **Volatile Percent** No Data Available **VOC Volume** No Data Available

Additional Characteristics No information available.

Potential for Dust Explosion Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Fast or Intensely Burning

Characteristics

No information available.

Flame Propagation or Burning

Rate of Solid Materials

No information available.

Non-Flammables That Could

No information available.

No information available.

Contribute Unusual Hazards to a

Properties That May Initiate or Contribute to Fire Intensity

May burn but does not ignite readily.

Reactions That Release Gases or

Vapours

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Release of Invisible Flammable

Vapours and Gases

10. STABILITY AND REACTIVITY

General Information No information available.

Chemical Stability Stable under recommended storage conditions.

Conditions to Avoid Avoid generating dust. Keep away from heat and sources of ignition.

Materials to Avoid Incompatible/reactive with strong oxidising agents.

Hazardous Decomposition

Products

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Hazardous Polymerisation Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information Information on possible routes of exposure:

- Ingestion: Expected to be a low ingestion hazard. Material is not expected to be absorbed by the gastroenteric tract.

- Eye contact: Dust or fumes from processing may cause mechanical irritation.

- Skin contact: Molten material will produce thermal burns. Dust or fumes from processing may cause mechanical

irritation.

- Inhalation: Dust or fumes from processing may cause irritation of the upper respiratory tract.

Chronic effects: No information available.

Carcinogen Category None

12. ECOLOGICAL INFORMATION

No information available. **Ecotoxicity** Persistence/Degradability No information available. **Mobility** No information available.

Environmental Fate Prevent entry into drains and waterways.

Bioaccumulation Potential No information available. **Environmental Impact** No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Recycle or dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name Polyethylene terephthalate (PET)

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name Polyethylene terephthalate (PET)

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Polyethylene terephthalate (PET)

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name Polyethylene terephthalate (PET)

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Polyethylene terephthalate (PET)

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
EMS No Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name Polyethylene terephthalate (PET)

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available

Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Listed

Canada (NDSL) Not Listed

China (IECSC) Listed

Europe (EINECS) 607-507-1

Europe (REACh) Pre-registered

Japan (ENCS/METI) 7-1022

Korea (KECI) KE-28979

Malaysia (EHS Register) Not Listed

New Zealand (NZIoC) Listed

Philippines (PICCS) Listed

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Listed

USA (TSCA) Listed

16. OTHER INFORMATION

Related Product Codes POTEPH1000, POTEPH1001, POTEPH1002, POTEPH1003, POTEPH1000, POTEPH1200, POTEPH2001,

POTEPH3000, POTEPH3100, POTEPH3500, POTEPH4000, POTEPH4001, POTEPH4200, POTEPH4400, POTEPH4600, POTEPH4800, POTEPH5000, POTEPH5000, POTEPH5000, POTEPH5000, POTEPH6500, POTEPH6600, POTEPH6600, POTEPH6800, POTEPH8800, POTEPH8816, POTEPH8817, POTEPH8820, POTEPH8828, POTEPH8839, POTEPH9000, POTEPR1001, POTEPR1002, POTEPR1003, POTEPR6000, POTEPR7000

Revision 3

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand

deg C (°C) Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluable in each other.

inHg Inch of Mercury

inH20 Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

 $\textbf{TLV} \ \mathsf{Threshold} \ \mathsf{Limit} \ \mathsf{Value}$

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight