



SAFETY DATA SHEET SOL VINYL RESIN CK REVISION 4, DATE 01 JAN 23

1. IDENTIFICATION

Product Name	Sol Vinyl Resin CK
Other Names	No Data Available
Uses	Gravure ink, binder for paint, adhesives, lacquer.
Chemical Family	No Data Available
Chemical Formula	(C ₄ H ₆ O ₂ .C ₂ H ₃ Cl) _x
Chemical Name	Vinyl chloride, vinyl acetate copolymer
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled



Globally Harmonised System

Hazard Classification	NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Signal Word	None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification	NOT hazardous according to the criteria of Safe Work Australia under Model WHS Regulations
------------------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS*Ingredients*

Chemical Entity	Formula	CAS Number	Proportion
Vinyl chloride, vinyl acetate copolymer	(C4H6O2.C2H3Cl)x	9003-22-9	100 %

4. FIRST AID MEASURES*Description of necessary measures according to routes of exposure*

Swallowed	IF SWALLOWED: Rinse mouth. Get medical advice/attention if you feel unwell.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.
Advice to Doctor	No special measures required. In cases of sickness seek medical advice (show label if possible). *Most important symptoms and effects, both acute and delayed: Due to its physical properties, may cause mechanical irritation.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	Move containers from fire area if you can do it without risk. Cool containers with water spray until well after fire is out. Dike fire-control water for later disposal.
-------------------------	--

Flammability Conditions	May burn but does not ignite readily.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction. Do not scatter spilled material with high-pressure water streams.
Fire and Explosion Hazard	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous Products of Combustion	Fire may produce irritating, corrosive and/or toxic gases, including Hydrogen chloride.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may cause pollution.
Personal Protective Equipment	Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	60 g/m ³
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	>385 °C
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources (if dust clouds can occur). Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Take up mechanically and place material into clean, dry container and cover loosely; move containers from spill area.
Containment	Stop leak if you can do it without risk. Prevent dust cloud. Prevent entry into waterways, sewers, basements or confined areas. *Cover powder spill with plastic sheet or tarp to minimise spreading.
Decontamination	No information available.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Immediately isolate spill or leak area. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). WARNING: May form combustible dust concentrations in air! Keep away from heat and sources of ignition - No smoking. Take precautionary measures against static discharges.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Keep away from heat and sources of ignition - No smoking. Keep away from incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards: - Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m ³ (measured as inhalable dust). - New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m ³ ; TWA = 3 mg/m ³ (respirable dust).
----------------	---

Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	<ul style="list-style-type: none"> - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust mask/particulate respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety goggles. - Hand protection: Handle with gloves. Recommended: Impervious gloves. - Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes/boots.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Powder
Odour	Odourless
Colour	White
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Virtually insoluble in water
Specific Gravity	1.31 (Water = 1)
Flash Point	No Data Available
Auto Ignition Temp	>385 °C
Evaporation Rate	No Data Available
Bulk Density	approx. 600 - 700 kg/m ³
Corrosion Rate	No Data Available
Decomposition Temperature	>=100 °C
Density	1.31 g/cm ³
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available

Additional Characteristics	No information available.
Potential for Dust Explosion	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	May burn but does not ignite readily.
Reactions That Release Gases or Vapours	Fire/decomposition may produce irritating, corrosive and/or toxic gases, including Hydrogen chloride.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	If stored and handled in accordance with standard industrial practices, no hazardous reactions are known.
Chemical Stability	Stable if stored and handled properly.
Conditions to Avoid	Avoid generating dust. Keep away from heat and sources of ignition. Take precautionary measures against static discharges.
Materials to Avoid	None known.
Hazardous Decomposition Products	Fire/decomposition may produce irritating, corrosive and/or toxic gases, including Hydrogen chloride.
Hazardous Polymerisation	No information available.

11. TOXICOLOGICAL INFORMATION

General Information	<p>Information on toxicological effects:</p> <ul style="list-style-type: none">- Acute toxicity: For this endpoint no toxicological test data is available for the whole product.- Skin corrosion/irritation: For this endpoint no toxicological test data is available for the whole product.- Serious eye damage/irritation: For this endpoint no toxicological test data is available for the whole product.- Respiratory/skin sensitisation: For this endpoint no toxicological test data is available for the whole product.- Germ cell mutagenicity: For this endpoint no toxicological test data is available for the whole product.- Carcinogenicity: For this endpoint no toxicological test data is available for the whole product. Vinyl chloride-vinyl acetate copolymers (CAS No. 9003-22-9) is Classified by the IARC Monographs as "Not classifiable as to its carcinogenicity to humans" (Group 3).- Reproductive toxicity: For this endpoint no toxicological test data is available for the whole product.- STOT (single exposure): For this endpoint no toxicological test data is available for the whole product.- STOT (repeated exposure): For this endpoint no toxicological test data is available for the whole product.- Aspiration toxicity: For this endpoint no toxicological test data is available for the whole product. <p>Information on likely routes of exposure:</p> <ul style="list-style-type: none">- Ingestion: No information available.- Eye contact: No information available.- Skin contact: No information available.- Inhalation: No information available. <p>Chronic effects: No information available.</p>
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	No expected damaging effects to aquatic organisms.
Persistence/Degradability	Biologically not degradable.
Mobility	Insoluble in water.
Environmental Fate	Prevent entry into drains and waterways.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container by means of a licensed waste contractor and in accordance with local/regional/national regulations.
Special Precautions for Land Fill	No information available.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	Sol Vinyl Resin CK
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	Sol Vinyl Resin CK
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	Sol Vinyl Resin CK
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	Sol Vinyl Resin CK
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	Sol Vinyl Resin CK
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	Sol Vinyl Resin CK
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION**General Information**

No Data Available

Poisons Schedule (Aust)

Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code

Not Hazardous

National/Regional Inventories**Australia (AIRC)**

Listed

Canada (DSL)

Listed

Canada (NDSL)

Not Determined

China (IECSC)

Listed

Europe (EINECS)

618-359-2

Europe (REACH)

Not Determined

Japan (ENCS/METI)

Listed

Korea (KECI)

Listed

Malaysia (EHS Register)

Not Determined

New Zealand (NZIoC)

Listed

Philippines (PICCS)

Listed

Switzerland (Giftliste 1)

Not Determined

Switzerland (Inventory of Notified Substances)

Not Determined

Taiwan (NCSR)

Listed

USA (TSCA)

Listed

16. OTHER INFORMATION

Related Product Codes	UCSOVI4300, UCSOVI4400
Revision	4
Revision Date	01 Jan 2023
Reason for Issue	SDS updaetd
Key/Legend	<p>< Less Than</p> <p>> Greater Than</p> <p>AICS Australian Inventory of Chemical Substances</p> <p>atm Atmosphere</p> <p>CAS Chemical Abstracts Service (Registry Number)</p> <p>cm² Square Centimetres</p> <p>CO₂ Carbon Dioxide</p> <p>COD Chemical Oxygen Demand</p> <p>deg C (°C) Degrees Celcius</p> <p>EPA (New Zealand) Environmental Protection Authority of New Zealand</p> <p>deg F (°F) Degrees Farenheit</p> <p>g Grams</p> <p>g/cm³ Grams per Cubic Centimetre</p> <p>g/l Grams per Litre</p> <p>HSNO Hazardous Substance and New Organism</p> <p>IDLH Immediately Dangerous to Life and Health</p> <p>immiscible Liquids are insoluable in each other.</p> <p>inHg Inch of Mercury</p> <p>inH₂O Inch of Water</p> <p>K Kelvin</p> <p>kg Kilogram</p> <p>kg/m³ Kilograms per Cubic Metre</p> <p>lb Pound</p> <p>LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.</p> <p>LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.</p> <p>ltr or L Litre</p> <p>m³ Cubic Metre</p> <p>mbar Millibar</p> <p>mg Milligram</p> <p>mg/24H Milligrams per 24 Hours</p> <p>mg/kg Milligrams per Kilogram</p> <p>mg/m³ Milligrams per Cubic Metre</p> <p>Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.</p> <p>mm Millimetre</p> <p>mmH₂O Millimetres of Water</p> <p>mPa.s Millipascals per Second</p> <p>N/A Not Applicable</p> <p>NIOSH National Institute for Occupational Safety and Health</p> <p>NOHSC National Occupational Heath and Safety Commission</p> <p>OECD Organisation for Economic Co-operation and Development</p> <p>Oz Ounce</p> <p>PEL Permissible Exposure Limit</p> <p>Pa Pascal</p> <p>ppb Parts per Billion</p> <p>ppm Parts per Million</p> <p>ppm/2h Parts per Million per 2 Hours</p> <p>ppm/6h Parts per Million per 6 Hours</p> <p>psi Pounds per Square Inch</p> <p>R Rankine</p> <p>RCP Reciprocal Calculation Procedure</p> <p>STEL Short Term Exposure Limit</p> <p>TLV Threshold Limit Value</p> <p>tne Tonne</p> <p>TWA Time Weighted Average</p> <p>ug/24H Micrograms per 24 Hours</p> <p>UN United Nations</p> <p>wt Weight</p>

