

1. IDENTIFICATION

| Product Name | Polyvinylpyrrolidone (Various K Values) |
|---------------------|--|
| Other Names | N-Vinyl pyrrolidinone, polymer; Polyvidone; Povidone; PVP K30; PVP K90 |
| Uses | Cosmetic raw ingredient. |
| Chemical Family | No Data Available |
| Chemical Formula | (C6H9NO)x |
| Chemical Name | 2-Pyrrolidinone, 1-ethenyl-, homopolymer |
| Product Description | No Data Available |

Contact Details of the Supplier of this Safety Data Sheet

| Organisation | Location | Telephone |
|-------------------------|--|-----------------|
| Redox Ltd | 2 Swettenham Road Minto NSW 2566 Australia | +61-2-97333000 |
| Redox Ltd | 11 Mayo Road Wiri Auckland 2104 New Zealand | +64-9-2506222 |
| Redox Inc. | 3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA | +1-424-675-3200 |
| Redox Chemicals Sdn Bhd | Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia | +60-3-5614-2111 |

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

| Organisation | Location | Telephone |
|----------------------------|--------------|--|
| Poisons Information Centre | Westmead NSW | 1800-251525 131126 |
| Chemcall | Australia | 1800-127406 +64-4-9179888 |
| Chemcall | Malaysia | +64-4-9179888 |
| Chemcall | New Zealand | 0800-243622 +64-4-9179888 |
| National Poisons Centre | New Zealand | 0800-764766 |
| CHEMTREC | USA & Canada | 1-800-424-9300 CN723420 +1-703-527-3887 |

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Redox Ltd

Corporate Office Sydney Locked Bag 15 Minto NSW 2566 Australia 2 Swettenham Road Minto NSW 2566 Australia All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Form 21047, Revision 3, Page 1 of 10, 01-Feb-2024 02:03:51

Phone +61 2 9733 3000 +61 2 9733 3111 Fax E-mail sydney@redox.com Web www.redox.com ABN 92 000 762 345

Australia Adelaide Brisbane Melbourne Perth London Sydney

UK

New Zealand Malaysia Auckland Christchurch Kuala Lumpur USA Los Angeles Hawke's Bay Oakland Mexico Saltillo



Globally Harmonised System

| Hazard Classification | NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) |
|-----------------------|---|
| Signal Word | None |

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

| Dangerous Goods Classification | NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods |
|--------------------------------|---|
| | by Road & Rail (ADG Code) |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredients | | | |
|----------------------------|-----------|------------|------------|
| Chemical Entity | Formula | CAS Number | Proportion |
| Polyvinylpyrrolidone (PVP) | (C6H9NO)x | 9003-39-8 | >=95 % |
| Water | H2O | 7732-18-5 | <=5 % |

4. FIRST AID MEASURES

| Description of necessary measures according to routes of exposure | | |
|---|---|--|
| Swallowed | IF SWALLOWED: Rinse mouth with water. Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person. | |
| Eye | IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention. | |
| Skin | IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention. | |
| Inhaled | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is difficult. | |
| Advice to Doctor | Treat symptomatically. | |
| Medical Conditions Aggravated by Exposure | No information available. | |

5. FIRE FIGHTING MEASURES

| General Measures | If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out. |
|---------------------------|---|
| Flammability Conditions | May burn but does not ignite readily. |
| Extinguishing Media | Use dry chemical, Carbon dioxide (CO2), alcohol-resistant foam or water spray for extinction. |
| Fire and Explosion Hazard | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. |
| | Fire may produce irritating and/or toxic fumes, including Carbon oxides, Nitrogen oxides (NOx). |

| Hazardous Products of Combustion | |
|-------------------------------------|--|
| Special Fire Fighting Instructions | Contain runoff from fire control or dilution water - Runoff may pollute waterways. Dispose of fire debris and contaminated extinguishing water in accordance with local regulations. |
| Personal Protective Equipment | Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may provide limited protection. |
| Flash Point | No Data Available |
| Lower Explosion Limit | No Data Available |
| Upper Explosion Limit | No Data Available |
| Auto Ignition Temperature | No Data Available |
| Hazchem Code | No Data Available |

6. ACCIDENTAL RELEASE MEASURES

| General Response Procedure | Ensure adequate ventilation. ELIMINATE all ignition sources (if dust clouds can occur). Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing. |
|---|--|
| Clean Up Procedures | Sweep up and shovel. Keep in suitable, closed containers for disposal (see SECTION 13). Avoid dispersal of dust in the air. |
| Containment | Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Prevent dust cloud. |
| Decontamination | No information available. |
| Environmental Precautionary Measures | Prevent entry into drains and waterways. |
| Evacuation Criteria | Spill or leak area should be isolated immediately. Keep unauthorised personnel away. |
| Personal Precautionary Measures | Use personal protective equipment as required (see SECTION 8). |

| 7. HANDLING AND S | TORAGE |
|-------------------|---|
| Handling | Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilate. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Storage | Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Keep away from heat and sources of ignition - No smoking. Keep away from incompatible materials (see SECTION 10). |
| Container | Keep in the original container. |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| General | No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards: - Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3 (measured as inhalable dust). - New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3; TWA = 3 mg/m3 (respirable dust). |
|--------------------------|---|
| Exposure Limits | No Data Available |
| Biological Limits | No information available. |
| Engineering Measures | A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. |

| Personal Protection Equipment | Respiratory protection: Wear respiratory protection in case of inadequate ventilation or where protection from nuisance levels of dusts is desired. Recommended: Type N95 (US) or Type P1 dust masks. Use respirators and components tested and approved under appropriate government standards (refer to AS/NZS 1715 & 1716). Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses. Use equipment for eye protection tested and approved under appropriate government standards. Hand protection: Handle with gloves. Recommended: Protective gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: The type of protective equipment must be selected according to the concentration and amount of the hazardous substance(s) at the specific workplace. |
|-------------------------------|---|
| Special Hazards Precaustions | No information available. |
| Work Hygienic Practices | Do not eat, drink or smoke when using this product. Wash hands before breaks and at the end of the workday. Take off contaminated clothing and wash before storage or reuse. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical State | Solid | |
|--------------------------------|--------------------------|--|
| Appearance | Powder or flakes | |
| Odour | Slight, characteristic | |
| Colour | White or off-white | |
| рН | 3.0 - 7.0 (1 g in 20 mL) | |
| Vapour Pressure | No Data Available | |
| Relative Vapour Density | No Data Available | |
| Boiling Point | No Data Available | |
| Melting Point | No Data Available | |
| Freezing Point | No Data Available | |
| Solubility | Freely soluble in water | |
| Specific Gravity | No Data Available | |
| Flash Point | No Data Available | |
| Auto Ignition Temp | No Data Available | |
| Evaporation Rate | No Data Available | |
| Bulk Density | No Data Available | |
| Corrosion Rate | No Data Available | |
| Decomposition Temperature | No Data Available | |
| Density | No Data Available | |
| Specific Heat | No Data Available | |
| Molecular Weight | No Data Available | |
| Net Propellant Weight | No Data Available | |
| Octanol Water Coefficient | No Data Available | |
| Particle Size | No Data Available | |
| Partition Coefficient | No Data Available | |
| Saturated Vapour Concentration | No Data Available | |
| Vapour Temperature | No Data Available | |
| Viscosity | No Data Available | |
| Volatile Percent | No Data Available | |
| volatile Percent | | |

| Additional Characteristics | No information available. |
|--|---|
| Potential for Dust Explosion | Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. |
| Fast or Intensely Burning Characteristics | No information available. |
| Flame Propagation or Burning Rate of Solid Materials | No information available. |
| Non-Flammables That Could Contribute Unusual Hazards to a Fire | No information available. |
| Properties That May Initiate or Contribute to Fire Intensity | May burn but does not ignite readily. |
| Reactions That Release Gases or Vapours | Fire/decomposition may produce irritating and/or toxic fumes, including Carbon oxides, Nitrogen oxides (NOx). |
| Release of Invisible Flammable Vapours and Gases | No information available. |

10. STABILITY AND REACTIVITY

| General Information | No information available. |
|-------------------------------------|---|
| Chemical Stability | Stable under normal conditions. |
| Conditions to Avoid | Avoid generating dust. Keep away from heat and sources of ignition. |
| Materials to Avoid | Incompatible/reactive with string oxidising agents. |
| Hazardous Decomposition Products | Fire/decomposition may produce irritating and/or toxic fumes, including Carbon oxides, Nitrogen oxides (NOx). |
| Hazardous Polymerisation | No information available. |

11. TOXICOLOGICAL INFORMATION

| General Information | Information on possible routes of exposure: Ingestion: May cause diarrhoea. Eye contact: May cause eye irritation. No eye irritation (Rabbit). Skin contact: May cause skin irritation. No skin irritation (Rabbit). Skin sensitisation will not occur. Inhalation: May cause respiratory tract irritation. Respiratory sensitisation will not occur. Chronic effects: Polyvinyl pyrrolidone (CAS No. 9003-39-8) is classified by the IARC Monographs as "Not classifiable as to its carcinogenicity to humans" (Group 3). Unexcreted particles may be phagocytized by cells of the reticuloendothelial system and deposited in storage sites in the liver, spleen, lung and bone marrow. Severity and symptoms depend on storage site and nature of the particle. Pathological changes are not necessarily attributed to the particle deposits, but in some cases an inflammation or granulomatoma have occurred. |
|---------------------|---|
| Acute | |
| Ingestion | Acute toxicity (Oral): - LD50, Rat: 100,000 mg/kg [Supplier's SDS]. |
| Carcinogen Category | None |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic toxicity (Acute): - LC50, Fish (Leuciscus idus): >10,000 mg/l (96 h) static [DIN 38412 Part 15].

| Persistence/Degradability | Poorly eliminated from water. - DOC reduction (aerobic, activated sludge, industrial): <10% (15 d) [OECD Guideline 302B]. |
|----------------------------------|--|
| Mobility | No information available. |
| Environmental Fate | Prevent entry into drains and waterways. |
| Bioaccumulation Potential | Based on its structure properties, the polymer is not biologically available. Accumulation in organisms is not to be expected. |
| Environmental Impact | No Data Available |

13. DISPOSAL CONSIDERATIONS

| General Information | Dispose of contents/container in accordance with local/regional/national regulations. |
|-----------------------------------|---|
| Special Precautions for Land Fill | Offer surplus and non-recyclable solutions to a licensed disposal company. |

14. TRANSPORT INFORMATION

| Land Transport (Australia) ADG Code | |
|--|--|
| Proper Shipping Name | Polyvinylpyrrolidone (Various K Values) |
| Class | No Data Available |
| Subsidiary Risk(s) | No Data Available |
| | No Data Available |
| UN Number | No Data Available |
| Hazchem | No Data Available |
| Pack Group | No Data Available |
| Special Provision | No Data Available |
| Comments | NON-DANGEROUS GOODS: Not regulated for LAND transport. |
| | |
| Land Transport (Malaysia) ADR Code | |
| Proper Shipping Name | Polyvinylpyrrolidone (Various K Values) |
| Class | No Data Available |
| Subsidiary Risk(s) | No Data Available |
| | No Data Available |
| UN Number | No Data Available |
| Hazchem | No Data Available |
| Pack Group | No Data Available |
| Special Provision | No Data Available |
| Comments | NON-DANGEROUS GOODS: Not regulated for LAND transport. |
| Land Transport (New Zealand) NZS5433 | |
| Proper Shipping Name | Polyvinylpyrrolidone (Various K Values) |
| Class | No Data Available |
| | |

| Subsidiary Risk(s) | No Data Available |
|---|--|
| | No Data Available |
| UN Number | No Data Available |
| Hazchem | No Data Available |
| Pack Group | No Data Available |
| Special Provision | No Data Available |
| Comments | NON-DANGEROUS GOODS: Not regulated for LAND transport. |
| | |
| Land Transport (South Korea) DGSM Act | |
| , | Polyvinylpyrrolidone (Various K Values) |
| DGSM Act | Polyvinylpyrrolidone (Various K Values) No Data Available |
| DGSM Act Proper Shipping Name | |
| DGSM Act Proper Shipping Name Class | No Data Available |
| DGSM Act Proper Shipping Name Class | No Data Available No Data Available |
| DGSM Act Proper Shipping Name Class Subsidiary Risk(s) | No Data Available No Data Available No Data Available |

HazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data AvailableCommentsNON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America) US DOT

| Proper Shipping Name | Polyvinylpyrrolidone (Various K Values) |
|----------------------|--|
| Class | No Data Available |
| Subsidiary Risk(s) | No Data Available |
| | No Data Available |
| UN Number | No Data Available |
| Hazchem | No Data Available |
| Pack Group | No Data Available |
| Special Provision | No Data Available |
| Comments | NON-DANGEROUS GOODS: Not regulated for LAND transport. |

Sea Transport

| INDO COUE | |
|----------------------|---|
| Proper Shipping Name | Polyvinylpyrrolidone (Various K Values) |
| Class | No Data Available |
| Subsidiary Risk(s) | No Data Available |
| UN Number | No Data Available |
| Hazchem | No Data Available |
| Pack Group | No Data Available |
| Special Provision | No Data Available |
| EMS | No Data Available |
| Marine Pollutant | No |
| Comments | NON-DANGEROUS GOODS: Not regulated for SEA transport. |
| Air Transport | |
| IATA DGR | |

Proper Shipping Name

Polyvinylpyrrolidone (Various K Values)

| Class | No Data Available |
|--------------------|---|
| Subsidiary Risk(s) | No Data Available |
| UN Number | No Data Available |
| Hazchem | No Data Available |
| Pack Group | No Data Available |
| Special Provision | No Data Available |
| Comments | NON-DANGEROUS GOODS: Not regulated for AIR transport. |

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

| Dangerous | Goods | Classification |
|-----------|-------|----------------|
|-----------|-------|----------------|

NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

| General Information | No Data Available |
|-------------------------|-------------------|
| Poisons Schedule (Aust) | Not Scheduled |

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

| Australia (AIIC) | Listed |
|---|----------------|
| Canada (DSL) | Not Determined |
| Canada (NDSL) | Not Determined |
| China (IECSC) | Not Determined |
| Europe (EINECS) | 618-363-4 |
| Europe (REACh) | Not Determined |
| Japan (ENCS/METI) | Not Determined |
| Korea (KECI) | Not Determined |
| Malaysia (EHS Register) | Not Determined |
| New Zealand (NZIoC) | Listed |
| Philippines (PICCS) | Not Determined |
| Switzerland (Giftliste 1) | Not Determined |
| Switzerland (Inventory of Notified Substances) | Not Determined |

| Taiwan (NCSR) | Not Determined |
|---------------|----------------|
| USA (TSCA) | Not Determined |

16. OTHER INFORMATION

| Related Product Codes | POVIPK1000, POVIPK1001, POVIPK1002, POVIPK1003, POVIPK1004, POVIPK1005, POVIPK1100, POVIPK1101, POVIPK1102, POVIPK1200, POVIPK1300, POVIPK1400, POVIPK1500, POVIPK2500, POVIPK2501, POVIPK2600, POVIPK2601, POVIPK2700, POVIPK3000, POVIPK3001, POVIPK3100, POVIPK3101, POVIPK3102, POVIPK4100, POVIPK6000, POVIPK9000, POVIPK9100, POVIPK9101, POVIPY2010, POVIPY2050, POVIPY3000, POVIPY3100, POVIPY4100, POVIPY4100, POVIPY4100, POVIPY9010, POVIPY9205, POVIPY9400 |
|-----------------------|--|
| Revision | 4 |
| Revision Date | 14 Apr 2021 |
| Key/Legend | < Less Than |
| Key/Legena | > Greater Than |
| | AICS Australian Inventory of Chemical Substances |
| | atm Atmosphere |
| | CAS Chemical Abstracts Service (Registry Number) |
| | cm ² Square Centimetres |
| | CO2 Carbon Dioxide |
| | COD Chemical Oxygen Demand |
| | deg C (°C) Degrees Celcius |
| | EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit |
| | g Grams |
| | g/cm ³ Grams per Cubic Centimetre |
| | g/l Grams per Litre |
| | HSNO Hazardous Substance and New Organism |
| | IDLH Immediately Dangerous to Life and Health |
| | immiscible Liquids are insoluable in each other. |
| | inHg Inch of Mercury |
| | inH2O Inch of Water K Kelvin |
| | kg Kilogram |
| | kg/m ³ Kilograms per Cubic Metre |
| | Ib Pound |
| | LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% |
| | (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. |
| | ltr or L Litre |
| | m ³ Cubic Metre |
| | mbar Millibar |
| | mg Milligram |
| | mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram |
| | mg/m ³ Milligrams per Cubic Metre |
| | Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. |
| | mm Millimetre |
| | mmH20 Millimetres of Water |
| | mPa.s Millipascals per Second |
| | N/A Not Applicable |
| | NIOSH National Institute for Occupational Safety and Health |
| | NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development |
| | Oz Ounce |
| | PEL Permissible Exposure Limit |
| | Pa Pascal |
| | ppb Parts per Billion |

ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight