

1. IDENTIFICATION

Product Name	Surfactant Fatty Alcohol Tech 8
Other Names	Dodecyl Alcohol, Monoether With Polyethylene Glycol; Ethoxylated Lauryl Alcohol; Glycols, polyethylene monododecyl ether; POLY(OXY-1,2-ETHANEDIYL),.ALPHA.-DODECYL-.OMEGA.-HYDROXY-
Uses	Nonionic surfactant, Emulsifier, Detergent
Chemical Family	No Data Available
Chemical Formula	No Data Available
Chemical Name	Surfactant Fatty Alcohol Tech 8
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Pty Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Pty Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not scheduled

Globally Harmonised System

Hazard Classification	Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)		
Hazard Categories	Acute Toxicity (Oral) - Category 5		
Hazard Statements	H303	May be harmful if swallowed.	
Precautionary Statements	Response	P312	Call a POISON CENTER or doctor/physician if you feel unwell.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)		
---------------------------------------	---	--	--

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications	Health Hazards	6.1D	Substances that are acutely toxic - Harmful
		6.3B	Substances that are mildly irritating to the skin
8.3A		Substances that are corrosive to ocular tissue	
	Environmental Hazards	9.1D	Substances that are slightly harmful to the aquatic environment or are otherwise designed for biocidal action
		9.3B	Substances that are ecotoxic to terrestrial vertebrates

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Peg 7.5 Lauryl Ether	No Data Available	9002-92-0	87.0 - 89.0 %
Water	No Data Available	7732-18-5	11.0 - 13.0 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	If the victim is unconscious or spasm, do not feed any food. Induce vomiting. If the patient is conscious, give them water and seek medical advice.
Eye	Lift eyelids and flush eye with running warm water for 15 minutes. Obtain medical attention.
Skin	Immediately wash skin with running warm water for 20 minutes. Remove contaminated clothing, shoes and leather accessories.
Inhaled	Remove victim from exposure to fresh air. If rapid recovery does not occur, seek medical attention.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of patient.
Medical Conditions Aggravated by Exposure	No information available on medical conditions which are aggravated from exposure to this product.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, remove containers from the path of fire.
Flammability Conditions	Product is a combustible liquid.
Extinguishing Media	Small fires-foam, dry chemical, carbon dioxide and water spray. Large fires- water fog, fine water spray or foam.
Hazardous Products of Combustion	None known.
Special Fire Fighting Instructions	Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk. Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Personal Protective Equipment	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves) or chemical splash suit.
Flash Point	>150 °C Closed Cup
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Eliminate all sources of ignition. Increase ventilation. Avoid walking through spilled product as it may be slippery. Use clean, non-sparking tools and equipment.
Clean Up Procedures	Soak up spilled product using absorbent non-combustible material such as sand or soil. Avoid using sawdust or cellulose. When saturated, collect material into suitable, labelled, dry, sealable containers and hold for safe disposal.
Containment	Stop leak if safe to do so.
Environmental Precautionary Measures	Do not allow product to reach drains, sewers or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Authority.
Evacuation Criteria	Evacuate all unnecessary personnel.
Personal Precautionary Measures	Personnel involved in the clean up should wear full protective clothing as listed in section 8.

7. HANDLING AND STORAGE

Handling	Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing. Do not inhale product vapours.
Storage	Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. This product is classified as a 'C1' Combustible Liquid for the purpose of storage and handling in accordance with the requirements of AS1940.
Container	Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC).
Exposure Limits	No Data Available
Biological Limits	No information available on biological limits for this product.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	RESPIRATOR: Wear an approved respirator if vapours are generated or engineering controls are inadequate

(AS1715/1716).
EYES: Safety glasses with side shields (AS1336/1337).
HANDS: Wear protective gloves (AS2161).
CLOTHING: Standard work uniform/clothing and safety footwear (AS3765/2210).

Work Hygienic Practices No Data Available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Liquid
Odour	Natural alcohol
Colour	No Data Available
pH	5 - 7 1%
Vapour Pressure	<0.0013 kPa (@ No Data Available)
Relative Vapour Density	>1 Air = 1
Boiling Point	>170 °C
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Soluble in water 30°C
Specific Gravity	0.990 - 1.010
Flash Point	>150 °C Closed Cup
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	>250 °C
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	20 °C
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No Data Available
Potential for Dust Explosion	Product is a liquid.
Fast or Intensely Burning Characteristics	No Data Available
Flame Propagation or Burning Rate of Solid Materials	No Data Available
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No Data Available
Properties That May Initiate or Contribute to Fire Intensity	No Data Available
Reactions That Release Gases or Vapours	No Data Available

Release of Invisible Flammable Vapours and Gases Flame might be invisible in daylight.

10. STABILITY AND REACTIVITY

General Information	Combustible liquid.
Chemical Stability	Product is stable under normal conditions of use, storage and temperature.
Conditions to Avoid	Avoid high temperatures and fire.
Materials to Avoid	Avoid strong oxidizing agents.
Hazardous Decomposition Products	None known.
Hazardous Polymerisation	No hazardous reactions known.

11. TOXICOLOGICAL INFORMATION

General Information	No Data Available
EyeIrritant	May cause eye irritation.
Ingestion	May be harmful if swallowed.
Inhalation	Inhalation of vapour/mists may cause respiratory tract irritation.
SkinIrritant	May cause slight skin irritation.
Carcinogen Category	No Data Available

12. ECOLOGICAL INFORMATION

Ecotoxicity	LC50(fish):goldfish 96hrs <10mg/kg
Persistence/Degradability	No information available on persistence/degradability for this product.
Mobility	Water Soluble
Environmental Fate	Do NOT let product reach waterways, drains and sewers.
Bioaccumulation Potential	No information available on bioaccumulation for this product.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.
Special Precautions for Land Fill	Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	SURFACTANT FATTY ALCOHOL TECH 8
Class	C2 Combustible Liquids - Flash Point >93°C, Closed Cup, Not Excluded Flammable
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Land Transport (Malaysia)

ADR

Proper Shipping Name	SURFACTANT FATTY ALCOHOL TECH 8
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	SURFACTANT FATTY ALCOHOL TECH 8
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name	SURFACTANT FATTY ALCOHOL TECH 8
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Sea Transport

IMDG Code

Proper Shipping Name	SURFACTANT FATTY ALCOHOL TECH 8
Class	No Data Available
Subsidiary Risk(s)	No Data Available

UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No

Air Transport

IATA DGR

Proper Shipping Name	SURFACTANT FATTY ALCOHOL TECH 8
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	HSR003168
----------------------	-----------

National/Regional Inventories

Australia (AICS)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	Not Determined
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined

New Zealand (NZIoC)	Not Determined
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	SUFFAB1000, SUFFAB1001, SUFFAB1002, SUFFAB1003, SUFFAB1004, SUFFAB1005, SUFFAB1006, SUFFAB1007, SUFFAB1080, SUFFAB1100, SUFFAB1105, SUFFAB1110, SUFFAB1807, SUFFAB1811, SUFFAB3010
Revision	3
Revision Date	18 Jul 2016
Reason for Issue	Updated SDS
Key/Legend	<p>< Less Than > Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluble in each other. inHg Inch of Mercury inH₂O Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre lb Pound LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. ltr or L Litre m³ Cubic Metre mbar Millibar mg Milligram mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. mm Millimetre mmH₂O Millimetres of Water mPa.s Millipascals per Second N/A Not Applicable NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Health and Safety Commission OECD Organisation for Economic Co-operation and Development Oz Ounce PEL Permissible Exposure Limit</p>

Pa Pascal
ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight