



SAFETY DATA SHEET GLUCOSAMINE HCL REVISION 4, DATE 10 JUN 19

1. IDENTIFICATION

Product Name	Glucosamine HCl
Other Names	No Data Available
Uses	Biochemical research. Pharmaceutical applications.
Chemical Family	No Data Available
Chemical Formula	C ₆ H ₁₃ N ₀₅ ·HCl
Chemical Name	D-Glucose, 2-amino-2-deoxy-, hydrochloride
Product Description	Chitin extracted from recycled crab and shrimp shells.

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled



Globally Harmonised System

Hazard Classification	NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
Signal Word	None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification	NOT hazardous according to the criteria of Safe Work Australia under Model WHS Regulations
------------------------------	--

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Glucosamine, hydrochloride	C6H13NO5.HCl	66-84-2	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth. Get medical advice/attention. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for 10 - 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove exposed person to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.
Advice to Doctor	Treat symptomatically.
Medical Conditions Aggravated by Exposure	Glucosamine HCl may aggravate preexisting respiratory conditions or allergies.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	Combustible solid; May burn but does not ignite readily.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

Fire and Explosion Hazard	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous Products of Combustion	Fire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may pollute waterways.
Personal Protective Equipment	Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources (if dust clouds can occur). Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Collect material and place it in suitable containers for later disposal(see SECTION 13). Avoid dispersal of dust in the air.
Containment	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust cloud.
Decontamination	No information available.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Protect from moisture (Hygroscopic). Keep away from heat and sources of ignition - No smoking. Store away from incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	None of the components have assigned exposure limits.
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Protection Equipment	<ul style="list-style-type: none">- Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust respirator (refer to AS/NZS 1715 & 1716).- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses. A face-shield, if the situation requires.- Hand protection: Handle with gloves. Recommended: Protective gloves, e.g. Nitrile rubber.- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Protective clothing. Protective boots, if the situation requires.
Special Hazards Precautions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Always wash after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Crystalline powder
Odour	Odourless
Colour	White
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	190 - 194 °C
Freezing Point	No Data Available
Solubility	Soluble in water - Insoluble in alcohols
Specific Gravity	No Data Available
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	0.75 ~ 0.9 g/cc
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	215.64
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Combustible solid; May burn but does not ignite readily.
Reactions That Release Gases or Vapours	Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	No information available.
Chemical Stability	Stable under proper conditions.
Conditions to Avoid	Avoid generating dust. Keep away from heat and sources of ignition.
Materials to Avoid	Incompatible/reactive with oxidising agents.
Hazardous Decomposition Products	Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Nitrogen oxides (NOx), Hydrogen chloride gas.
Hazardous Polymerisation	No information available.

11. TOXICOLOGICAL INFORMATION

General Information	Information on possible routes of exposure: <ul style="list-style-type: none">- Ingestion: Not likely to be hazardous if ingested. The usual oral adult dose of D-Glucosamine, hydrochloride is 500 mg three times a day.- Eye contact: May cause mechanical irritation. It can start to dissolve causing film formation and blurred vision.- Skin contact: The powder can cause irritation or rash.- Inhalation: May aggravate preexisting respiratory conditions or allergies. It may accumulate on linings of the nose and lungs resulting in dryness and coughing. Chronic effects: There is no known effect from chronic exposure to this product. Not listed by ACGIH, IARC, NIOSH, NTP or OSHA.
Acute	
Ingestion	Acute toxicity (Oral): <ul style="list-style-type: none">- LD50, Mouse: >15 g/kg [Supplier's SDS].
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	No information available.
Persistence/Degradability	The material is biodegradable.
Mobility	No information available.
Environmental Fate	Prevent entry into drains and waterways.
Bioaccumulation Potential	No information available.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of in accordance with local/regional/national regulations.
Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name	Glucosamine HCl
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (China)

JT/T 617-2018

Proper Shipping Name	Glucosamine HCl
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	Glucosamine HCl
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available

Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	Glucosamine HCl
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name	Glucosamine HCl
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name	Glucosamine HCl
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name	Glucosamine HCl
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available

Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
--------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	Not Hazardous
---------------	---------------

National/Regional Inventories

Australia (AIIIC)	Listed
Canada (DSL)	Listed
Canada (NDSL)	Not Determined
China (IECSC)	Listed
Europe (EINECS)	200-638-1
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	GLAMIN1000, GLAMIN1001, GLAMIN1002, GLAMIN1003, GLAMIN1004, GLAMIN1005, GLAMIN1006, GLAMIN1007, GLAMIN1900, GLAMIN2000, GLAMIN2001, GLAMIN2100, GLAMIN2101, GLAMIN2120, GLAMIN2300, GLAMIN2800, GLAMIN3000, GLAMIN4000, GLAMIN5000, GLAMIN5100, GLAMIN5200, GLAMIN8000, GLAMIN9000, GLAMIN9020, GLAMIN9080, GLAMIN9081
Revision	4
Revision Date	10 Jun 2019
Reason for Issue	Updated SDS
Key/Legend	<p>< Less Than > Greater Than</p> <p>AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO₂ Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Fahrenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH₂O Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre lb Pound LC₅₀ LC stands for lethal concentration. LC₅₀ is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD₅₀ LD stands for Lethal Dose. LD₅₀ is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. ltr or L Litre m³ Cubic Metre mbar Millibar mg Milligram mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. mm Millimetre mmH₂O Millimetres of Water mPa.s Millipascals per Second N/A Not Applicable NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Health and Safety Commission OECD Organisation for Economic Co-operation and Development Oz Ounce PEL Permissible Exposure Limit Pa Pascal ppb Parts per Billion ppm Parts per Million ppm/2h Parts per Million per 2 Hours ppm/6h Parts per Million per 6 Hours psi Pounds per Square Inch R Rankine RCP Reciprocal Calculation Procedure STEL Short Term Exposure Limit</p>

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight