

1. IDENTIFICATION

Product Name PANNOX 19

Other Names Nonoxynol; Nonylphenol polyethylene glycol ether; Polyethylene glycol, nonylphenyl ether; Polyoxyethylated p-

nonylphenol

Uses Non-ionic surfactant.

Chemical Family No Data Available

Chemical Formula (C2H40)nC15H240

Chemical Name Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy-

Product Description Nonylphenol ethoxylate (NPE).

Contact Details of the Supplier of this Safety Data Sheet

OrganisationLocationTelephoneRedox Ltd2 Swettenham Road
Minto NSW 2566
Australia+61-2-97333000

Redox Ltd 11 Mayo Road +64-9-2506222

Wiri Auckland 2104
New Zealand

Redox Inc. 3960 Paramount Boulevard +1-424-675-3200

Suite 107

Lakewood CA 90712

USA

Redox Chemicals Sdn Bhd Level 2, No. 8, Jalan Sapir 33/7 +60-3-5614-2111

Seksyen 33, Shah Alam Premier Industrial Park

40400 Shah Alam Sengalor, Malaysia

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation Location Telephone Poisons Information Centre Westmead NSW 1800-251525 131126 Chemcall Australia 1800-127406 +64-4-9179888 Chemcall Malaysia +64-4-9179888 Chemcall New Zealand 0800-243622 +64-4-9179888 **National Poisons Centre** New Zealand 0800-764766 CHEMTREC USA & Canada 1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled





Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Irritation - Category 2A

Toxic To Reproduction - Category 2

Acute Hazard To The Aquatic Environment - Category 2

Long-term Hazard To The Aquatic Environment - Category 2

Pictograms







Signal Word Warning

Hazard Statements H315 Causes skin irritation.

H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements Prevention **P280** Wear protective gloves/eye protection/face protection.

P201 Obtain special instructions before use.
P273 Avoid release to the environment.

Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P337 + P313 If eye irritation persists: Get medical advice.
P308 + P313 IF exposed or concerned: Get medical advice.

P391 Collect spillage.

P332 + P313 If skin irritation occurs: Get medical advice.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage **P405** Store locked up.

Disposal P501 Dispose of contents/container in accordance with local / regional / national /

international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods ClassificationNOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Nonylphenol, polyethylene glycol ether (9.2 EO)	(C2H4O)nC15H24O	9016-45-9	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth. Do not induce vomiting unless directed to do so by medical personnel. Call a Poison

Centre or doctor/physician for advice.

Eve IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting

the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye

irritation persists, get medical advice/attention.

Skin IF ON SKIN: Remove contaminated clothing and shoes immediately. Flush skin with running water for at least 15 minutes.

If skin irritation occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms

persist, get medical advice/attention. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is

difficult.

Advice to Doctor Treat symptomatically. Ensure that attending medical personnel are aware of the identity and nature of the product(s)

involved, and take precautions to protect themselves.

Medical Conditions Aggravated by No information available.

Exposure

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.

Flammability Conditions Combustible liquid; May burn but does not ignite readily.

Extinguishing Media Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

Fire and Explosion Hazard Containers may explode when heated.

Hazardous Products of

Combustion

Fire may produce irritating, toxic and/or corrosive fumes, including Carbon monoxide, Carbon dioxide.

Special Fire Fighting Instructions Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may

provide limited protection.

Flash Point >150 °C [Open cup] **Lower Explosion Limit** No Data Available **Upper Explosion Limit** No Data Available **Auto Ignition Temperature** No Data Available Hazchem Code No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material. Avoid

breathing vapours and contact with eyes, skin and clothing.

Clean Up Procedures Absorb with earth, sand or other non-combustible material and transfer to a suitable container for disposal (see SECTION

13).

Containment Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas.

Decontamination No information available.

Environmental Precautionary

Measures

Evacuation Criteria

Spillages and decontamination runoff should be prevented from entering drains and watercourses.

Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher

ground.

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Obtain special instructions before use - Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapours/spray and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Combustible liquid: Keep away from heat and sources of

ignition - No smoking.

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed - Check regularly for

leaks and spills. Protect containers from physical damage. Keep away from heat and sources of ignition - No smoking.

Keep away from foodstuffs and incompatible materials (see SECTION 10). Store locked up.

Container Keep in the original, glass, steel or plastic container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product.

Exposure Limits No Data Available

Biological Limits No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust

ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area.

Personal Protection Equipment - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Organic vapour

respirator (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Chemical splash goggles.

- Hand protection: Wear protective gloves. Recommended: Chemical-resistant gloves, e.g. neoprene.

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Impervious

clothing and boots.

Special Hazards Precaustions

No information available.

Work Hygienic Practices

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this

product. Wash thoroughly after handling. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance Transparent liquid

Odour No information available.

 Colour
 Colourless

 pH
 5.5 - 7.5 (1% aq.)

Vapour Pressure <0.001 kPa (@ No Data Available)

Relative Vapour Density >1 Air = 1 **Boiling Point** >250 $^{\circ}$ C

0°C **Melting Point**

Freezing Point No Data Available Solubility Miscible with water

1.06 +/- 0.01 **Specific Gravity**

Flash Point >150 °C [Open cup] **Auto Ignition Temp** No Data Available **Evaporation Rate** No Data Available **Bulk Density** No Data Available No Data Available **Corrosion Rate Decomposition Temperature** No Data Available Density No Data Available **Specific Heat** No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available

Saturated Vapour Concentration No Data Available **Vapour Temperature** No Data Available **Viscosity** No Data Available **Volatile Percent** No Data Available **VOC Volume** No Data Available

Additional Characteristics No information available.

Potential for Dust Explosion Not applicable.

Fast or Intensely Burning

Characteristics

No information available.

Flame Propagation or Burning

Rate of Solid Materials

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a

No information available.

Properties That May Initiate or

Contribute to Fire Intensity

Combustible liquid; May burn but does not ignite readily.

Reactions That Release Gases or Vapours

Release of Invisible Flammable Vapours and Gases

No information available.

10. STABILITY AND REACTIVITY

General Information No information available. **Chemical Stability** Stable at room temperature.

Conditions to Avoid Keep away from heat and sources of ignition.

Materials to Avoid Incompatible/reactive with strong acids and strong oxidising agents (nitrates, chlorine bleach, liquid chlorine, etc).

Hazardous Decomposition

Products

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon monoxide, Carbon dioxide.

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon monoxide, Carbon dioxide.

No information available. **Hazardous Polymerisation**

11. TOXICOLOGICAL INFORMATION

General Information - Acute toxicity: May be harmful if swallowed; May cause diarrhoea.

Skin corrosion/irritation: Causes skin irritation.Eye damage/irritation: Causes serious eye irritation.

- Respiratory/skin sensitisation: Generally not considered to have skin sensitisation potential [NICNAS].

Germ cell mutagenicity: Not considered to be genotoxic [NICNAS].
 Carcinogenicity: Not considered to be carcinogenic [NICNAS].

- Reproductive toxicity: Suspected of damaging fertility or the unborn child. While Nonoxynol-9 is toxic to reproduction and this is expected to also apply to related NPEs, the effects appear to be specific to direct spermicidal use, which is not

relevant to industrial uses of the chemical(s) [NICNAS]. - STOT (single exposure): No information available.

- STOT (repeated exposure): Not considered to cause serious damage to health following repeated (oral) exposure

[NICNAS].

- Aspiration toxicity: No information available.

Acute

Ingestion Acute toxicity (Oral):

- LD50, Rat: >2,000 mg/kg [Supplier's SDS].

Other Acute toxicity (Dermal):

- LD50, Rabbit: 2,830 mg/kg [Supplier's SDS].

Carcinogen Category None

12. ECOLOGICAL INFORMATION

Ecotoxicity Acute aquatic toxicity:

- EC50, Fish (Lepomis macrochirus (Bluegill)): 1.3 mg/L (96 h) [Experimental; NICNAS].

- EC50, Algae (Scenedesmus opoliensis (Green algae)): 37.4 mg/L (5 d) Static [Experimental; NICNAS].

Chronic aquatic toxicity:

 $- \, NOEC, \, Invertebrates \, (Daphnia \, magna \, (Water \, flea)): \, 1.0 \, mg/L \, (6 \, d) \, Prolonged \, study \, [Experimental; \, NICNAS].$

- NOEC, Algae (Pseudokirchneriella subcapitata (Green algae)): 8.0 mg/L (96 h) [Experimental; NICNAS].

Persistence/Degradability Nonylphenol ethoxylate undergoes substantial primary biodegradation, based on 96% degradation observed after 30

days; Degradants (nonylphenol mono- and di-ethoxylates, nonylphenoxy acetate and nonylphenol mono-ethoxyacetate) are much more persistent relative to their parent chemical(s), but they are expected to be ultimately biodegradable in the

environment [NICNAS].

Mobility Nonylphenol ethoxylates are readily sorbed to soil and sediment, which is expected to limit their potential to undergo

long-range transport in the environment [NICNAS].

Environmental Fate Toxic to aquatic life with long lasting effects - Prevent entry into drains and waterways.

Bioaccumulation Potential Nonylphenol ethoxylates are surfactants and most surfactants tend to be retained on epithelial surfaces, rather than cross

cellular membranes and bioaccumulate [NICNAS].

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name PANNOX 19 (Nonylphenol ethoxylate)

Class C2 Combustible Liquids - Flash Point >93°C, Closed Cup, Not Excluded Flammable

Subsidiary Risk(s) No Data Available

EPG 47 Low To Moderate Hazard Substances

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available

Special Provision AU01

Comments UN#3082: Not regulated as DG when transported by road or rail in packagings that do not incorporate a

receptacle exceeding 500 kg(L) or IBCs.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nonylphenol ethoxylate)

Class 9 Miscellaneous Dangerous Goods and Articles

Subsidiary Risk(s) No Data Available

EPG 47 Low To Moderate Hazard Substances

 UN Number
 3082

 Hazchem
 3Z

 Pack Group
 III

Special Provision No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nonylphenol ethoxylate)

Class 9 Miscellaneous Dangerous Goods and Articles

Subsidiary Risk(s) No Data Available

EPG 47 Low To Moderate Hazard Substances

 UN Number
 3082

 Hazchem
 3Z

 Pack Group
 III

Special Provision No Data Available

Land Transport (Papua New Guinea)

ADG Code

Proper Shipping Name PANNOX 19 (Nonylphenol ethoxylate)

Class C2 Combustible Liquids - Flash Point >93°C, Closed Cup, Not Excluded Flammable

Subsidiary Risk(s) No Data Available

EPG 47 Low To Moderate Hazard Substances

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available

Special Provision AU01

Comments UN#3082: Not regulated as DG when transported by road or rail in packagings that do not incorporate a

receptacle exceeding 500 kg(L) or IBCs.

Land Transport (United States of America)

US DOT

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nonylphenol ethoxylate)

Class 9 Miscellaneous Dangerous Goods and Articles

Subsidiary Risk(s) No Data Available

ERG 171 Substances (Low to Moderate Hazard)

 UN Number
 3082

 Hazchem
 3Z

 Pack Group
 III

Special Provision No Data Available

Sea Transport

IMDG Code

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nonylphenol ethoxylate)

Class 9 Miscellaneous Dangerous Goods and Articles

Subsidiary Risk(s) No Data Available

 UN Number
 3082

 Hazchem
 3Z

 Pack Group
 III

Special Provision No Data Available

EMS F-A, S-F Marine Pollutant Yes

Air Transport

IATA DGR

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Nonylphenol ethoxylate)

Class 9 Miscellaneous Dangerous Goods and Articles

Subsidiary Risk(s) No Data Available

 UN Number
 3082

 Hazchem
 3Z

 Pack Group
 III

Special Provision No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available
Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Additives Process Chemicals and Raw Materials Subsidiary Hazard Group Standard 2020 HSR002503

*HSR100465 (Revoked)

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) 500-024-6

Europe (REACh) Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes SUFNOB4000, SUFNOB4001, SUFNOB4002, SUFNOB4050, SUFNOB8100

Revision 3

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluable in each other.

inHg Inch of Mercury

inH20 Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight