

1. IDENTIFICATION

Product Name Caprylic/Capric Triglycerides Liquid

Other Names CERIN CCT; Decanoic acid, ester with 1,2,3-propanetriol octanoate; EVIOL MCT 60/40; EVIREZ MCT 60/40; Glycerol,

mixed triester with caprylic acid and capric acid

Uses Industrial use; Pharma Excipient; Food Additives.

Chemical Family No Data Available **Chemical Formula** Unspecified

Chemical Name Glycerides, mixed decanoyl and octanoyl

Product Description Medium Chain Triglyceride

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Sengalor, Malaysia

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled



Globally Harmonised System

Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification NOT hazardous according to the criteria of Safe Work Australia under Model WHS Regulations

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Glycerides, mixed decanoyl and octanoyl	Unspecified	73398-61-5	100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Get immediate medical

advice/attention. Never give anything by mouth to an unconscious person.

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting

the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for 10 - 15 minutes. If eye

irritation persists, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation

occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms

persist, get medical advice/attention.

Advice to Doctor Treat symptomatically.

Medical Conditions Aggravated by No information available.

Exposure

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.

May burn but does not ignite readily.

Flammability Conditions

Fire and Explosion Hazard Containers may explode when heated.

Hazardous Products ofFire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Combustion

Special Fire Fighting Instructions Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may

provide limited protection.

Flash Point >200 °C [DIN 51758]

Lower Explosion Limit No Data Available

Upper Explosion Limit No Data Available

Auto Ignition Temperature >300 °C

Hazchem Code No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material. Avoid

breathing vapours and contact with eyes, skin and clothing.

Clean Up Procedures Absorb with earth, sand or other non-combustible material and transfer to a suitable container for disposal (see SECTION

13).

Containment Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas.

Decontamination Clean surface thoroughly to remove residual contamination.

Environmental Precautionary

Measures

Prevent entry into drains and waterways.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

Personal Precautionary Measures Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapours and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Static charges generated by emptying package in or near flammable vapour may cause flash fire. Ground/bond container

and receiving equipment. Take precautionary measures against static discharge.

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Keep away from heat

and sources of ignition - No smoking. Keep away from foodstuffs and incompatible material (see SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product.

Exposure Limits No Data Available

Biological Limits No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust

ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area.

Personal Protection Equipment

- Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Organic vapour/particulate filter respirator (refer to AS/NZS 1715 & 1716).
- Eye/face protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Goggles or Safety glasses with side-shields.
- Hand protection: Handle with gloves. Recommended: Chemical resistant gloves.
- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Chemical resistant apron; Long sleeved clothing.

Special Hazards Precaustions

Static charges generated by emptying package in or near flammable vapour may cause flash fire.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid
Appearance Liquid

Odour Odourless or slight, characteristic

Colour Colourless to yellowish

PH No Data Available

Vapour Pressure No Data Available
Relative Vapour Density No Data Available

Boiling Point >250 °C

Melting PointNo Data AvailableFreezing PointNo Data Available

Solubility Insoluble in water (< 1 mg/L) - Soluble in oils, organic solvents

Specific Gravity 0.910 - 0.955

Flash Point >200 °C [DIN 51758]

Auto Ignition Temp >300 °C

Evaporation Rate No Data Available **Bulk Density** No Data Available **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available Density No Data Available **Specific Heat** No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available **Saturated Vapour Concentration** No Data Available Vapour Temperature No Data Available Viscosity No Data Available **Volatile Percent** No Data Available

Additional Characteristics No information available.

No Data Available

Potential for Dust Explosion Not applicable.

VOC Volume

Fast or Intensely Burning

Characteristics

No information available.

Flame Propagation or Burning

Rate of Solid Materials

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a No information available.

No information available.

Properties That May Initiate or Contribute to Fire Intensity

May burn but does not ignite readily.

Reactions That Release Gases or

Vapours

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Release of Invisible Flammable

Vapours and Gases

10. STABILITY AND REACTIVITY

General Information No dangerous reaction known under conditions of normal use.

Chemical Stability Stable under recommended storage conditions. **Conditions to Avoid** Keep away from heat and sources of ignition. **Materials to Avoid** Incompatible/reactive with strong oxidising agents.

Hazardous Decomposition

Products

Fire/decomposition may produce irritating, toxic and/or corrosive fumes.

Hazardous Polymerisation Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

General Information Information on possible routes of exposure:

- Ingestion: Expected to be a low ingestion hazard. May cause digestive (gastrointestinal) tract irritation.

- Eye contact: Direct contact with eyes may cause temporary irritation.

- Skin irritation: May cause skin irritation.

- Inhalation: May cause irritation of respiratory tract. Chronic effects: Not considered carcinogenic.

Acute

Ingestion Acute toxicity (Oral):

- LD50, Rat: >5,000 mg/kg

Carcinogen Category None

12. ECOLOGICAL INFORMATION

No information available. **Ecotoxicity** Persistence/Degradability Readily biodegradable.

Mobility No information available.

Environmental Fate This product is not considered to be a water pollutant; However, this does not exclude the possibility that large or

frequent spills can have a harmful or damaging effect on the environment. Do not allow to enter soil, waterways or

wastewater canal.

Bioaccumulation Potential No information available.

No Data Available **Environmental Impact**

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations. Take to a special waste incineration

plant.

Special Precautions for Land Fill Empty containers should be taken for local recycling, recovery or waste disposal. If empty containers are recycled or

disposed of, the receiver must be informed about possible hazards.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name Caprylic/Capric Triglycerides Liquid

Class C2 Combustible Liquids - Flash Point >93°C, Closed Cup, Not Excluded Flammable

Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name Caprylic/Capric Triglycerides Liquid

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Caprylic/Capric Triglycerides Liquid

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available

Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name Caprylic/Capric Triglycerides Liquid

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Caprylic/Capric Triglycerides Liquid

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
EMS No Data Available

Marine Pollutant No.

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name Caprylic/Capric Triglycerides Liquid

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available

Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh) Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes CACATR1000, CACATR1001, CACATR1002, CACATR1003, CACATR1004, CACATR1005, CACATR1006, CACATR1007,

CACATR1200, CACATR1500, CACATR1501, CACATR2000, CACATR2001, CACATR2010, CACATR2100, CACATR5000, CACATR5001, CACATR5001, CACATR5002, CACATR5003, CACATR5004, CACATR5010, CACATR5015, CACATR5016, CACATR5017, CACATR5020, CACATR5025, CACATR5100, CACATR5110, CACATR6000, CACATR6010, CACATR7000, CACATR7001, CACATR7011, CACATR7100, CACATR8001, CACATR8010, CACATR8011, CACATR8012,

CACATR9010, CACATR9011

Revision

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square Centimetres

CO2 Carbon Dioxide

COD Chemical Oxygen Demand

deg C (°C) Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm3 Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluable in each other.

inHg Inch of Mercury

inH20 Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

 $\mbox{\bf NIOSH}$ National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight