

1. IDENTIFICATION

Product Name	IMP (Disodium 5'-Inosinate)
Other Names	Disodium IMP; Disodium inosinate; IMP, disodium salt
Uses	Food additive; Flavour enhancer.
Chemical Family	No Data Available
Chemical Formula	C10H11N4Na208P·7.5H20
Chemical Name	5'-Inosinic acid, disodium salt
Product Description	A purine nucleotide.

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Redox Ltd

Corporate Office Sydney Locked Bag 15 Minto NSW 2566 Australia 2 Swettenham Road Minto NSW 2566 Australia All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Form 21047, Revision 3, Page 1 of 9, 01-Feb-2024 02:02:30

Phone +61 2 9733 3000 +61 2 9733 3111 Fax E-mail sydney@redox.com Web www.redox.com ABN 92 000 762 345

Australia Auckland Adelaide Christchurch Brisbane Melbourne Hawke's Bay Perth UK London Sydney

New Zealand Malaysia Kuala Lumpur USA Los Angeles Oakland Mexico Saltillo



Globally Harmonised System

Hazard ClassificationNOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of
Chemicals (GHS)Signal WordNone

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods
	by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Disodium 5'-inosinate	C10H11N4Na2O8P·7.5H2O	4691-65-0	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth with water. Do not induce vomiting. Get medical advice/attention. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult.
Advice to Doctor	Treat symptomatically.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	May burn but does not ignite readily.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.
Fire and Explosion Hazard	Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous Products of Combustion	Fire may produce irritating and/or toxic gases, including Carbon oxides, Nitrogen oxides, Phosphorus oxides.
	Contain runoff from fire control or dilution water - Runoff may cause pollution.

Special Fire Fighting Instructions Personal Protective Equipment

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Flash Point	468.70 °C
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Sweep up and shovel; keep in suitable and closed containers for disposal (see SECTION 13). Avoid generating dust.
Containment	Stop leak if you can do it without risk. Prevent dust cloud. Prevent entry into waterways, sewers, basements or confined areas.
Decontamination	No information available.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation, especially in confined areas. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust/mist/vapours and contact with eyes, skin and clothing. Use personal protective equipment as required (see SECTION 8). Avoid strong heating (decomposition).
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Keep away from heat and sources of ignition - No smoking. Keep away from incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	This product does not contain any substance with occupational exposure limit value established by the region specific regulatory bodies. For dusts from solid substances without specific occupational exposure standards: - Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3 (measured as inhalable dust). - New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3; TWA = 3 mg/m3 (respirable dust).
Exposure Limits	No Data Available
Biological Limits	This product does not contain any substance with biological limit value established by the region specific regulatory bodies.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. *Appropriate working operations should be given priority over the use of personal protective equipment.
Personal Protection Equipment	- Respiratory protection: Wear respiratory protection in case of inadequate ventilation or when dusts are generated. Recommended: Dust mask/particulate respirator (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses.

- Hand protection: Handle with gloves. Recommended: Chemical-resistant gloves.

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. No recommendation.

Special Hazards Precaustions Work Hygienic Practices

Do not eat, drink or smoke when using this product. Wash hands after working with substance. Take off contaminated clothing and wash it before reuse. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Crystals or crystalline powder
Odour	Odourless
Colour	Colourless or white
рН	7.0 - 8.5 (1:20 solution)
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	851.40 °C (at 760.00 mmHg)
Melting Point	175 °C
Freezing Point	No Data Available
Solubility	Soluble in water; Sparingly soluble in ethanol - Practically insoluble in ether
Specific Gravity	No Data Available
Flash Point	468.70 °C
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	0.50 ~ 0.80 g/cm3
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	527.17 g/mol
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	MIE (Minimum Ignition Energy): >1000 mJ
Potential for Dust Explosion	Pmax: 0 (barg) Kst: 0 (bar.m/sec) Explosion Class: St0
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.

No information available.

Non-Flammables That Could
Contribute Unusual Hazards to a
FireNo information available.Properties That May Initiate or
Contribute to Fire IntensityMay burn but does not ignite readily.Reactions That Release Gases or
VapoursFire/thermal decomposition may produce irritating and/or toxic gases, including Carbon oxides, Nitrogen oxides,
Phosphorus oxides.Release of Invisible Flammable
Vapours and GasesNo information available.

10. STABILITY AND REACTIVITY

General Information	No information available.
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Avoid generating dust. Avoid strong heating (decomposition).
Materials to Avoid	Incompatible/reactive with strong oxidisers.
Hazardous Decomposition Products	Fire/thermal decomposition may produce irritating and/or toxic gases, including Carbon oxides, Nitrogen oxides, Phosphorus oxides.
Hazardous Polymerisation	No information available.

11. TOXICOLOGICAL INFORMATION

General Information	 Information on likely routes of exposure: Ingestion: May cause gastrointestinal discomfort if consumed in large amounts. Eye contact: Dust contact with the eyes can lead to mechanical irritation. Skin contact: Contact with dust can cause mechanical irritation of the skin. Inhalation: May cause irritation of respiratory tract. Chronic effects: There are no known carcinogenic chemicals in this product. *Health effects are not known. This information is based upon the present state of our knowledge.
Acute	
Ingestion	Acute toxicity (Oral): - LD50, Rat: 15,900 mg/kg [Product information; Supplier's SDS].
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	No information available.
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Prevent entry into drains and waterways.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information

Special Precautions for Land Fill

Dispose of contents/container in accordance with local/regional/national regulations. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

14. TRANSPORT INFORMATION

Land Transport (Australia) ADG Code	
Proper Shipping Name	IMP (Disodium 5'-Inosinate)
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.
Land Transport (Malaysia) ADR Code	
Proper Shipping Name	IMP (Disodium 5'-inosinate)
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.
Land Transport (New Zealand) NZS5433	
Proper Shipping Name	IMP (Disodium 5'-Inosinate)
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America) US DOT

Proper Shipping Name	IMP (Disodium 5'-Inosinate)
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.
Sea Transport	
IMDG Code	
Proper Shipping Name	IMP (Disodium 5'-Inosinate)
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.
Air Transport IATA DGR	
Proper Shipping Name	IMP (Disodium 5'-Inosinate)
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods ClassificationNOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods
by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

 General Information
 No Data Available

 Poisons Schedule (Aust)
 Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Not Hazardous

National/Regional Inventories

Australia (AIIC)	Listed
Canada (DSL)	Listed
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	225-146-4
Europe (REACh)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Listed

16. OTHER INFORMATION

Related Product Codes	DIINOA3500, DIINOA3505, DIINOA3510, DIINOS4000, DIINOS4001, DIINOS4002, DIINOS4006
Revision	5
Revision Date	28 Apr 2023
Reason for Issue	SDS updated
Key/Legend	< Less Than Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO2 Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg F (°F) Degrees Farenheit g Grams

g/cm³ Grams per Cubic Centimetre g/I Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH20 Inch of Water K Kelvin kg Kilogram kg/m³ Kilograms per Cubic Metre Ib Pound LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals. Itr or L Litre m³ Cubic Metre mbar Millibar mg Milligram mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. mm Millimetre mmH20 Millimetres of Water mPa.s Millipascals per Second N/A Not Applicable NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development Oz Ounce PEL Permissible Exposure Limit Pa Pascal ppb Parts per Billion ppm Parts per Million ppm/2h Parts per Million per 2 Hours ppm/6h Parts per Million per 6 Hours psi Pounds per Square Inch **R** Rankine **RCP** Reciprocal Calculation Procedure STEL Short Term Exposure Limit TLV Threshold Limit Value tne Tonne TWA Time Weighted Average ug/24H Micrograms per 24 Hours **UN** United Nations wt Weight