



SAFETY DATA SHEET
LEAD NITRATE SOLUTION (>10-<30%)
REVISION 3, DATE 29 APR 20

1. IDENTIFICATION

Product Name	Lead Nitrate Solution (>10-<30%)
Other Names	Lead Nitrate 24% w/w Solution
Uses	Flotation agent in mining and metal extraction; Manufacturing other chemicals.
Chemical Family	No Data Available
Chemical Formula	HN03.1/2Pb
Chemical Name	Lead nitrate, aqueous solution
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Schedule 6



Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Hazard Categories

Acute Toxicity (Oral) - Category 4
 Acute Toxicity (Inhalation) - Category 5
 Serious Eye Damage/Irritation - Category 1
 Germ Cell Mutagenicity - Category 2
 Carcinogenicity - Category 2
 Toxic To Reproduction - Category 1A
 Specific Target Organ Toxicity (Repeated Exposure) - Category 2
 Acute Hazard To The Aquatic Environment - Category 2
 Long-term Hazard To The Aquatic Environment - Category 2

Pictograms

Signal Word Danger

Hazard Statements

H302	Harmful if swallowed.
H333	May be harmful if inhaled.
H318	Causes serious eye damage.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H360FD	May damage the unborn child. Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements	Prevention	P201	Obtain special instructions before use.
		P260	Do not breathe mist/vapour/spray.
		P273	Avoid release to the environment.
		P270	Do not eat, drink or smoke when using this product.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
	Response	P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
		P308 + P313	IF exposed or concerned: Get medical advice/ attention.
		P391	Collect spillage.
		P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
		P330	Rinse mouth.
Storage	P405	Store locked up.	
Disposal	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.	

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Lead nitrate	HNO ₃ .1/2Pb	10099-74-8	>10 - <30 %
Water	H ₂ O	7732-18-5	Balance %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Call a Poison Centre or doctor/physician for advice. Never give anything by mouth to an unconscious person.
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Centre or doctor/physician for advice.
Skin	IF ON SKIN (or hair): Remove contaminated clothing and shoes immediately. Wash skin and hair with plenty of soap and running water for at least 15 minutes. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse.
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Centre or doctor/physician for advice. Apply resuscitation if victim is not breathing - Do not use direct mouth-to-mouth method if victim ingested or inhaled the substance; use alternative respiratory method or proper respiratory device - Administer oxygen if breathing is difficult.
Advice to Doctor	If exposed or concerned, get medical advice/attention. Symptoms of poisoning may occur after several hours; therefore medical observation for at least 48 hours after the accident is recommended. Keep victim calm and warm - Obtain immediate medical care. Ensure that attending medical personnel are aware of identity and nature of the product(s) involved, and take precautions to protect themselves.
Medical Conditions Aggravated by Exposure	No information available.

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	Solution is not combustible. If subjected to heating in a fire the Lead Nitrate may start to crystallise from the solution as the water evaporates. This crystalline material could act as an oxidising agent and assist combustion of other materials.
Extinguishing Media	If material is involved in a fire, use dry chemical, Carbon dioxide (CO ₂), foam or water spray for extinction.
Fire and Explosion Hazard	Material crystallised out of the solution by heat could assist combustion in a fire, especially in contact with incompatible materials such as strong reducing agents and finely powdered metals.
Hazardous Products of Combustion	Fire or heat will produce irritating, toxic and/or corrosive gases, including lead fumes, nitrogen oxides.
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may pollute waterways.
Personal Protective Equipment	Wear self-contained breathing apparatus (SCBA) and chemical splash suit. Fully-encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is NOT effective for this material.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available

Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	2X

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation - Ventilate enclosed spaces before entering. Avoid exposure to heat and sources of ignition. Do not touch or walk through spilled material. Do not breathe vapours and avoid contact with eyes, skin and clothing.
Clean Up Procedures	Absorb with earth, sand or other non-combustible material and transfer to a suitable container for disposal (see SECTION 13).
Containment	Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Cover with plastic sheet to prevent spreading.
Decontamination	No information available.
Environmental Precautionary Measures	Spillages and decontamination runoff should be prevented from entering drains and watercourses. If contamination of sewers or waterways has occurred, advise local emergency services.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher ground. Large spill: Immediately contact Police or Fire Brigade; Consider initial downwind evacuation of areas within at least 250 m.
Personal Precautionary Measures	Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (see SECTION 8). Large spill: Wear SCBA and chemical splash suit.

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Obtain special instructions before use - Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapours/spray and prevent contact with eyes, skin and clothing. Do not ingest. Wear protective gloves/protective clothing/eye protection/face protection (see SECTION 8). Avoid exposure to heat and sources of ignition - No smoking. Avoid contamination. Avoid release to the environment - Collect spillage (see SECTION 6).
Storage	Store in a cool, dry and well-ventilate place, out of direct sunlight. Keep container tightly closed when not in use. Avoid exposure to heat and sources of ignition - No smoking. Keep away from foodstuffs and incompatible materials (see SECTION 10). Keep out of the reach of children. Store locked up.
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No value assigned for this specific material by Safe Work Australia. For COMPONENT: Lead nitrate (CAS No. 10099-74-8): - Safe Work Australia Exposure Standard for Lead, inorganic dusts & fumes (as Pb): TWA = 0.05 mg/m3.
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	- Respiratory protection: Wear respiratory protection in case of inadequate ventilation or if an inhalation risk exists. Recommended: Suitable particulate/mist respirator (refer to AS/NZS 1715 & 1716). - Eye/face protection: Wear appropriate eye protection to prevent eye contact. Recommended: Tight sealing safety goggles. - Hand protection: Wear protective gloves. Recommended: Suitable, impervious gloves.

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes/boots.

Special Hazards Precautions

No information available.

Work Hygienic Practices

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before storage or reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Clear liquid
Odour	Odourless
Colour	Colourless - yellow
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	No Data Available
Freezing Point	No Data Available
Solubility	Miscible with water
Specific Gravity	1.24 - 1.26
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Not applicable.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	Material crystallised out of the solution by heat could assist combustion in a fire, especially in contact with incompatible materials such as strong reducing agents and finely powered metals.

Properties That May Initiate or Contribute to Fire Intensity	Solution is not combustible. If subjected to heating in a fire the Lead Nitrate may start to crystallise from the solution as the water evaporates. This crystalline material could act as an oxidising agent and assist combustion of other materials.
Reactions That Release Gases or Vapours	Fire/decomposition may produce lead fumes, nitrogen oxides.
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	No information available.
Chemical Stability	Stable under normal conditions.
Conditions to Avoid	Avoid exposure to heat.
Materials to Avoid	Incompatible/reactive with amines, reducing agents, aluminium, tin, zinc.
Hazardous Decomposition Products	Decomposition may produce lead fumes, nitrogen oxides.
Hazardous Polymerisation	Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	<ul style="list-style-type: none"> - Acute toxicity: Harmful if swallowed. May be harmful if inhaled. Exposure can cause encephalopathy, symptoms of which include hyper-irritability, ataxia, convulsions, stupor and coma; and gastrointestinal effects such as colic, symptoms of which include abdominal pain, constipation, cramps, nausea, vomiting, anorexia and weight loss. - Skin corrosion/irritation: In general, lead compounds are not considered irritating to the skin. - Eye damage/irritation: Severe eye irritant; Causes serious eye damage. - Respiratory/skin sensitisation: No reports of skin or respiratory sensitisation to lead in humans. - Germ cell mutagenicity: Suspected of causing genetic defects. In general, lead compounds are considered genotoxic to mammalian cells. - Carcinogenicity: Suspected of causing cancer. Lead compounds, inorganic are classified in Group 2A of the IARC Monographs: Probably carcinogenic to humans. - Reproductive toxicity: May damage the unborn child. Suspected of damaging fertility. Moderately high PbB levels in humans could result in spontaneous abortion, pre-term delivery, alterations in sperm and decreased male fertility; PbB levels in humans >10 µg/dL can affect paediatric intellectual development. - STOT (single exposure): No information available. - STOT (repeated exposure): May cause damage to organs through prolonged or repeated exposure. Lead has multiple modes of action in biological systems; as a result, any system or organ in the body can potentially be affected by lead exposure, including neurological effects, haematological effects, cardiovascular effects, renal effects. Lead has been shown to accumulate in bone. - Aspiration toxicity: No information available.
Carcinogen Category	Cat. 2

12. ECOLOGICAL INFORMATION

Ecotoxicity	No information available.
Persistence/Degradability	No information available.
Mobility	No information available.
Environmental Fate	Toxic to aquatic life with long lasting effects - Avoid release to the environment.
Bioaccumulation Potential	No information available.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations.
Special Precautions for Land Fill	No information available.

14. TRANSPORT INFORMATION**Land Transport (Australia)**

ADG Code

Proper Shipping Name	TOXIC LIQUID, INORGANIC, N.O.S. (Lead nitrate solution)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
EPG	34 Toxic Substances
UN Number	3287
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

Land Transport (Malaysia)

ADR Code

Proper Shipping Name	TOXIC LIQUID, INORGANIC, N.O.S. (Lead nitrate solution)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
EPG	34 Toxic Substances
UN Number	3287
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name	TOXIC LIQUID, INORGANIC, N.O.S. (Lead nitrate solution)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
EPG	34 Toxic Substances
UN Number	3287
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

Land Transport (United States of America)

US DOT

SAFETY DATA SHEET LEAD NITRATE SOLUTION (>10-<30%) REVISION 3, DATE 29 APR 20

Proper Shipping Name	TOXIC LIQUID, INORGANIC, N.O.S. (Lead nitrate solution)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
ERG	151 Substances - Toxic (Non-Combustible)
UN Number	3287
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

Sea Transport

IMDG Code

Proper Shipping Name	TOXIC LIQUID, INORGANIC, N.O.S. (Lead nitrate solution)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
UN Number	3287
Hazchem	2X
Pack Group	III
Special Provision	No Data Available
EMS	F-A, S-A
Marine Pollutant	Yes

Air Transport

IATA DGR

Proper Shipping Name	TOXIC LIQUID, INORGANIC, N.O.S. (Lead nitrate solution)
Class	6.1 Toxic and Infectious Substances - Toxic Substances
Subsidiary Risk(s)	No Data Available
UN Number	3287
Hazchem	2X
Pack Group	III
Special Provision	No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
--------------------------------	---

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Schedule 6

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	Not Assessed
---------------	--------------

National/Regional Inventories

Australia (AIIIC)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	Not Determined
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	LENISO2200, LENISO2400, LENISO2401, LENISO2410
Revision	3
Revision Date	29 Apr 2020
Key/Legend	<p>< Less Than</p> <p>> Greater Than</p> <p>AICS Australian Inventory of Chemical Substances</p> <p>atm Atmosphere</p> <p>CAS Chemical Abstracts Service (Registry Number)</p> <p>cm² Square Centimetres</p> <p>CO₂ Carbon Dioxide</p> <p>COD Chemical Oxygen Demand</p> <p>deg C (°C) Degrees Celcius</p> <p>EPA (New Zealand) Environmental Protection Authority of New Zealand</p> <p>deg F (°F) Degrees Fahrenheit</p> <p>g Grams</p> <p>g/cm³ Grams per Cubic Centimetre</p> <p>g/l Grams per Litre</p> <p>HSNO Hazardous Substance and New Organism</p> <p>IDLH Immediately Dangerous to Life and Health</p> <p>immiscible Liquids are insoluable in each other.</p> <p>inHg Inch of Mercury</p> <p>inH₂O Inch of Water</p> <p>K Kelvin</p>

kg Kilogram

kg/m³ Kilograms per Cubic Metre

lb Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

ltr or **L** Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight