

1. IDENTIFICATION

Product Name	Piroctone olamine
Other Names	No Data Available
Uses	Cosmetics, preservative.
Chemical Family	No Data Available
Chemical Formula	C14H23NO2.C2H7NO
Chemical Name	2(1H)-Pyridinone, 1-hydroxy-4-methyl-6-(2,4,4-trimethylpentyl)-, compound with 2-aminoethanol (1:1)
Product Description	No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled

Redox Ltd

Corporate Office Sydney Locked Bag 15 Minto NSW 2566 Australia 2 Swettenham Road Minto NSW 2566 Australia All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Form 21047, Revision 3, Page 1 of 10, 01-Feb-2024 02:05:12

Phone +61 2 9733 3000 +61 2 9733 3111 Fax E-mail sydney@redox.com Web www.redox.com ABN 92 000 762 345

Australia Adelaide Auckland Brisbane Melbourne Perth UK London Sydney

New Zealand Malaysia Kuala Lumpur Christchurch USA Los Angeles Hawke's Bay Oakland Mexico Saltillo



Globally Harmonised Syste	m		
Hazard Classification		Hazardous according to Chemicals (GHS)	the criteria of the Globally Harmonised System of Classification and Labelling of
Hazard Categories		Skin Corrosion/Irritation	- Category 2
		Serious Eye Damage/Irri	tation - Category 1
		Acute Hazard To The Aq	uatic Environment - Category 3
Pictograms			
Signal Word		Danger	
Hazard Statements		H315	Causes skin irritation.
		H318	Causes serious eye damage.
		H412	Harmful to aquatic life with long lasting effects.
Precautionary Statements	Prevention	P280	Wear protective gloves/eye protection/face protection.
		P273	Avoid release to the environment.
	Response	P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
		P302 + P352	IF ON SKIN: Wash with plenty of water/
		P332 + P313	If skin irritation occurs: Get medical advice/attention.
		P362	Take off contaminated clothing.
	Disposal	P501	Dispose of contents/container in accordance with local / regional / national / international regulations.
National Transport Commission (Australia) Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code) Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)			

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications	Health Hazards	6.3A	Substances that are irritating to the skin
		8.3A	Substances that are corrosive to ocular tissue
	Environmental Hazards	9.1C	Substances that are harmful in the aquatic environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Piroctone olamine	C14H23NO2.C2H7NO	68890-66-4	100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure		
Swallowed	IF SWALLOWED: Rinse mouth, then drink a glass of water. Do not induce vomiting. Get immediate medical advice/attention. Never give anything by mouth to an unconscious person.	
Eye	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Centre or doctor/physician for advice. Transport promptly to hospital or medical centre.	
Skin	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.	
Inhaled	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is difficult.	
Advice to Doctor	Treat symptomatically.	
Medical Conditions Aggravated by Exposure	No information available.	

5. FIRE FIGHTING MEASURES

General Measures	If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Flammability Conditions	Combustible; May burn but does not ignite readily.
Extinguishing Media	Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction - Do not use water jets.
Fire and Explosion Hazard	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous Products of Combustion	Fire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Nitrogen oxides (NOx).
Special Fire Fighting Instructions	Contain runoff from fire control or dilution water - Runoff may pollute waterways.
Personal Protective Equipment	Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may provide limited protection.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material. Clean up spills immediately. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
Clean Up Procedures	Collect material (sweep or vacuum up) and seal in suitable containers for disposal (see SECTION 13).
Containment	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust cloud.

Decontamination	Flush residue with water.
Environmental Precautionary Measures	Prevent entry into drains and waterways.
Evacuation Criteria	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
Personal Precautionary Measures	Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling	Safety showers and eyewash facilities should be provided within the immediate wok area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Avoid release to the environment.
Storage	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Keep away from heat and sources of ignition - No smoking. Keep away from food/feedstuffs and incompatible materials (see SECTION 10).
Container	Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	No specific exposure standards are available for this product. For dusts from solid substances without specific occupational exposure standards: - Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3 (measured as inhalable dust). - New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3; TWA = 3 mg/m3 (respirable dust).
Exposure Limits	No Data Available
Biological Limits	No information available.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Protection Equipment	 Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust mask/particulate filter respirator (refer to AS/NZS 1715 & 1716). Eye/face protection: Wear appropriate eye protection to prevent eye contact. Recommended: Chemical goggles, and if necessary, face shield. Hand protection: Wear protective gloves. Recommended: Impervious gloves, e.g. Butyl rubber. Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes.
Special Hazards Precaustions	No information available.
Work Hygienic Practices	Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Powder
Odour	Faint, characteristic
Colour	White to slightly yellow
рН	No Data Available

	No Doto Avoilable
Vapour Pressure	No Data Available No Data Available
Relative Vapour Density	
Boiling Point	No Data Available
Melting Point	133 - 136 ℃
Freezing Point	No Data Available
Solubility	Slightly soluble in water - Soluble in alcohol
Specific Gravity	
Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No information available.
Potential for Dust Explosion	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Fast or Intensely Burning Characteristics	No information available.
Flame Propagation or Burning Rate of Solid Materials	No information available.
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No information available.
Properties That May Initiate or Contribute to Fire Intensity	Combustible; May burn but does not ignite readily.
Reactions That Release Gases or Vapours	Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Nitrogen oxides (NOx).
Release of Invisible Flammable Vapours and Gases	No information available.

10. STABILITY AND REACTIVITY

General Information	Sensitive to light.
Chemical Stability	Stable under normal temperatures and pressures.
Conditions to Avoid	Avoid generating dust. Keep away from heat and sources of ignition.
Materials to Avoid	Incompatible/reactive with strong oxidising agents, strong acids.

Hazardous Decomposition Products	Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides, Nitrogen oxides (NOx).
Hazardous Polymerisation	Hazardous polymerisation will not occur.

11. TOXICOLOGICAL INFORMATION

General Information	 Acute toxicity: Practically nontoxic; Ingestion of large amounts may cause nausea and vomiting. Skin corrosion/irritation: Causes skin irritation. Eye damage/irritation: Causes serious eye damage. Respiratory/skin sensitisation: Not a skin sensitiser. Germ cell mutagenicity: Regarded to be non-mutagenic. Carcinogenicity: No indications of a carcinogenic potential. Reproductive toxicity: No indications of embryo- and/or fetotoxicity and no teratogenic potential. STOT (single exposure): May cause respiratory tract irritation (mucous membranes). STOT (repeated exposure): No evidence for specific target organ (toxic) effects. Aspiration toxicity: No information available.
Acute	
Ingestion	Acute toxicity (Oral): - LD50, Rat: 8,100 mg/kg bw. [ECHA].
Other	Acute toxicity (Dermal): - LD50, >2,000 mg/kg bw. [ECHA].
Inhalation	Acute toxicity (Inhalation): - LC50, Rat: >4.9 mg/L (4 h) dust/mist [ECHA].
Carcinogen Category	None

12. ECOLOGICAL INFORMATION

Ecotoxicity	Aquatic toxicity: - LC50, Fish (Danio rerio): 1.9 mg/l (96 h) [ECHA]. - EC50, Crustacea (Daphnia magna): 1.8 mg/l (48 h) [ECHA]. - ErC50, Algae (Desmodesmus subspicatus): 10.8 mg/l (72 h) [ECHA]. - NOEC, Crustacea (Daphnia magna): 0.13 mg/l (21 d) reprod. [ECHA].
Persistence/Degradability	Rapidly degraded by direct photolysis (in water). Rapid biotic degradation is not expected.
Mobility	No information available.
Environmental Fate	Harmful to aquatic life with long lasting effects - Avoid release to the environment.
Bioaccumulation Potential	Low bioaccumulation potential.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of contents/container in accordance with local/regional/national regulations.
Special Precautions for Land Fill	Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

14. TRANSPORT INFORMATION

Land Transport (Australia)
ADG Code

ADG Code	
Proper Shipping Name	Piroctone olamine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.
Land Transport (Malaysia) ADR Code	
Proper Shipping Name	Piroctone olamine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.
Land Transport (New Zealand) NZS5433	
Proper Shipping Name	Piroctone olamine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for LAND transport.
Land Transport (United States of An US DOT	

Proper Shipping Name	Piroctone olamine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport IMDG Code	
Proper Shipping Name	Piroctone olamine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No
Comments	NON-DANGEROUS GOODS: Not regulated for SEA transport.
Air Transport IATA DGR	
Proper Shipping Name	Piroctone olamine
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
Comments	NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

```
Dangerous Goods Classification
```

Comments

NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information	No Data Available
Poisons Schedule (Aust)	Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code	HSR002503	

Australia	(AIIC)	
Australia		

Listed

Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	272-574-2
Europe (REACh)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Listed
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	PIOLAM1000
Revision	2
Revision Date	04 Sep 2019
Key/Legend	 Less Than Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm² Square Centimetres CO2 Carbon Dioxide COD Chemical Oxygen Demand deg C (°C) Degrees Celcius EPA (New Zealand) Environmental Protection Authority of New Zealand deg G (°C) Degrees Farenheit g Grams g/cm³ Grams per Cubic Centimetre g/l Grams per Litre HSNO Hazardous Substance and New Organism IDLH Immediately Dangerous to Life and Health immiscible Liquids are insoluable in each other. inHg Inch of Mercury inH2O Inch of Water K Kelvin kg Kilogram kg/Kilograms kg/M^m Kilograms per Cubic Metre Ib Pound LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours. LD50 LD stands for Lethal Dose. LD50 is the amaterial, given all at once, which causes the death of 50% (one

half) of a group of test animals. Itr or L Litre m³ Cubic Metre mbar Millibar mg Milligram mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram mg/m³ Milligrams per Cubic Metre Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present. mm Millimetre mmH20 Millimetres of Water mPa.s Millipascals per Second N/A Not Applicable NIOSH National Institute for Occupational Safety and Health NOHSC National Occupational Heath and Safety Commission OECD Organisation for Economic Co-operation and Development Oz Ounce PEL Permissible Exposure Limit Pa Pascal ppb Parts per Billion ppm Parts per Million ppm/2h Parts per Million per 2 Hours ppm/6h Parts per Million per 6 Hours psi Pounds per Square Inch **R** Rankine RCP Reciprocal Calculation Procedure STEL Short Term Exposure Limit TLV Threshold Limit Value tne Tonne TWA Time Weighted Average ug/24H Micrograms per 24 Hours **UN** United Nations wt Weight