



# SAFETY DATA SHEET MAGNESIUM OXIDE $\geq 85-100\%$ REVISION 5, DATE 28 FEB 20

## 1. IDENTIFICATION

Product Name	Magnesium Oxide $\geq 85-100\%$
Other Names	No Data Available
Uses	Agricultural, chemical and pharmaceutical chemical.
Chemical Family	No Data Available
Chemical Formula	MgO
Chemical Name	Magnesium oxide
Product Description	No Data Available

### Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia	+60-3-5614-2111

### Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

## 2. HAZARD IDENTIFICATION

Poisons Schedule (Aust)

Not Scheduled



## Globally Harmonised System

<b>Hazard Classification</b>	NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
<b>Signal Word</b>	None

## National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road &amp; Rail (ADG Code)

<b>Dangerous Goods Classification</b>	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Magnesium oxide	MgO	1309-48-4	>=85 - 100 %
Ingredients determined not to be hazardous	Unspecified	Unspecified	Balance %

## 4. FIRST AID MEASURES

## Description of necessary measures according to routes of exposure

<b>Swallowed</b>	IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting. Get medical advice/attention if you feel unwell.
<b>Eye</b>	IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists, get medical advice/attention.
<b>Skin</b>	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs, get medical advice/attention.
<b>Inhaled</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms persist, get medical advice/attention.
<b>Advice to Doctor</b>	Treat symptomatically.
<b>Medical Conditions Aggravated by Exposure</b>	No information available.

## 5. FIRE FIGHTING MEASURES

<b>General Measures</b>	safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
<b>Flammability Conditions</b>	Non-combustible; Material itself does not burn.
<b>Extinguishing Media</b>	If material is involved in a fire, use extinguishing media appropriate to surrounding fire conditions.
<b>Fire and Explosion Hazard</b>	Magnesium oxide may ignite and explode when heated with sublimed Sulfur, Magnesium powder or Aluminium powder. It reacts violently with interhalogens (e.g. Chlorine trifluoride) and produces flame; It incandesces when combined with Phosphorus pentachloride.  Fire or heat may produce irritating, toxic and/or corrosive fumes.

**Hazardous Products of Combustion**

<b>Special Fire Fighting Instructions</b>	Contain runoff from fire control or dilution water - Runoff may pollute waterways.
<b>Personal Protective Equipment</b>	Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may provide limited protection.
<b>Flash Point</b>	No Data Available
<b>Lower Explosion Limit</b>	No Data Available
<b>Upper Explosion Limit</b>	No Data Available
<b>Auto Ignition Temperature</b>	No Data Available
<b>Hazchem Code</b>	No Data Available

**6. ACCIDENTAL RELEASE MEASURES**

<b>General Response Procedure</b>	Ensure adequate ventilation. Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.
<b>Clean Up Procedures</b>	Collect material (wet sweep or vacuum up) and place into suitable containers for disposal (see SECTION 13).
<b>Containment</b>	Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust cloud.
<b>Decontamination</b>	Wash area down with excess water.
<b>Environmental Precautionary Measures</b>	Prevent entry into drains and waterways.
<b>Evacuation Criteria</b>	Spill or leak area should be isolated immediately. Keep unauthorised personnel away.
<b>Personal Precautionary Measures</b>	Use personal protective equipment as required (see SECTION 8).

**7. HANDLING AND STORAGE**

<b>Handling</b>	Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Product can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Do not use compressed air to transfer, discharge or transport the product.
<b>Storage</b>	Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Avoid exposure to air and moisture. Keep away from heat and sources of ignition - No smoking. Keep away from foodstuffs and incompatible materials (see SECTION 10).
<b>Container</b>	Keep in the original container.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>General</b>	No specific exposure standards are available for this product. For Magnesium oxide (fume): - Safe Work Australia Exposure Standard: TWA = 10 mg/m <sup>3</sup> . - New Zealand Workplace Exposure Standard: TWA = 10 mg/m <sup>3</sup> .
<b>Exposure Limits</b>	No Data Available
<b>Biological Limits</b>	No information available.
<b>Engineering Measures</b>	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Use explosion-proof electrical/ventilating/lighting equipment.

<b>Personal Protection Equipment</b>	<ul style="list-style-type: none"> <li>- Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust mask/particulate filter respirator (refer to AS/NZS 1715 &amp; 1716).</li> <li>- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Chemical goggles.</li> <li>- Hand protection: Handle with gloves. Recommended: Impervious gloves.</li> <li>- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls, safety shoes.</li> </ul>
<b>Special Hazards Precautions</b>	No information available.
<b>Work Hygienic Practices</b>	Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Take off contaminated clothing and wash before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Solid
<b>Appearance</b>	Powder or granules
<b>Odour</b>	Odourless
<b>Colour</b>	White or beige/brown
<b>pH</b>	10.0 - 11.8 (1% aqueous soln.)
<b>Vapour Pressure</b>	No Data Available
<b>Relative Vapour Density</b>	No Data Available
<b>Boiling Point</b>	3,600 °C
<b>Melting Point</b>	2,800 °C
<b>Freezing Point</b>	No Data Available
<b>Solubility</b>	Insoluble in water
<b>Specific Gravity</b>	1.4 - 1.5
<b>Flash Point</b>	No Data Available
<b>Auto Ignition Temp</b>	No Data Available
<b>Evaporation Rate</b>	No Data Available
<b>Bulk Density</b>	No Data Available
<b>Corrosion Rate</b>	No Data Available
<b>Decomposition Temperature</b>	No Data Available
<b>Density</b>	No Data Available
<b>Specific Heat</b>	No Data Available
<b>Molecular Weight</b>	No Data Available
<b>Net Propellant Weight</b>	No Data Available
<b>Octanol Water Coefficient</b>	No Data Available
<b>Particle Size</b>	No Data Available
<b>Partition Coefficient</b>	No Data Available
<b>Saturated Vapour Concentration</b>	No Data Available
<b>Vapour Temperature</b>	No Data Available
<b>Viscosity</b>	No Data Available
<b>Volatile Percent</b>	No Data Available
<b>VOC Volume</b>	No Data Available
<b>Additional Characteristics</b>	No information available.
<b>Potential for Dust Explosion</b>	No information available.
<b>Fast or Intensely Burning Characteristics</b>	No information available.
<b>Flame Propagation or Burning Rate of Solid Materials</b>	No information available.

<b>Non-Flammables That Could Contribute Unusual Hazards to a Fire</b>	Magnesium oxide may ignite and explode when heated with sublimed Sulfur, Magnesium powder or Aluminium powder. It reacts violently with interhalogens (e.g. Chlorine trifluoride) and produces flame; It incandesces when combined with Phosphorus pentachloride.
<b>Properties That May Initiate or Contribute to Fire Intensity</b>	Non-combustible; Material itself does not burn.
<b>Reactions That Release Gases or Vapours</b>	Fire/decomposition may produce irritating, toxic and/or corrosive fumes.
<b>Release of Invisible Flammable Vapours and Gases</b>	No information available.

## 10. STABILITY AND REACTIVITY

<b>General Information</b>	Magnesium oxide may ignite and explode when heated with sublimed Sulfur, Magnesium powder or Aluminium powder. It reacts violently with interhalogens (e.g. Chlorine trifluoride) and produces flame; It incandesces when combined with Phosphorus pentachloride.
<b>Chemical Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Avoid generating dust.
<b>Materials to Avoid</b>	Incompatible/reactive with strong acids, strong oxidising agents, Chlorine trifluoride, Phosphorus pentachloride.
<b>Hazardous Decomposition Products</b>	Fire/decomposition may produce irritating, toxic and/or corrosive fumes.
<b>Hazardous Polymerisation</b>	Hazardous polymerisation will not occur.

## 11. TOXICOLOGICAL INFORMATION

<b>General Information</b>	<ul style="list-style-type: none"><li>- Acute toxicity: No adverse effects expected; Large amounts may cause nausea and vomiting.</li><li>- Skin corrosion/irritation: May cause (mechanical) skin irritation.</li><li>- Eye damage/irritation: May cause eye irritation.</li><li>- Respiratory/skin sensitisation: No information available.</li><li>- Germ cell mutagenicity: No information available.</li><li>- Carcinogenicity: No information available.</li><li>- Reproductive toxicity: No information available.</li><li>- STOT (single exposure): Inhalation of Magnesium oxide (fume) can cause metal fume fever: cough, chest pain, flu-like fever. Inhalation of dust may result in respiratory tract irritation.</li><li>- STOT (repeated exposure): No information available.</li><li>- Aspiration toxicity: No information available.</li></ul>
<b>Carcinogen Category</b>	None

## 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	No information available.
<b>Persistence/Degradability</b>	No information available.
<b>Mobility</b>	No information available.
<b>Environmental Fate</b>	Prevent entry into drains and waterways.
<b>Bioaccumulation Potential</b>	No information available.
<b>Environmental Impact</b>	No Data Available

**13. DISPOSAL CONSIDERATIONS**

<b>General Information</b>	Dispose of contents/container in accordance with local/regional/national regulations.
<b>Special Precautions for Land Fill</b>	No information available.

**14. TRANSPORT INFORMATION****Land Transport (Australia)**

ADG Code

<b>Proper Shipping Name</b>	Magnesium oxide
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for LAND transport.

**Land Transport (Malaysia)**

ADR Code

<b>Proper Shipping Name</b>	Magnesium oxide
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for LAND transport.

**Land Transport (New Zealand)**

NZS5433

<b>Proper Shipping Name</b>	Magnesium oxide
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for LAND transport.

**Land Transport (United States of America)**

US DOT

<b>Proper Shipping Name</b>	Magnesium oxide
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for LAND transport.

**Sea Transport**

IMDG Code

<b>Proper Shipping Name</b>	Magnesium oxide
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>EMS</b>	No Data Available
<b>Marine Pollutant</b>	No
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for SEA transport.

**Air Transport**

IATA DGR

<b>Proper Shipping Name</b>	MAGNESIUM OXIDE
<b>Class</b>	No Data Available
<b>Subsidiary Risk(s)</b>	No Data Available
<b>UN Number</b>	No Data Available
<b>Hazchem</b>	No Data Available
<b>Pack Group</b>	No Data Available
<b>Special Provision</b>	No Data Available
<b>Comments</b>	NON-DANGEROUS GOODS: Not regulated for AIR transport.

**National Transport Commission (Australia)**

Australian Code for the Transport of Dangerous Goods by Road &amp; Rail (ADG Code)

<b>Dangerous Goods Classification</b>	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
---------------------------------------	---

**15. REGULATORY INFORMATION**

<b>General Information</b>	No Data Available
----------------------------	-------------------

Poisons Schedule (Aust)

Not Scheduled

**Environmental Protection Authority (New Zealand)**

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code

Not Hazardous

**National/Regional Inventories**

Australia (AIIC)

Listed

Canada (DSL)

Not Determined

Canada (NDSL)

Not Determined

China (IECSC)

Not Determined

Europe (EINECS)

Not Determined

Europe (REACH)

Not Determined

Japan (ENCS/METI)

Not Determined

Korea (KECI)

Not Determined

Malaysia (EHS Register)

Not Determined

New Zealand (NZIoC)

Listed

Philippines (PICCS)

Not Determined

Switzerland (Giftliste 1)

Not Determined

Switzerland (Inventory of Notified Substances)

Not Determined

Taiwan (NCSR)

Not Determined

USA (TSCA)

Not Determined

**16. OTHER INFORMATION****Related Product Codes**

MAGOXB1000, MAGOXB6000, MAGOXB6100, MAGOXB6200, MAGOXI0002, MAGOXI0003, MAGOXI0004, MAGOXI0005, MAGOXI0085, MAGOXI0086, MAGOXI0090, MAGOXI0091, MAGOXI0095, MAGOXI0097, MAGOXI0100, MAGOXI0101, MAGOXI0102, MAGOXI0106, MAGOXI0150, MAGOXI0170, MAGOXI0200, MAGOXI0201, MAGOXI0202, MAGOXI0300, MAGOXI0301, MAGOXI0302, MAGOXI0303, MAGOXI0304, MAGOXI0400, MAGOXI0499, MAGOXI0500, MAGOXI0501, MAGOXI0502, MAGOXI0503, MAGOXI0600, MAGOXI0601, MAGOXI0700, MAGOXI0701, MAGOXI0702, MAGOXI0800, MAGOXI0900, MAGOXI0901, MAGOXI1000, MAGOXI1001, MAGOXI1002, MAGOXI1003, MAGOXI1004, MAGOXI1005, MAGOXI1006, MAGOXI1007, MAGOXI1008, MAGOXI1009, MAGOXI1010, MAGOXI1011, MAGOXI1012, MAGOXI1013, MAGOXI1014, MAGOXI1015, MAGOXI1016, MAGOXI1017, MAGOXI1018, MAGOXI1019, MAGOXI1020, MAGOXI1021, MAGOXI1022, MAGOXI1023, MAGOXI1024, MAGOXI1025, MAGOXI1026, MAGOXI1027, MAGOXI1028, MAGOXI1029, MAGOXI1030, MAGOXI1031, MAGOXI1032, MAGOXI1033, MAGOXI1034, MAGOXI1035, MAGOXI1050, MAGOXI1051, MAGOXI1100, MAGOXI1101, MAGOXI1102, MAGOXI1133, MAGOXI1180, MAGOXI1199, MAGOXI1200, MAGOXI1201, MAGOXI1215, MAGOXI1300, MAGOXI1301, MAGOXI1302, MAGOXI1310, MAGOXI1311, MAGOXI1315, MAGOXI1316, MAGOXI1317, MAGOXI1318, MAGOXI1319, MAGOXI1320, MAGOXI1350, MAGOXI1353, MAGOXI1360, MAGOXI1391, MAGOXI1392, MAGOXI1400, MAGOXI1401, MAGOXI1402, MAGOXI1500, MAGOXI1501, MAGOXI1600, MAGOXI1601, MAGOXI1602, MAGOXI1603, MAGOXI1604, MAGOXI1700, MAGOXI1701, MAGOXI1702, MAGOXI1703,



MAGOXI1800, MAGOXI1801, MAGOXI1802, MAGOXI1803, MAGOXI1804, MAGOXI1805, MAGOXI1806, MAGOXI1807, MAGOXI1808, MAGOXI1809, MAGOXI1810, MAGOXI1900, MAGOXI1901, MAGOXI2000, MAGOXI2100, MAGOXI2200, MAGOXI2300, MAGOXI2400, MAGOXI2500, MAGOXI2700, MAGOXI2701, MAGOXI2800, MAGOXI2801, MAGOXI2802, MAGOXI2805, MAGOXI2808, MAGOXI2900, MAGOXI2901, MAGOXI2902, MAGOXI3001, MAGOXI3002, MAGOXI3003, MAGOXI3010, MAGOXI3020, MAGOXI3100, MAGOXI3110, MAGOXI3200, MAGOXI3300, MAGOXI3301, MAGOXI3302, MAGOXI3400, MAGOXI3401, MAGOXI3402, MAGOXI3500, MAGOXI3501, MAGOXI3502, MAGOXI3600, MAGOXI3700, MAGOXI3701, MAGOXI3800, MAGOXI3801, MAGOXI3900, MAGOXI3901, MAGOXI4000, MAGOXI4001, MAGOXI4002, MAGOXI4100, MAGOXI4101, MAGOXI4200, MAGOXI4500, MAGOXI4501, MAGOXI4600, MAGOXI4601, MAGOXI4700, MAGOXI4701, MAGOXI4702, MAGOXI4703, MAGOXI4708, MAGOXI4709, MAGOXI4800, MAGOXI4801, MAGOXI4900, MAGOXI4901, MAGOXI5000, MAGOXI5001, MAGOXI5002, MAGOXI5100, MAGOXI5101, MAGOXI5200, MAGOXI5201, MAGOXI5300, MAGOXI5301, MAGOXI5510, MAGOXI5511, MAGOXI5512, MAGOXI5513, MAGOXI5515, MAGOXI5520, MAGOXI5521, MAGOXI5522, MAGOXI5523, MAGOXI5525, MAGOXI5526, MAGOXI5527, MAGOXI5528, MAGOXI5529, MAGOXI5530, MAGOXI5700, MAGOXI5750, MAGOXI5751, MAGOXI5800, MAGOXI5801, MAGOXI5802, MAGOXI5900, MAGOXI5901, MAGOXI6000, MAGOXI6001, MAGOXI6002, MAGOXI6003, MAGOXI6004, MAGOXI6005, MAGOXI6006, MAGOXI6007, MAGOXI6100, MAGOXI6101, MAGOXI6102, MAGOXI6103, MAGOXI6105, MAGOXI6200, MAGOXI6201, MAGOXI6202, MAGOXI6203, MAGOXI6262, MAGOXI6300, MAGOXI6301, MAGOXI6303, MAGOXI6400, MAGOXI6401, MAGOXI6402, MAGOXI6403, MAGOXI6404, MAGOXI6405, MAGOXI6406, MAGOXI6407, MAGOXI6408, MAGOXI6409, MAGOXI6410, MAGOXI6414, MAGOXI6444, MAGOXI6445, MAGOXI6500, MAGOXI6501, MAGOXI6502, MAGOXI6503, MAGOXI6504, MAGOXI6505, MAGOXI6506, MAGOXI6507, MAGOXI6508, MAGOXI6509, MAGOXI6510, MAGOXI6520, MAGOXI6587, MAGOXI6588, MAGOXI6589, MAGOXI6590, MAGOXI6600, MAGOXI6601, MAGOXI6602, MAGOXI6603, MAGOXI6700, MAGOXI6701, MAGOXI6800, MAGOXI6801, MAGOXI6802, MAGOXI6900, MAGOXI7000, MAGOXI7001, MAGOXI7002, MAGOXI7003, MAGOXI7004, MAGOXI7100, MAGOXI7101, MAGOXI7200, MAGOXI7300, MAGOXI7400, MAGOXI7500, MAGOXI7600, MAGOXI7601, MAGOXI7700, MAGOXI7701, MAGOXI7800, MAGOXI7801, MAGOXI7900, MAGOXI7901, MAGOXI8000, MAGOXI8001, MAGOXI8002, MAGOXI8003, MAGOXI8004, MAGOXI8100, MAGOXI8200, MAGOXI8300, MAGOXI8400, MAGOXI8401, MAGOXI8500, MAGOXI8600, MAGOXI8700, MAGOXI8701, MAGOXI8800, MAGOXI8900, MAGOXI9000, MAGOXI9001, MAGOXI9002, MAGOXI9003, MAGOXI9100, MAGOXI9200, MAGOXI9201, MAGOXI9202, MAGOXI9300, MAGOXI9310, MAGOXI9400, MAGOXI9401, MAGOXI9500, MAGOXI9501, MAGOXI9600, MAGOXI9601, MAGOXI9700, MAGOXI9701, MAGOXI9800, MAGOXI9810, MAGOXI9811, MAGOXI9900, MAGOXI9901, MAGOXL1000, MAGOXM1000, MAGOXP0600, MAGOXP1000, MAGOXP1500, MAGOXP2000, MAGOXP3000, MAGOXP5000, MAGOXP5100, MAGOXP5200, MAGOXP5300, MAGOXP9000, MAGOXP9800, MAGOXP9801

**Revision**

5

**Revision Date**

28 Feb 2020

**Key/Legend**

&lt; Less Than

&gt; Greater Than

**AICS** Australian Inventory of Chemical Substances**atm** Atmosphere**CAS** Chemical Abstracts Service (Registry Number)**cm<sup>2</sup>** Square Centimetres**CO<sub>2</sub>** Carbon Dioxide**COD** Chemical Oxygen Demand**deg C (°C)** Degrees Celcius**EPA (New Zealand)** Environmental Protection Authority of New Zealand**deg F (°F)** Degrees Farenheit**g** Grams**g/cm<sup>3</sup>** Grams per Cubic Centimetre**g/l** Grams per Litre**HSNO** Hazardous Substance and New Organism**IDLH** Immediately Dangerous to Life and Health**immiscible** Liquids are insoluable in each other.**inHg** Inch of Mercury**inH<sub>2</sub>O** Inch of Water**K** Kelvin**kg** Kilogram**kg/m<sup>3</sup>** Kilograms per Cubic Metre**lb** Pound**LC<sub>50</sub>** LC stands for lethal concentration. LC<sub>50</sub> is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.**LD<sub>50</sub>** LD stands for Lethal Dose. LD<sub>50</sub> is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.**ltr or L** Litre**m<sup>3</sup>** Cubic Metre**mbar** Millibar**mg** Milligram**mg/24H** Milligrams per 24 Hours

**mg/kg** Milligrams per Kilogram

**mg/m<sup>3</sup>** Milligrams per Cubic Metre

**Misc** or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

**mm** Millimetre

**mmH<sub>2</sub>O** Millimetres of Water

**mPa.s** Millipascals per Second

**N/A** Not Applicable

**NIOSH** National Institute for Occupational Safety and Health

**NOHSC** National Occupational Health and Safety Commission

**OECD** Organisation for Economic Co-operation and Development

**Oz** Ounce

**PEL** Permissible Exposure Limit

**Pa** Pascal

**ppb** Parts per Billion

**ppm** Parts per Million

**ppm/2h** Parts per Million per 2 Hours

**ppm/6h** Parts per Million per 6 Hours

**psi** Pounds per Square Inch

**R** Rankine

**RCP** Reciprocal Calculation Procedure

**STEL** Short Term Exposure Limit

**TLV** Threshold Limit Value

**tne** Tonne

**TWA** Time Weighted Average

**ug/24H** Micrograms per 24 Hours

**UN** United Nations

**wt** Weight