

1. IDENTIFICATION

Product Name Vitamin D3 500 **Other Names** Cholecalciferol

Uses Additive for animal nutrition in premixes and compound feeds.

Chemical Family No Data Available

C27H440 **Chemical Formula Chemical Name** Vitamin D3 500

Product Description Vitamin D3 oil (Cholecalciferol) is incorporated in a matrix of gelatin and carbohydrates, and stabilized with anti-oxidant

BHT and anti-caking agent.

Contact Details of the Supplier of this Safety Data Sheet

| Organisation | Location | Telephone |
|-------------------------|--|-----------------|
| Redox Ltd | 2 Swettenham Road Minto NSW 2566 Australia | +61-2-97333000 |
| Redox Ltd | 11 Mayo Road Wiri Auckland 2104 New Zealand | +64-9-2506222 |
| Redox Inc. | 3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA | +1-424-675-3200 |
| Redox Chemicals Sdn Bhd | Level 2, No. 8, Jalan Sapir 33/7 Seksyen 33, Shah Alam Premier Industrial Park 40400 Shah Alam Sengalor, Malaysia | +60-3-5614-2111 |

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

| Organisation | Location | Telephone |
|----------------------------|--------------|--|
| Poisons Information Centre | Westmead NSW | 1800-251525 131126 |
| Chemcall | Australia | 1800-127406 +64-4-9179888 |
| Chemcall | Malaysia | +64-4-9179888 |
| Chemcall | New Zealand | 0800-243622 +64-4-9179888 |
| National Poisons Centre | New Zealand | 0800-764766 |
| CHEMTREC | USA & Canada | 1-800-424-9300 CN723420 +1-703-527-3887 |

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled



Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Acute Toxicity (Oral) - Category 4

Acute Toxicity (Inhalation) - Category 4

Specific Target Organ Toxicity (Repeated Exposure) - Category 2 Long-term Hazard To The Aquatic Environment - Category 3

Pictograms





Signal Word Warning

Hazard Statements H302 + H332 Harmful if swallowed or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements Prevention **P260** Do not breathe dusts or mists.

P273 Avoid release to the environment.
P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P312 Call a POISON CENTER or doctor if you feel unwell.

P330 Rinse mouth.

P304 + P340 IF INHALED: Remove victim to fresh air and keep comfortable for breathing.

P501 Dispose of contents/container in accordance with local / regional / national /

international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Response

Disposal

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications Health Hazards **6.1D** Substances that are acutely toxic - Harmful

6.9B Substances that are harmful to human target organs or systems

Environmental **9.1C** Substances that are harmful in the aquatic environment

Hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

| Chemical Entity | Formula | CAS Number | Proportion |
|--|-------------|-------------|-------------|
| Vitamin D3 (Cholecalciferol) | Unspecified | 67-97-0 | 1.3 - 1.5 % |
| ВНТ | C15H24O | 128-37-0 | 1 - 2 % |
| Ingredients determined not to be hazardous | Unspecified | Unspecified | Balance % |

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink plenty of water. Do not induce vomiting unless directed to do so by medical

personnel. Call a Poison Centre or doctor/physician for advice if large amounts are ingested or if you feel unwell.

Eve IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting

the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye

irritation persists, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation

occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Centre or

doctor/physician for advice. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is difficult.

Advice to Doctor Get medical advice/attention if you feel unwell. Treat symptomatically.

Medical Conditions Aggravated by No information available.

Exposure

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.

Flammability Conditions May be combustible at high temperature.

Extinguishing Media Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

Fire and Explosion Hazard Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Hazardous Products of

Combustion

Fire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Special Fire Fighting Instructions Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may

provide limited protection.

Flash Point No Data Available **Lower Explosion Limit** No Data Available **Upper Explosion Limit** No Data Available

>350 °C **Auto Ignition Temperature**

Hazchem Code No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material. Avoid

generating dust. Avoid breathing dust and contact with eyes, skin and clothing.

Clean Up Procedures Collect material (sweep or vacuum up) and place it in suitable, properly labelled containers for disposal (see SECTION 13).

Containment Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust cloud.

Decontamination No information available.

Environmental Precautionary

Measures

Prevent entry into drains and waterways.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

Personal Precautionary Measures Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation - Use only outdoors or in a well-ventilated area. Handle in accordance with good industrial hygiene and safety practice. Minimise dust generation and accumulation. Do not breathe dust and avoid contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). WARNING! May form combustible dust concentrations in air (during processing). Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres. Avoid release to the environment.

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Avoid exposure to air

and moisture. Keep away from heat and sources of ignition - No smoking. Keep away from foodstuffs and incompatible

materials (see SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product.

COMPONENT: Butylated hydroxytoluene (BHT) (CAS No. 128-37-0):
- Safe Work Australia Exposure Standard: TWA = 10 mg/m3
- New Zealand Workplace Exposure Standard: TWA = 10 mg/m3

COMPONENT: Sugar/Sucrose (CAS No. 57-50-1):

Safe Work Australia Exposure Standard: TWA = 10 mg/m3; (a).
 New Zealand Workplace Exposure Standard: TWA = 10 mg/m3

Exposure Limits No Data Available
Biological Limits No data available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust

ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area.

Personal Protection Equipment - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust

mask/particulate filter respirator (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Safety glasses or protective

goggles.

- Hand protection: Handle with gloves. Recommended: Impervious protective gloves, e.g. Rubber.

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Overalls,

safety shoes.

Special Hazards Precaustions

No data available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Routine housekeeping

should be instituted to ensure that dusts do not accumulate on surfaces.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Fine/micro-granules

Odour Odourless or characteristic Colour Off white to brownish-yellow

рΗ No Data Available **Vapour Pressure** No Data Available **Relative Vapour Density** No Data Available **Boiling Point** No Data Available **Melting Point** No Data Available **Freezing Point** No Data Available Solubility Insoluble in water

Specific Gravity 0.5 - 0.6

Flash Point No Data Available

>350 °C **Auto Ignition Temp**

Evaporation Rate No Data Available **Bulk Density** No Data Available **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available 0.5 - 0.6 g/cm3 Density **Specific Heat** No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available **Saturated Vapour Concentration** No Data Available **Vapour Temperature** No Data Available Viscosity No Data Available

Additional Characteristics No information available.

Potential for Dust Explosion Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Fast or Intensely Burning

Characteristics

Volatile Percent

VOC Volume

No information available.

No Data Available

No Data Available

Flame Propagation or Burning

Rate of Solid Materials

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a

No information available.

Properties That May Initiate or Contribute to Fire Intensity

May be combustible at high temperature.

Reactions That Release Gases or

Vapours

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Release of Invisible Flammable

Vapours and Gases

No information available.

10. STABILITY AND REACTIVITY

No information available. **General Information**

Chemical Stability Stable under recommended storage conditions.

Conditions to Avoid Avoid generating dust. Keep away from heat and sources of ignition. **Materials to Avoid** Incompatible/reactive with strong oxidising agents, strong acids and alkalis.

Hazardous Decomposition

Products

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Hazardous Polymerisation Hazardous polymerisation will not occur.

11. TOXICOLOGICAL INFORMATION

- Acute toxicity: Harmful if swallowed and if inhaled. May be harmful in contact with skin. Acute overdose leads to nausea, **General Information**

vomiting, headache, weakness, strong thirst, abdominal pain and loss of appetite.

- Skin corrosion/irritation: Slightly irritating to skin (Rabbit).

- Eye damage/irritation: Non-irritating to eyes (Rabbit).

- Respiratory/skin sensitisation: Non-sensitising (Guinea pig).

- Germ cell mutagenicity: Not mutagenic. - Carcinogenicity: No information available.

- Reproductive toxicity: No information available.

- STOT (single exposure): Inhalation of dust may cause respiratory tract irritation.

- STOT (repeated exposure): May cause damage to organs through prolonged or repeated (oral) exposure. Chronic overdose may lead to formation of renal calculi, bone demineralisation and formation of calcination foci in lung and

kidneys, causing renal insufficiency. - Aspiration toxicity: No information available.

Carcinogen Category None

12. ECOLOGICAL INFORMATION

Ecotoxicity No information available.

Persistence/Degradability Product is not easily biodegradable.

Mobility No information available.

Environmental Fate Harmful to aquatic life with long lasting effects - Avoid release to the environment.

Bioaccumulation Potential No information available.

No Data Available **Environmental Impact**

13. DISPOSAL CONSIDERATIONS

General Information Dispose of as hazardous waste and in accordance with local/regional/national regulations. **Special Precautions for Land Fill** Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name

Class

No Data Available

Subsidiary Risk(s)

No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name
Vitamin D3 500
Class
No Data Available
Subsidiary Risk(s)
No Data Available
No Data Available
UN Number
No Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Mexico)

NOMs

Proper Shipping NameVitamin D3 500ClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data Available

Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name

Class

No Data Available
Subsidiary Risk(s)

No Data Available
No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping NameVitamin D3 500ClassNo Data AvailableSubsidiary Risk(s)No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Vitamin D3 500 Class No Data Available Subsidiary Risk(s) No Data Available **UN Number** No Data Available Hazchem No Data Available No Data Available **Pack Group Special Provision** No Data Available **EMS** No Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport

IATA DGR

Proper Shipping Name

Class

No Data Available
Subsidiary Risk(s)

No Data Available
UN Number

No Data Available
Hazchem

No Data Available
Pack Group

No Data Available
Special Provision

No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the Criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available

Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR002521

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh) Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes VITDCA1014, VITDCA1016, VITDCA1200, VITDCA6000

Revision 2

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm3 Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluable in each other.

inHg Inch of Mercury

inH20 Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight