

1. IDENTIFICATION

Product Name Hydrochloric acid, >25%

Other Names Hydrochloric acid 31 - 33%; Hydrochloric acid 32%; Hydrochloric acid 33%

Uses Industrial use.
Chemical Family No Data Available

Chemical Formula HCI

Chemical Name Aqueous hydrogen chloride

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

 Organisation
 Location
 Telephone

 Redox Ltd
 2 Swettenham Road
 +61-2-97333000

Minto NSW 2566 Australia

Redox Ltd 11 Mayo Road +64-9-2506222

Wiri Auckland 2104 New Zealand

Redox Inc. 3960 Paramount Boulevard +1-424-675-3200

Suite 107

Lakewood CA 90712

USA

Redox Chemicals Sdn Bhd Level 2, No. 8, Jalan Sapir 33/7 +60-3-5614-2111

Seksyen 33, Shah Alam Premier Industrial Park

40400 Shah Alam Sengalor, Malaysia

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Schedule 6

+1-703-527-3887



Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Corrosive to Metals - Category 1

Skin Corrosion/Irritation - Category 1B Serious Eye Damage/Irritation - Category 1

Specific Target Organ Toxicity (Single Exposure) - Category 3

Pictograms





Signal Word Danger

Hazard Statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.H433 Harmful to terrestrial vertebrates.

Precautionary Statements Prevention **P260** Do not breathe fume/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P271 Use only outdoors or in a well-ventilated area.

Response P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P310 Immediately call a POISON CENTER or doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P390 Absorb spillage to prevent material-damage.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove victim to fresh air and keep comfortable for breathing.

Storage **P403 + P233** Store in a well-ventilated place. Keep container tightly closed.

P406 Store in corrosive resistant container with a resistant inner liner.

P405 Store locked up.

Disposal P501 Dispose of contents/container in accordance with local / regional / national /

international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods ClassificationDangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by

Road & Rail (ADG Code)

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification Hazardous according to the criteria of Safe Work Australia under Model WHS Regulations

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

HSNO Classifications Health Hazards **6.1B** Substances that are acutely toxic - Fatal

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Water	H2O	7732-18-5	<75 %
Hydrochloric acid	HCI	7647-01-0	>25 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: If conscious and alert, rinse mouth then drink 200 - 300 mL water to dilute the substance. Do NOT

induce vomiting. Immediately call a Poison Centre or doctor/physician for advice. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration; Rinse mouth, then drink more water. Keep victim calm and warm - Obtain immediate medical care. Never give anything by mouth to an

unconscious or convulsing person.

Eye IF IN EYES: Immediately flush eyes with running water for at least 15 minutes, holding eyelids open and occasionally

lifting the upper and lower lids. Immediately call a Poison Centre or doctor/physician for advice. Remove contact lenses if present and easy to do. If irritation persists, continue rinsing. Keep victim calm and warm - Obtain immediate medical care. Do not transport victim until the recommended flushing period is completed, unless flushing can be continued

during transport.

Skin IF ON SKIN (or hair): Remove contaminated clothing and shoes immediately. Flush skin and hair with running water for at

least 15 minutes. Immediately call a Poison Centre or doctor/physician for advice. In case of gross contamination, drench contaminated clothing and skin with plenty of water before removing clothes. For minor skin contact, avoid spreading material on unaffected skin. Keep victim calm and warm - Obtain immediate medical care. Do not transport victim until the recommended flushing period is completed, unless flushing can be continued during transport. During transport or if medical treatment is delayed, immerse the affected area in iced water. If immersion is not practicable, apply compresses of iced water. Wash contaminated clothing and shoes before reuse; Discard heavily contaminated clothing and shoes in a

manner which limits further exposure.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison

Centre or doctor/physician for advice. Apply resuscitation if victim is not breathing – Do not use direct mouth-to-mouth method if victim ingested or inhaled the substance; use alternative respiratory method or proper respiratory device.

Administer oxygen if breathing is difficult. Keep victim calm and warm - Obtain immediate medical care.

Advice to Doctor Corrosive effects on the skin and eyes may be delayed, and damage may occur without the sensation or onset of pain.

Symptoms may appear up to 48 hrs after exposure. Strict adherence to first aid measures following any exposure is essential. SPEED IS ESSENTIAL. Treat symptomatically. Ensure that attending medical personnel are aware of the identity

and nature of the product(s) involved, and take precautions to protect themselves.

Medical Conditions Aggravated by No information available.

Exposure

5. FIRE FIGHTING MEASURES

General MeasuresIf safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.
Water spray may be used to knock down escaping vapour. Avoid getting water inside containers. When any large

containers are involved in a fire, consider evacuation of areas within 800 m in all directions.

Flammability Conditions Non-combustible; Material does not burn, but may produce toxic and/or corrosive fumes upon heating.

Extinguishing Media If material is involved in a fire, use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction. Use

extinguishing media suitable for surrounding fires.

Fire and Explosion Hazard Will react with many compounds (some violently) releasing flammable, toxic and/or corrosive gases and runoff. Contact

with metals may evolve flammable hydrogen gas. Containers may explode when heated or contaminated with water.

Hazardous Products of

Combustion

Fire will produce irritating, toxic and/or corrosive gases, including chlorine.

Special Fire Fighting Instructions Contain runoff from fire control or dilution water - Runoff may be toxic and/or corrosive and may pollute waterways.

Personal Protective Equipment Liquid-tight chemical protective clothing (splash suit) in combination with self-contained breathing apparatus (SCBA)

should be used. Structural firefighter's uniform is NOT effective for this material.

Flash Point No Data Available
Lower Explosion Limit No Data Available
Upper Explosion Limit No Data Available
Auto Ignition Temperature No Data Available

Hazchem Code 2R

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation - Ventilate enclosed spaces before entering. ELIMINATE all ignition sources. Do not touch or

walk through spilled material. Do not breathe mist/vapours and prevent contact contact with eyes, skin and clothing.

Clean Up Procedures Absorb with earth, sand or other non-combustible material; Use clean non-sparking tools to collect material and place it

into suitable containers for later disposal (see SECTION 13).

Containment Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Cover with dry earth and/or other non-

combustible material followed by plastic sheet to minimise spreading. Vapour-suppressing foam may be used to control

vapours; Water spray may be used to knock down or divert vapour clouds.

Decontamination If possible, neutralize contaminant at the spilled area with lime, limestone, sodium carbonate (soda ash), sodium

bicarbonate, and dilute sodium hydroxide. Ensure adequate decontamination of tools and equipment following clean up.

Environmental Precautionary

Measures

 $Small\ spillages\ and\ decontamination\ run-off\ may\ be\ washed\ to\ drains\ with\ large\ quantities\ of\ water.\ Due\ care\ must$

however still be exercised to avoid unnecessary pollution of watercourses.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher

ground. Large spill: Consider downwind evacuation of areas within 250 m.

Personal Precautionary Measures Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (see SECTION 8).

Large spill: Wear SCBA and chemical splash suit.

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation - Use only outdoors or in a well-ventilated area. Handle in accordance with good industrial hygiene and safety practice. Do not breathe mist/vapours and prevent contact with eyes, skin and clothing. Do not ingest. Wear protective gloves/protective clothing/eye protection/face protection (see SECTION 8). CORROSIVE: Always add acid to water during dilution - NEVER add water to acid. Avoid contact with common metals. Use corrosion-resistant structural

materials. Absorb spillage to prevent material damage (see SECTION 6).

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed. Containers should be

labelled and protected from damage. Keep away from heat and sources of ignition - No smoking. Keep away from foodstuffs and incompatible materials (see SECTION 10). Store locked up. If stored indoors, building floors should be acid resistant with drains to a treatment system. Electrical equipment should be flameproof and protected against corrosive

action.

Container Keep only in the original container or suitable material, i.e. rubber lined steel, PVC/FRP, FRP. Containers should have a

safety relief valve - Care should be taken to release any internal pressure slowly.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General For Hydrochloric acid (CAS No. 7647-01-0):

Safe Work Australia (SWA) Exposure Standard: TWA = 5 ppm (7.5 mg/m3) Peak limitation.
 New Zealand Workplace Exposure Standard (WES): TWA = 5 ppm (7.5 mg/m3) Ceiling.

- OSHA PEL/NIOSH REL: TWA = 5 ppm (7 mg/m3) Ceiling.

- Immediately dangerous to life or health (IDLH) concentration: 50 ppm.

Exposure Limits No Data Available

Biological Limits No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust

ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Atmospheric levels should be controlled in compliance with the occupational

exposure limit. Electrical equipment should be flameproof and protected against corrosive action.

Personal Protection Equipment - Respiratory protection: Wear respiratory protection in case of inadequate ventilation, if facing concentrations above the

exposure limit or unknown concentrations. Recommended: Chemical cartridge respirator or air-purifying respirator, providing protection against acid gas (Filter Type E); Supplied air respirator or self-contained breathing apparatus (SCBA). - Eye/face protection: Wear appropriate eye protection to prevent eye contact. Recommended: Wear chemical goggles

and full face shield.

 $- \ Hand\ protection:\ Wear\ protective\ gloves.\ Recommended:\ Wear\ impervious\ gloves,\ e.g.\ Nitrile\ rubber\ (full\ contact);\ Latex$

gloves (splash contact).

- Skin/body protection: Wear appropriate personal protective clothing to prevent skin contact. Recommended: Wear

impervious protective clothing, including boots, lab coat, apron or full-body suit.

Special Hazards Precaustions Hydrogen, a highly flammable gas, can accumulate to explosive concentrations inside drums, or any types of steel

containers or tanks upon storage.

Work Hygienic Practices Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water

before eating, drinking or smoking and when leaving work. Wash contaminated clothing thoroughly before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical StateLiquidAppearanceClear liquidOdourPungent

Colour Colourless to slightly yellow

pH <1 (Neat)

Vapour PressureNo Data AvailableRelative Vapour DensityNo Data AvailableBoiling Point81.5 - 110 °CMelting Point-74 °C

Freezing Point No Data Available

Solubility Miscible with water

Specific Gravity 1.0 - 1.2

Flash Point

Auto Ignition Temp

No Data Available

Evaporation Rate

Public Density

No Data Available

No Data Available

No Data Available

No Data Available

Decomposition Temperature

No Data Available

No Data Available

No Data Available

Specific Heat No Data Available Molecular Weight No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available No Data Available **Saturated Vapour Concentration** No Data Available Vapour Temperature No Data Available Viscosity **Volatile Percent** No Data Available **VOC Volume** No Data Available

Additional Characteristics No information available.

Potential for Dust Explosion Not applicable.

Fast or Intensely Burning

Characteristics

No information available.

Flame Propagation or Burning **Rate of Solid Materials**

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a Fire

Will react with many compounds (some violently) releasing flammable, toxic and/or corrosive gases and runoff.

Properties That May Initiate or Contribute to Fire Intensity

Non-combustible; Material does not burn, but may produce toxic and/or corrosive fumes upon heating.

Reactions That Release Gases or Vapours

When heated to decomposition, emits toxic hydrogen chloride fumes. Can react violently if in contact with oxidising

agents, liberating chlorine.

Release of Invisible Flammable Vapours and Gases

Contact with metals will produce hydrogen gas which can form explosive mixtures with air.

10. STABILITY AND REACTIVITY

General Information Decomposes on heating, with release of (highly) toxic gases/vapours (chlorine). Reacts exothermically with many

> compounds. Reacts violently with (some) bases. Reacts with (strong) oxidizers, with release of (highly) toxic gases/vapours (chlorine). Reacts with (some) metals, with release of highly flammable gases/vapours (hydrogen).

Chemical Stability Material is stable under normal conditions. **Conditions to Avoid** Keep away from heat and sources of ignition.

Materials to Avoid Incompatible/reactive with strong mineral acid, strong bases, metals, metal oxides, hydroxides, amines, carbonates and

other alkaline materials; cyanides, sulfides, sulfites, sulfuric acid and formaldehyde; oxidising agents.

Hazardous Decomposition

Products

When heated to decomposition, emits toxic hydrogen chloride fumes. Contact with metals will produce hydrogen gas which can form explosive mixtures with air. Can react violently if in contact with oxidising agents, liberating chlorine.

Hazardous Polymerisation Hazardous polymerisation does not occur.

11. TOXICOLOGICAL INFORMATION

General Information

- Acute toxicity: Acute lethal effects are expected due to the corrosive nature of the chemical. Ingestion will immediately cause corrosion of and damage to the gastrointestinal tract. Potential sequelae following ingestion include perforation, scarring of the oesophagus or stomach and stricture formation causing dysphagia or gastric outlet obstruction.
- Skin corrosion/irritation: Corrosive Causes severe skin burns. Contact with this material will cause burns to the skin.
- Eye damage/irritation: Corrosive Causes serious eye damage. May cause permanent impairment of vision, including blindness.
- Respiratory/skin sensitisation: Not expected to cause respiratory or skin sensitization reactions.

- Germ cell mutagenicity: Hydrogen chloride does not have any significant mutagenic potential.
- Carcinogenicity: IARC has designated Hydrochloric acid as being not classifiable as to its carcinogenicity to humans. i.e. Category 3.
- Reproductive toxicity: No information available.
- STOT (single exposure): May cause respiratory irritation. Higher concentrations are corrosive to the mucous membrane. Acute inhalation (mist or vapour) may cause coughing, hoarseness, inflammation and ulceration of the respiratory tract and chest pain. Fluid build up on the lung (pulmonary oedema) may occur up to 48 hours after exposure and could prove fatal
- STOT (repeated exposure): Not considered to cause serious damage to health from repeated exposure. However, local irritation effects are expected due to the corrosivity of the chemical. Chronic occupational exposure has been reported to cause gastritis, chronic bronchitis, dermatitis and photosensitisation.

Prolonged exposure to low concentration may cause dental discolouration and erosion.

- Aspiration toxicity: No information available.

Acute

Ingestion Acute toxicity (Oral):

COMPONENT: Hydrochloric acid (CAS No. 7647-01-0):

- LD50, Rats (female): 238 - 277 mg/kg bw. (3.3% conc.) [NICNAS].

Carcinogen Category None

12. ECOLOGICAL INFORMATION

Ecotoxicity Aquatic toxicity:

LC50, Fish (Gambusia affinis): 282 mg/L (96 h) [Hydrochloric acid].
 EC50, Daphnia (Water flea): 56 mg/L (72 h) [Hydrochloric acid].

Persistence/Degradability Persistence is unlikely based on available information.

Mobility No information available.

Environmental Fate Large discharges may contribute to the acidification of water and be fatal to fish and other aquatic life. Can cause

damage to vegetation. Can cause severe damage to aquatic plants.

Bioaccumulation Potential No information available.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container through a licensed waste contractor and in accordance with local/regional/national

regulations. Decontamination and destruction of containers should be considered.

Special Precautions for Land Fill Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed

together, if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary

measures to prevent risks of pollution or damage to people or animals.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name HYDROCHLORIC ACID

Class 8 Corrosive Substances

Subsidiary Risk(s) No Data Available

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

 UN Number
 1789

 Hazchem
 2R

 Pack Group
 II

Special Provision No Data Available

Land Transport (Fiji)

Proper Shipping Name HYDROCHLORIC ACID
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

 UN Number
 1789

 Hazchem
 2R

 Pack Group
 II

Special Provision No Data Available

Land Transport (Malaysia)

ADR Code

Proper Shipping Name HYDROCHLORIC ACID
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

 UN Number
 1789

 Hazchem
 2R

 Pack Group
 II

Special Provision No Data Available

Land Transport (New Caledonia)

Proper Shipping Name HYDROCHLORIC ACID
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

 UN Number
 1789

 Hazchem
 2R

 Pack Group
 II

Special Provision No Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping Name HYDROCHLORIC ACID
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

UN Number 1789 Hazchem 2R

Pack Group II

Special Provision

Land Transport (Papua New Guinea)

Proper Shipping Name HYDROCHLORIC ACID
Class 8 Corrosive Substances

Subsidiary Risk(s) No Data Available

EPG 40 Toxic And/Or Corrosive Substances Non-Combustible - Water Reactive

 UN Number
 1789

 Hazchem
 2R

 Pack Group
 II

Special Provision No Data Available

Land Transport (United States of America)

US DOT

Proper Shipping Name HYDROCHLORIC ACID
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available

ERG 157 Substances - Toxic and/or Corrosive (Non-Combustible / Water-Sensitive)

 UN Number
 1789

 Hazchem
 2R

 Pack Group
 II

Special Provision No Data Available

Sea Transport

IMDG Code

Proper Shipping Name HYDROCHLORIC ACID
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available

 UN Number
 1789

 Hazchem
 2R

 Pack Group
 II

Special Provision No Data Available

EMS F-A, S-B **Marine Pollutant** No

Air Transport

IATA DGR

Proper Shipping Name HYDROCHLORIC ACID
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available

 UN Number
 1789

 Hazchem
 2R

 Pack Group
 II

Special Provision No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by

Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General InformationNo Data AvailablePoisons Schedule (Aust)Schedule 6

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code HSR001557 (Reissued)

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh) Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes HYACIB10025, HYACIB1000, HYACIB1500, HYACIB1600, HYACIB1893, HYACIB1895, HYACIB1897, HYACIB1900,

HYACIB1901, HYACIB1902, HYACIB1903, HYACIB1904, HYACIB1940, HYACIB1941, HYACIB1959, HYACIB2000, HYACIB2100, HYACIB2200, HYACIB2300, HYACIB2500, HYACIB2510, HYACIB3000, HYACIB3001, HYACIB3002, HYACIB3003, HYACIB3004, HYACIB3005, HYACIB3006, HYACIB3007, HYACIB3012, HYACIB3016, HYACIB3050, HYACIB3060, HYACIB3200, HYACIB3500, HYACIB3600, HYACIB3700, HYACIB3701, HYACIB3702, HYACIB3703, HYACIB3705, HYACIB4000, HYACIB4005, HYACIB5000, HYACIB6000, HYACIB6700, HYACIB6900, HYACIB7500, HYACIB7900, HYACIB8000, HYACIB8001, HYACIB8100, HYACIB8500, HYACIB8501, HYACIB8502, HYACIB9000, HYACIB9500, HYACIB9600, HYACIB9601, HYACIB9602, HYACIB9603, HYACIB9604, HYACIC1000, HYACIC1001, HYACIC1300, HYACIC1500, HYACIC1861, HYACIC1893, HYACIC2000, HYACIC2001, HYACIC3000, HYACIC3001, HYACIC3002, HYACIC3003, HYACIC3004, HYACIC3005, HYACIC3006, HYACIC3007, HYACIC3008, HYACIC3050, HYACIC3070, HYACIC3300, HYACIC3400, HYACIC3700, HYACIC4003, HYACIC4004, HYACIC4400, HYACIC5000, HYACIC6000, HYACIC6300, HYACIC6301, HYACIC6500, HYACIC7300, HYACIC7500, HYACIC7501, HYACIC7502, HYACIC7505, HYACIC8000, HYACID0800, HYACID1000, HYACID1001, HYACID1002, HYACID1003, HYACID1004, HYACID1005, HYACID1006, HYACID1007, HYACID1008, HYACID1009, HYACID1010, HYACID1011, HYACID1012, HYACID1013, HYACID1014, HYACID1015, HYACID1016, HYACID1017, HYACID1018, HYACID1019, HYACID1020, HYACID1021, HYACID1022, HYACID1023, HYACID1024, HYACID1025, HYACID1026, HYACID1027, HYACID1028, HYACID1030, HYACID1200, HYACID1300, HYACID1301, HYACID1400, HYACID1500, HYACID1501, HYACID1600, HYACID1700, HYACID1701, HYACID1730, HYACID1733, HYACID1801, HYACID1802, HYACID1803, HYACID1804, HYACID1805, HYACID1806, HYACID1807, HYACID1808, HYACID1812, HYACID1813, HYACID1814, HYACID1815, HYACID1816, HYACID1817, HYACID1818, HYACID1821, HYACID1822, HYACID1823, HYACID1824, HYACID1825, HYACID1826, HYACID1827, HYACID1828, HYACID1829, HYACID1830, HYACID1831, HYACID1832, HYACID1833, HYACID1834, HYACID1835, HYACID1836, HYACID1837, HYACID1838, HYACID1839, HYACID1840, HYACID1841, HYACID1842, HYACID1857, HYACID1858, HYACID1859, HYACID1860, HYACID1861, HYACID1862, HYACID1863, HYACID1864, HYACID1865, HYACID1866, HYACID1867, HYACID1868, HYACID1869, HYACID1870, HYACID1871, HYACID1872, HYACID1873, HYACID1874, HYACID1875, HYACID1876, HYACID1877, HYACID1878, HYACID1879, HYACID1880, HYACID1881, HYACID1882, HYACID1883, HYACID1884, HYACID1885, HYACID1886, HYACID1887, HYACID1888, HYACID1889, HYACID1890, HYACID1891, HYACID1892, HYACID1893, HYACID1894, HYACID1895, HYACID1896, HYACID1897, HYACID1898, HYACID1899, HYACID1900, HYACID1901, HYACID1902, HYACID1903, HYACID1904, HYACID1905, HYACID1906, HYACID1907, HYACID1908, HYACID1909, HYACID1910, HYACID1911, HYACID1912, HYACID1913, HYACID1914, HYACID1915, HYACID1917, HYACID1919, HYACID1924, HYACID1927, HYACID1930, HYACID1932, HYACID1934, HYACID1935, HYACID1936, HYACID1937, HYACID1940, HYACID1941, HYACID1942, HYACID1943, HYACID1948, HYACID1956, HYACID1957, HYACID1958, HYACID2000, HYACID2001, HYACID2002, HYACID2003, HYACID2024, HYACID2034, HYACID2040, HYACID2100, HYACID2200, HYACID2300, HYACID2400, HYACID2500, HYACID2501, HYACID2505, HYACID2506, HYACID2507, HYACID2508, HYACID2509, HYACID2510, HYACID2600, HYACID2900, HYACID3000, HYACID3001, HYACID3002, HYACID3006, HYACID3050, HYACID3100, HYACID3500, HYACID3600, HYACID3700, HYACID3701, HYACID4000, HYACID4200, HYACID5000, HYACID5100, HYACID5500, HYACID6000, HYACID6010, HYACID6050, HYACID6500, HYACID6501, HYACID7000, HYACID7100, HYACID7200, HYACID7300, HYACID7500, HYACID8000, HYACID8100, HYACID9500, HYACID9501, HYACID9502, HYACID9503, HYACID9505, HYACID9506, HYACID9507, HYACID9508, HYACIL1000

Revision

Revision Date25 Apr 2019Reason for IssueSDS updatedKey/Legend< Less Than</th>

AICS Australian Inventory of Chemical Substances

atm Atmosphere

> Greater Than

6

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **immiscible** Liquids are insoluable in each other.

inHg Inch of Mercury inH2O Inch of Water

K Kelvin **kg** Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight