

1. IDENTIFICATION

Product Name PEG-40 Hydrogenated Castor Oil

Other Names Hydrogenated castor oil, ethoxylated; Polyoxyethylene hydrogenated castor oil; TL-2396

Uses Surfactant; Emulsifier.

Chemical Family No Data Available

Chemical Formula Unspecified

Chemical Name Castor oil, hydrogenated, ethoxylated

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

OrganisationLocationTelephoneRedox Ltd2 Swettenham Road+61-2-97333000

Minto NSW 2566 Australia

Redox Ltd 11 Mayo Road +64-9-2506222

Wiri Auckland 2104 New Zealand

Redox Inc. 3960 Paramount Boulevard +1-424-675-3200

Suite 107

Lakewood CA 90712

USA

Redox Chemicals Sdn Bhd Level 2, No. 8, Jalan Sapir 33/7 +60-3-5614-2111

Seksyen 33, Shah Alam Premier Industrial Park

40400 Shah Alam Sengalor, Malaysia

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Location	Telephone
Poisons Information Centre	Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled

+1-703-527-3887



Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Hazard Categories Acute Toxicity (Oral) - Category 5

Signal Word Warning

Hazard Statements H303 May be harmful if swallowed.

Precautionary Statements Response P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Polyoxyethylene hydrogenated castor oil	Unspecified	61788-85-0	>99 - 100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth, then drink a glass of water. Do not induce vomiting. Call a Poison Centre or

doctor/physician for advice. Never give anything by mouth to an unconscious person.

Eye IF IN EYES: Immediately flush eyes with (warm) running water for several minutes, holding eyelids open and occasionally

lifting the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes.

If eye irritation persists, get medical advice/attention.

Skin IF ON SKIN: Remove contaminated clothing and shoes immediately. Flush skin with (warm) running water for at least 15

minutes. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing and shoes before reuse.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms

persist, get medical advice/attention.

Advice to Doctor Treat symptomatically.

Medical Conditions Aggravated by No information available.

Exposure

5. FIRE FIGHTING MEASURES

General Measures If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.

Flammability Conditions May burn but does not ignite readily.

Extinguishing Media Use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

Fire and Explosion Hazard Containers may explode when heated. Flame might be invisible in daylight.

Hazardous Products of

Combustion

Fire may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Special Fire Fighting Instructions Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Personal Protective Equipment Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may

provide limited protection.

Flash Point >170 °C [Closed cup]

Lower Explosion Limit No Data Available

Upper Explosion Limit No Data Available

Auto Ignition Temperature No Data Available

Hazchem Code No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. ELIMINATE all ignition sources. Do not touch or walk through spilled material - Slippery

when spilt. Avoid breathing vapours and contact with eyes, skin and clothing.

Clean Up Procedures Absorb with earth, sand or other non-combustible material and transfer to a suitable, properly labelled container for

disposal (see SECTION 13).

Containment Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas.

Decontamination No information available.

Environmental Precautionary

Measures

Prevent entry into drains and waterways.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

Personal Precautionary Measures Use personal protective equipment as required (see SECTION 8).

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing mist/vapours/aerosols and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as

required (see SECTION 8).

Storage Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed - Check regularly for

leaks. Protect containers against physical damage. Keep away from heat and sources of ignition - No smoking. Keep

away from foodstuffs and incompatible materials (see SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product.

Exposure Limits No Data Available

Biological Limits No information available.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust

ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area.

Personal Protection Equipment - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Organic

vapour/particulate filter respirator (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Chemical splash goggles.
- Hand protection: Handle with gloves. Recommended: Protective (rubber) gloves.
- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Protective working clothes and safety shoes.

Special Hazards Precaustions

No information available.

Work Hygienic Practices

Do not eat, drink or smoke when using this product. Wash hands before break and at the end of work. Immediately remove all soiled and contaminated clothing. Keep work environment clean.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance Liquid/Paste

OdourLight, characteristicColourYellow to brownpH6.0 - 7.0 (10% aq.)Vapour PressureNo Data Available

Relative Vapour Density >1 Air = 1

Boiling PointNo Data AvailableMelting PointNo Data AvailableFreezing PointNo Data AvailableSolubilitySoluble in waterSpecific Gravity1.038 - 1.065

Flash Point >170 °C [Closed cup]
Auto Ignition Temp No Data Available
Evaporation Rate No Data Available
Bulk Density No Data Available
Corrosion Rate No Data Available

Decomposition Temperature >250 °C

No Data Available Density **Specific Heat** No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available **Saturated Vapour Concentration** No Data Available **Vapour Temperature** No Data Available Viscosity No Data Available **Volatile Percent** No Data Available **VOC Volume** No Data Available

Additional Characteristics No information available.

Potential for Dust Explosion Not applicable.

Fast or Intensely Burning

Characteristics

No information available.

Flame Propagation or Burning

Rate of Solid Materials

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a No information available.

No information available.

Fire

Properties That May Initiate or Contribute to Fire Intensity

May burn but does not ignite readily. Flame might be invisible in daylight.

Reactions That Release Gases or

Vapours

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Release of Invisible Flammable

Vapours and Gases

10. STABILITY AND REACTIVITY

General Information No dangerous reactions known.

Chemical Stability Product is stable under normal conditions.

Conditions to Avoid Keep away from heat and sources of ignition.

Materials to Avoid Incompatible/reactive with strong acids, bases and oxidising agents.

Hazardous Decomposition

Products

Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including Carbon oxides.

Hazardous Polymerisation Hazardous polymerisation will not occur.

11. TOXICOLOGICAL INFORMATION

General Information Information on possible routes of exposure:

- Ingestion: May be harmful if swallowed. Large amounts may cause nausea and vomiting.

Eye contact: May cause eye irritation.Skin contact: May cause slight skin irritation.

- Inhalation: Breathing in mist/vapour/aerosols may cause respiratory irritation.

Chronic effects: No information available.

Carcinogen Category None

12. ECOLOGICAL INFORMATION

 Ecotoxicity
 No information available.

 Persistence/Degradability
 No information available.

 Mobility
 No information available.

Environmental Fate Prevent entry into drains and waterways.

Bioaccumulation Potential No information available.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill No information available.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name PEG-40 Hydrogenated Castor Oil

Class C2 Combustible Liquids - Flash Point >93°C, Closed Cup, Not Excluded Flammable

Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

Proper Shipping Name PEG-40 Hydrogenated Castor Oil

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name PEG-40 Hydrogenated Castor Oil

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name PEG-40 Hydrogenated Castor Oil

Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport IMDG Code

Proper Shipping Name PEG-40 Hydrogenated Castor Oil

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
EMS No Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport IATA DGR

Proper Shipping Name PEG-40 Hydrogenated Castor Oil

ClassNo Data AvailableSubsidiary Risk(s)No Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods ClassificationNOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available
Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh) Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes CAHYET1200, CAHYET1201, CAHYET1210, CAHYET1220, CAHYET1222, CAHYET1230, CAHYET1300, CAHYET1500,

CAHYET2100, CAHYET4200

Revision

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism **IDLH** Immediately Dangerous to Life and Health **immiscible** Liquids are insoluable in each other.

inHg Inch of Mercury

inH20 Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight